



INTERNATIONAL SURGICAL & DENTAL ACCREDITATION STANDARDS MANUAL

Version 5.0, Effective April 7, 2025

QUAD A

TABLE OF CONTENTS

Topic	Page #
Survey Instructions	5
Standards Structure	5
Standards Book Layout	6
Scoring Compliance	6
Anesthesia Class Requirements	8
Additional Guidance	11
International Standards	
Section 1: Basic Mandates	17
Sub-section A: Anesthesia Options	17
Sub-section B: Basic Mandates	20
Sub-section C: Patient Selection	23
Sub-section D: Patients' Rights	29
Sub-section E: QUAD A-Mandated Reporting	36
Sub-section F: Patient Safety Data Reporting (PSDR)	38
Section 2: Facility Layout & Environment	53
Sub-section A: Layout	53
Sub-section B: Facility Environment	57
Sub-section C: Operating Room Environment	68
Sub-section D: Post-Anesthesia Care Unit (PACU) Environment	75
Sub-section E: Storage	76
Section 3: Safety	83
Sub-section A: General Safety	83
Sub-section B: Facility Safety Manual	83
Sub-section C: Hazardous Agents	86
Sub-section D: Medical Hazardous Waste	97
Sub-section E: Fire Safety	102
Sub-section F: Exits	106
Sub-section G: Personnel Safety	108
Sub-section H: X-Ray and Laser Safety	113
Section 4: Equipment	118
Sub-section A: Facility Equipment	118
Sub-section B: Operating Room Equipment	120
Sub-section C: Anesthesia Equipment	127
Sub-section D: Post-Anesthesia Care Unit (PACU) Equipment	141
Sub-section E: Maintenance of Equipment	142
Section 5: In Case of Emergency	149

Sub-section A: Emergency Equipment	149
Sub-section B: Emergency Power	152
Sub-section C: Emergency Protocols	156
Sub-section F: Disaster Preparedness Plan	161
Section 6: Medications	163
Sub-section A: Medications	163
Sub-section B: Intravenous Fluids	174
Sub-section C: Blood and Blood Substitutes	175
Sub-section D: Controlled Substances	176
Sub-section E: ACLS/PALS Algorithm	183
Sub-section F: Emergency Medications	194
Sub-section G: Malignant Hyperthermia	
Section 7: Infection Control	202
Sub-section A: Infection Control	202
Sub-section B: Hand Hygiene	209
Sub-section C: Instrument Processing	210
Sub-section D: Sterilization	217
Sub-section E: High-Level Disinfection (HLD)	237
Sub-section F: Cleaning	243
Section 8: Clinical Records	249
Sub-section A: General Clinical Records	249
Sub-section B: Pre-Operative Documentation	251
Sub-section C: Informed Consent	263
Sub-section E: Laboratory, Pathology, X-Ray, Consultation, Treating Physician Reports, Etc.	265
Sub-section F: Anesthesia Care Plan	268
Sub-section G: Intra-Operative Documentation	274
Sub-section H: Intra-Operative Anesthetic Monitoring and Documentation	276
Sub-section I: Transfer to Post-Anesthesia Care Unit (PACU)	293
Sub-section J: Post-Anesthesia Care Unit (PACU) Documentation	300
Sub-section K: Discharge	305
Sub-section L: Operative Log	311
Section 9: Governing Body	314
Sub-section A: Governing Body	314
Sub-section B: Transfer Agreement	322
Sub-section C: Extended Stays	322
Section 10: Quality Assessment / Quality Improvement / Risk Management	324
Sub-section A: Quality Assessment / Quality Improvement Program / Risk Management	324
Sub-section B: Quality Improvement Program	325
Sub-section C: Risk Management	329
Sub-section D: Peer Review	335

<u>Section 11: Personnel</u>	344
Sub-section A: Personnel	344
Sub-section B: Medical Director	344
Sub-section C: Surgeons/Proceduralists/Etc.	348
Sub-section D: Anesthesia Providers	353
Sub-section E: Facility Staffing	355
Sub-section G: Post-Anesthesia Care Unit (PACU) Staffing	356
Sub-section H: Personnel Records	360
Sub-section I: Personnel Training	365
<u>Section 16: Dubai Health Authority (DHA) Supplemental</u>	371
Sub-section A: Personnel Qualifications	371
Sub-section B: Health Facility Requirements	384
Sub-section C: Healthcare Professionals Requirement	404
Sub-section D: Pre-Operative Evaluation and Informed Consent	411
Sub-section E: Patient Safety, Monitoring and Discharge	422
Sub-section F: Critical Care and Emergency Management	434
<u>Glossary</u>	447
<u>General Glossary</u>	448

SURVEY INSTRUCTIONS

Please complete the Standards Manual for the facility by assessing compliance with the standards contained in this book.

STANDARDS STRUCTURE

Standards found in this book are organized by grouping relevant standards together. These groupings are comprised of “Sections,” “Sub-sections,” and then individual standard numbers. Each main “Section” is identified by a numerical value, “Sub-sections” have been assigned an alphabetical value, and the individual standards under the subsection have also been numbered. Based on this format, each standard has been assigned a unique identifier to include all three elements to indicate its location.

For example: The standard which states, “Each operating room is properly cleaned, maintained and free of litter and clutter” is the fourth standard under Section 2, Sub-section C. Therefore, the unique identifier for this standard is: 2-C-4.

Please note that not all standards are necessarily in continuous sequential order. Some numbers have been reserved for future use and do not appear in the manual. The groupings within the Sections and Sub-sections of this book are intended to separate standards into logical sets of standards. Based on 40 years’ experience, such groups are likely, but not guaranteed, to be found and assessed during the same portion of the survey process.

STANDARDS BOOK LAYOUT

The standards manual layout consists of five columns. The function of each column are as follows:

ID:

This column contains the alphanumeric identifier for each standard.

Standard:

This column contains the text for each standard.

CMS Ref:

This column indicates the corresponding CMS regulatory reference, if applicable.

Class:

This column indicates the anesthesia classification, based on QUAD A definitions, that is applicable to the standard. Only facilities that provide anesthesia meeting the definition of one or more of the classifications listed in this column are required to comply with that particular standard.

Score:

This column is used to document compliance or non-compliance by the surveyor during the survey process; or, by the facility during self-assessment reviews for performance. As stated below, if 100% compliance is not achieved, the standard is marked as “deficient”.

SCORING COMPLIANCE

The QUAD A accreditation program requires 100% compliance with each standard to become and remain accredited. There are no exceptions. If there is even one instance where a surveyor makes an observation of non-compliance, the standard is scored as “Deficient” and the facility will be required to submit a Plan of Correction, as well as evidence of completed corrections. There may be occasion where the surveyor observes non-compliance, but the facility is able to demonstrate that the deficiency has been corrected while the surveyor is still on-site. Applicable standard(s) will be given a score of deficient. To provide full context to QUAD A and CMS, the survey findings should illustrate that non-compliance was corrected in the presence of the survey team.

QUAD A does not confer accreditation until a facility has provided acceptable plans of correction and evidence of corrections for every deficiency cited. However, when a standard refers to "appropriate," "proper," or "adequate", reasonable flexibility and room for consideration by the surveyor is permitted as long as patient and staff safety remain uncompromised.

NOTES:

ANESTHESIA CLASS REQUIREMENTS

If a facility is not in compliance with any item in this document, standard 1-A-1 will be scored as deficient.

1. Class A (Facility must meet every Class “A” requirement):

All surgical and procedural cases are performed in the facility under local, topical anesthesia, minimal sedation, or nitrous oxide using a standalone system for administration.

NOTE: Endotracheal tubes and supraglottic airways are permitted in the facility for emergency use only.

Local or Topical Anesthesia may be administered by any of the following:

- Surgeon/Proceduralist
- Physician Anesthesiologist
- Dental Anesthesiologist
- Certified Registered Nurse Anesthetist (CRNA)
- Certified Anesthesiologist Assistant (CAA) under the supervision of an anesthesiologist
- Nurse Practitioner (NP)
- Physician Assistant (PA)
- Registered nurse under the direct supervision of a credentialed physician as permitted by state law.

Nitrous Oxide may be administered using a Nitrous-Oxide Delivery System with required safety features by a credentialed:

- Surgeon/Proceduralist
- Physician Anesthesiologist
- Pediatric Dentist
- Dental Anesthesiologist
- Oral and Maxillofacial Surgeon (OMS)
- Certified Registered Nurse Anesthetist (CRNA)
- Certified Anesthesiologist Assistant (CAA)
- Dental Assistant under the supervision of a Pediatric Dentist or Dental Anesthesiologist in accordance with State law.
- Registered Nurse under the direct supervision of a credentialed physician.

Clarifications:

- All cases performed in a Class A facility must be performed using local anesthesia with minimal sedation only. A Class A facility is not permitted to perform any cases with moderate sedation.
- No more than 500cc of liposuction aspirate may be removed.
- A single dose of analgesic or minimal sedation (anxiolytic) drug may be administered preoperatively, which results in minimal sedation, and one (1) dose of the same medication may be administered postoperatively. Any additional doses or agents are

considered Moderate Sedation, requiring the facility to be accredited under Class B or C standards. This includes doses taken by patients prior to arriving at the facility.

- The use of propofol, spinal anesthesia, epidural anesthesia, endotracheal intubation anesthesia, laryngeal mask airway anesthesia, and/or inhalation general anesthesia (excluding nitrous oxide) is prohibited.
- Nitrous oxide and minimal sedation are not permitted to be administered together in a Class A facility; they are only permitted in Class B and C facilities.
- If a facility performs procedures by administering oral medications (e.g., Valium) and/or performing nerve blocks (inter scalene, supraclavicular, femoral, etc.) or field blocks (e.g., retrobulbar, digital, Bier, etc.), this practice is considered Class B. The use of field or nerve blocks is **not** permitted in facilities accredited under facility Class A accreditation standards.

2. **Class B** (Facility must meet every Class “A” and “B” requirement):

Surgical and procedural cases are performed in the facility under intravenous sedation, regional anesthesia, analgesia, or dissociative drugs (excluding Propofol), resulting in moderate/conscious sedation and without the use of endotracheal intubation or laryngeal mask airway, or inhalation general anesthesia. The use of sublingual midazolam, ketamine HCl, and ondansetron (MKO) melt is permitted.

NOTE: Endotracheal tubes and supraglottic airways are permitted in the facility for emergency use only.

Intravenous Sedation may be administered by any of the following:

- Surgeon/proceduralist
- Physician Anesthesiologist
- Dental Anesthesiologist
- Certified Registered Nurse Anesthetist (CRNA)
- Certified Anesthesiologist Assistant (CAA)
- Registered Nurse (RN) under the direct supervision of a qualified physician

Field and Peripheral Nerve Blocks may be administered by any of the following:

- Physician Anesthesiologist
- Oral and Maxillofacial Surgeon (OMS)
- Dental Anesthesiologist
- Pediatric Dentist
- Certified Registered Nurse Anesthetist (CRNA)
- Certified Anesthesiologist Assistant (CAA)

Oral or Intranasal Sedation may be administered by any of the following:

- Surgeon/Proceduralist
- Physician Anesthesiologist
- Dental Anesthesiologist
- Pediatric Dentist
- Oral Maxillofacial Surgeon (OMS)

- Certified Anesthesia Assistant (CAA)
- Certified Registered Nurse Anesthetist (CRNA)
- Registered Nurse under the direct supervision of a qualified physician

The use of propofol, spinal anesthesia, epidural anesthesia, endotracheal intubation anesthesia, laryngeal mask airway anesthesia, and/or inhalation general anesthesia (excluding nitrous oxide) is prohibited.

3. **Class C:** (Facility must meet every Class “A”, “B” and “C” requirement):

Surgical and procedural cases may be performed in the facility with intravenous propofol, spinal or epidural, and general anesthesia administered by any of the following:

- Physician Anesthesiologist
- Dental Anesthesiologist
- Certified Registered Nurse Anesthetist (CRNA)
- Certified Anesthesia Assistant (CAA)

Clarifications:

- Facilities using total intravenous anesthesia (TIVA) and have no inhalational anesthetics present in the facility would not be required to have an anesthesia machine. See standard [Insert new standard number].

ADDITIONAL GUIDANCE

Table 1. ASA Continuum of Depth of Sedation: Definition of General Anesthesia and Levels of Sedation/Analgesia, 2019

	Minimal Sedation (Anxiolysis)	Moderate Sedation/Analgesia (Conscious Sedation)	Deep Sedation/Analgesia	General Anesthesia
Responsiveness	Normal response to verbal stimulation	Purposeful* response to verbal or tactile stimulation	Purposeful* response after repeated or painful stimulation	Unarousable, even with painful stimulus
Airway	Unaffected	No intervention required	Intervention may be required	Intervention often required
Spontaneous ventilation	Unaffected	Adequate	May be inadequate	Frequently inadequate
Cardiovascular function	Unaffected	Usually maintained	Usually maintained	May be impaired

Minimal Sedation (Anxiolysis) indicates a drug-induced state during which patients respond normally to verbal commands. Although cognitive function and coordination may be impaired, ventilatory and cardiovascular functions are unaffected. Moderate Sedation/Analgesia (Conscious Sedation) indicates a drug-induced depression of consciousness during which patients respond purposefully* to verbal commands, either alone or accompanied by light tactile stimulation. No interventions are required to maintain a patent airway, and spontaneous ventilation is adequate. Cardiovascular function is usually maintained. Deep Sedation/Analgesia is a drug-induced depression of consciousness during which patients cannot be easily aroused but respond purposefully* after repeated or painful stimulation. The ability to independently maintain ventilatory function may be impaired. Patients may require assistance in maintaining a patent airway, and spontaneous ventilation may be inadequate. Cardiovascular function is usually maintained. General Anesthesia is a drug-induced loss of consciousness during which patients are not arousable, even by painful stimulation. The ability to independently maintain ventilatory function is often impaired. Patients often require assistance in maintaining a patent airway, and positive pressure ventilation may be required because of depressed spontaneous ventilation or drug-induced depression of neuromuscular function. Cardiovascular function may be impaired.

Because sedation is a continuum, it is not always possible to predict how an individual patient will respond. Hence, practitioners intending to produce a given level of sedation should be able to rescue patients whose level of sedation becomes deeper than initially intended. Individuals administering Moderate Sedation/Analgesia (Conscious Sedation) should be able to rescue patients who enter a state of Deep Sedation/Analgesia, whereas those administering Deep Sedation/Analgesia should be able to rescue patients who enter a state of General Anesthesia. (Developed by the American Society of Anesthesiologists: Approved by ASA House of Delegates on October 13, 1999 and last amended on October 15, 2014. Available at: <http://www.asahq.org/quality-and-practice-management/practice-guidance-resource-documents/continuum-of-depth-of-sedation-definition-of-general-anesthesia-and-levels-of-sedation-analgesia>. Accessed on August 21, 2017.)

*Reflex withdrawal from a painful stimulus is NOT considered a purposeful response.

Patient Monitoring – Moderate and Deep Sedation

Many of the complications associated with moderate sedation and analgesia may be avoided if adverse drug responses are detected and treated in a timely manner (i.e., before the development of cardiovascular decompensation or cerebral hypoxia). Patients given sedatives or analgesics in unmonitored settings may be at increased risk of these complications.

Patient monitoring includes strategies for the following: (1) monitoring patient level of consciousness assessed by the response of patients, including spoken responses to commands or other forms of bidirectional communication during procedures performed with moderate sedation/analgesia; (2) monitoring patient ventilation and oxygenation, including ventilatory function, by observation of qualitative clinical signs, capnography, and pulse oximetry; (3) hemodynamic monitoring, including blood pressure, heart rate, and electrocardiography; (4) contemporaneous recording of monitored parameters; and (5) availability/presence of an individual responsible for patient monitoring. See standards in Section 8: Clinical Records, Sub-section H.

SUMMARY TABLE FOR ANESTHESIA OPTIONS

ANESTHESIA OPTIONS	Class		
	A	B	C
Local Anesthesia	X	X	X
Topical Anesthesia	X	X	X
Nitrous Oxide	X	X	X
Parenteral Sedation		X	X
Field and Peripheral Nerve Blocks		X	X
Dissociative Drugs (excluding Propofol)		X	X
Propofol			X
Epidural Anesthesia			X
Spinal Anesthesia			X
General Anesthesia – with or without endotracheal intubation anesthesia, or laryngeal mask airway (LMA) anesthesia			X

ADDITIONAL GUIDANCE

Nitrous Oxide

Only Nitrous Oxide-Oxygen Delivery Systems with the following safety features may be used in a QUAD A accredited facility:

Alarms - Audio and/or visual alarms (e.g., low- or high-oxygen and nitrous oxide pressure alarms).

Color Coding - Gas tanks, knobs, and hoses are coded by color (standardized nationally, but not necessarily internationally).

Diameter index safety system - A standard for noninterchangeable, removable connections for use with medical gases helps ensure that the appropriate gas flows through the appropriate tubing and cannot be interchanged.

Emergency air inlet - An inlet designed to remain closed as long as gases are being administered to the patient; however, when the oxygen fail-safe system turns the gases off, ambient air is allowed to enter the system so that the patient can continue to breathe through the nasal hood or face mask.

Locks - According to national fire codes, nitrous oxide and other compressed gases must be kept in locked rooms; many manufacturers supply additional locks for the machines at the tanks, the manifold, or the mixer level to prevent staff members from accessing nitrous oxide inappropriately.

Oxygen fail-safe system—The oxygen fail-safe system is designed so that the nitrous oxide supply will be turned off automatically when oxygen delivery is compromised or depleted. Delivery systems are required to provide a minimum oxygen liter flow that ensures 2.5 to 3.0 liters of oxygen per minute is the minimum amount being administered and that concentrations of oxygen never fall below 30% during gas delivery.

Oxygen flush button—This mechanism allows 100% oxygen to be administered through a reservoir bag in the event of an emergency. When the button is pressed, the oxygen flush valve engages, and the system delivers oxygen straight from the pipeline or tank regulator at 45 to 50 psi at a flow rate between 35 and 75 L/min.

Pin-index safety system—Pins protruding from the gas tank yokes have a unique configuration that fits into corresponding holes in the tank valves. This helps prevent the accidental attachment of a nonoxygen tank to the oxygen attachment portal.

Quick connect for positive-pressure oxygen- In an emergency situation in which positive-pressure oxygen is required (e.g., to augment cardiopulmonary resuscitation), quick-connect compatibility helps ensure immediate access to positive-pressure oxygen anywhere in the office.

Reservoir bag—An inflatable rubber reservoir bladder into which fresh gas entering the circuit is conveyed; the bag is filled gradually as gases enter the circuit and deflates with inhalation.

ANESTHESIA REFERENCES

American Academy of Pediatric Dentists (AAPD), Guideline on Use of Nitrous Oxide for Pediatric Dental Patients, 2009 www.aapd.org/assets/1/7/G_Nitrous.pdf

American Association of Nurse Anesthesiology (AANA) Clinical Resources for Practicing CRNAs/Nurse Anesthesiologists <https://www.aana.com/practice/clinical-practice/clinical-practice-resources/>

AANA Professional Practice Manual <https://www.aana.com/practice/professional-practice-manual/>

AANA Scope of Nurse Anesthesia Practice
https://issuu.com/aanapublishing/docs/scope_of_nurse_anesthesia_practice_2.23?fr=sNDg2MDU2NDAxMjU

AANA Standards for Nurse Anesthesia
https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNjU2NDAxMjU

American Dental Association (ADA) Guidelines for the Use of Sedation and General Anesthesia by Dentists, 2016 www.ada.org/-/media/project/ada-organization/ada/ada-org/files/resources/library/oral-health-topics/ada_sedation_use_guidelines.pdf?rev=b8b34313071d416a99182e8b37add4dd&hash=E5FAB383105610C2988B0ECA2ADBDF95

American Dental Association, Guidelines for Teaching Pediatric Pain Control and Management https://www.ada.org/-/media/project/ada-organization/ada/ada-org/files/resources/library/oral-health-topics/ada_guidelines_teaching_pediatric_sedation.pdf?rev=86a7c539ce9d4025bc2b291223f35328&hash=2DF304CA67B8592C2290DE91E816726A

American Society for Regional Anesthesia & Pain Medicine, Checklist for Treatment of Local Anesthetic Systemic Toxicity (LAST), 2020 <https://www.asra.com/news-publications/asra-updates/blog-landing/guidelines/2020/11/01/checklist-for-treatment-of-local-anesthetic-systemic-toxicity>

American Society of Anesthesiologists (ASA) (asahq.org)

ASA Continuum of Sedation, 2017 <https://pubs.asahq.org/view-large/figure/1240051/11tt01.png>

ASA Practice Guidelines for Moderate Procedural Sedation and Analgesia, 2018
<https://pubs.asahq.org/anesthesiology/article/128/3/437/18818/Practice-Guidelines-for-Moderate-Procedural>

ASA Statement on Safe Use of Propofol 2019 <https://www.asahq.org/standards-and-practice-parameters/statement-on-safe-use-of-propofol>

ASA Standards for Basic Anesthetic Monitoring, 2020 <https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring>

ASA Statement of Granting Privileges for Administration of Moderate Sedation to Practitioners, 2021 <https://www.asahq.org/standards-and-guidelines/statement-of-granting-privileges-for-administration-of-moderate-sedation-to-practitionersv>

ASA Statement on Continuum of Depth of Sedation: Definition of General Anesthesia and Levels of Sedation/Analgesia, 2019 <https://www.asahq.org/standards-and-practice-parameters/statement-on-continuum-of-depth-of-sedation-definition-of-general-anesthesia-and-levels-of-sedation-analgesia>

ASA Statement on Safe Use of Propofol 2019 <https://www.asahq.org/standards-and-practice-parameters/statement-on-safe-use-of-propofol>

Can a Dental Assistant Use Nitrous Oxide?
<https://www.northwestcareercollege.edu/blog/can-a-dental-assistant-use-nitrous-oxide/>

Checklist for Treatment of Local Anesthetic Systemic Toxicity (LAST)
<https://www.asra.com/news-publications/asra-updates/blog-landing/guidelines/2020/11/01/checklist-for-treatment-of-local-anesthetic-systemic-toxicity>

Duke Anesthesiology <https://www.youtube.com/watch?v=6dnfkEsySKU>

Healthline, Conscious Sedation, 2018 <https://www.healthline.com/health/conscious-sedation>

Institute for Safe Medication Practices (ISMP) Guidelines for Safe Preparation of Compounded Sterile Preparations, 2016
<https://www.ismp.org/sites/default/files/attachments/2017-11/Guidelines%20for%20Safe%20Preparation%20of%20Compounded%20Sterile%20Preparations%20revised%202016.pdf>

National Library of Congress, Anesthesia for Office-Based Facial Plastic Surgery Procedures, 2023 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10541158/>

National Library of Medicine, Local Anesthesia Systemic Toxicity, 2022
<https://www.ncbi.nlm.nih.gov/books/NBK499964/>

National Library of Medicine, Procedural Sedation 2022
<https://www.ncbi.nlm.nih.gov/books/NBK551685/>

Nitrous Oxide, 2023, <https://www.ada.org/resources/ada-library/oral-health-topics/nitrous-oxide>

Ophthalmology, MKO Melt Is Effective for Cataract Surgery Conscious Sedation, 2018
<https://ophthalmology360.com/cataract-surgery/mko-melt-effective-cataract-surgery-conscious-sedation/>

Practice Guidelines for Moderate Procedural Sedation & Analgesia 2018: A Report by the American Society of Anesthesiologists Task Force on Moderate Procedural Sedation and Analgesia, the American Association of Oral and Maxillofacial Surgeons, American College of Radiology, American Dental Association, American Society of Dentist Anesthesiologists, and Society of Interventional Radiology
<https://pubs.asahq.org/anesthesiology/article/128/3/437/18818/Practice-Guidelines-for-Moderate-Procedural>

Statement of Granting Privileges for Administration of Moderate Sedation to Practitioners 2021 <https://www.asahq.org/standards-and-guidelines/statement-of-granting-privileges-for-administration-of-moderate-sedation-to-practitionersv>

Tumescent Formulations, Liposuction Textbook, Chapter 23, 2024
<https://liposuction101.com/liposuction-textbook/chapter-23-tumescent-formulations/>

Tumescent Technique for Local Anesthesia Improves Safety in Large-Volume Liposuction <https://tumescent.org/tumescent-technique-anesthesia-and-modified-liposuction-technique/>

US Pharmacopeia, 797 Pharmaceutical Compounding-sterile preparations.
http://ftp.uspbpep.com/v29240/usp29nf24s0_c797_viewall.html

USP <797> Key Changes, 2023 <https://www.ashp.org/-/media/assets/pharmacy-practice/resource-centers/compounding/docs/USP-797-Key-Changes.pdf>

SECTION 1: BASIC MANDATES

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: ANESTHESIA OPTIONS				
<u>1-A-1</u>	The facility practices within the appropriate Anesthesia Class for which it is accredited and in accordance with facility policies and procedures, and industry standards.	Surgical Dental A B C	<p>See Anesthesia Class Definitions & Requirements documents for references.</p> <p>American Association of Nurse Anesthesiology (AANA) Clinical Resources for Practicing CRNAs/Nurse Anesthesiologists https://www.aana.com/practice/clinical-practice/clinical-practice-resources/</p> <p>American Society of Anesthesiologists https://www.asahq.org/</p> <p>ASA Practice Guidelines for Moderate Procedural Sedation and Analgesia 2018 https://pubs.asahq.org/anesthesiology/article/128/3/437/18818/Practice-Guidelines-for-Moderate-Procedural</p> <p>ASA Continuum of Sedation https://pubs.asahq.org/view-large/figure/1240051/11tt01.png</p> <p>Conscious Sedation https://www.healthline.com/health/conscious-sedation</p> <p>ASA Practice Guidelines for Moderate Procedural Sedation and Analgesia 2018 https://pubs.asahq.org/anesthesiology/article/128/3/437/18818/Practice-Guidelines-for-Moderate-Procedural</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>American Dental Association (ADA) Guidelines for the Use of Sedation and General Anesthesia by Dentists, 2016 https://www.ada.org/-/media/project/ada-organization/ada/ada-org/files/resources/library/oral-health-topics/ada_sedation_use_guidelines.pdf?rev=b8b34313071d416a99182e8b37add4dd&hash=E5FAB383105610C2988B0ECA2ADBD F95</p> <p>Nitrous Oxide, 2023 https://www.ada.org/resources/ada-library/oral-health-topics/nitrous-oxide</p> <p>Can a Dental Assistant Use Nitrous Oxide? https://www.northwestcareercollege.edu/blog/can-a-dental-assistant-use-nitrous-oxide/</p> <p>National Library of Congress, Anesthesia for Office-Based Facial Plastic Surgery Procedures, 2023 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10541158/</p> <p>Practice Guidelines for Moderate Procedure Sedation and Analgesia by Non-Anesthesiologists, 2018 https://pubs.asahq.org/anesthesiology/article/128/3/437/18818/Practice-Guidelines-for-Moderate-Procedural</p> <p>Procedural Sedation 2022 https://www.ncbi.nlm.nih.gov/books/NBK551</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			685/ Statement of Granting Privileges for Administration of Moderate Sedation to Practitioners 2021 https://www.asahq.org/standards-and-guidelines/statement-of-granting-privileges-for-administration-of-moderate-sedation-to-practitionersv Statement on Safe Use of Propofol 2019 https://www.asahq.org/standards-and-guidelines/statement-on-safe-use-of-propofol	
1-A-2	All care is provided by a credentialed healthcare provider as listed in the Anesthesia Class document and in accordance with facility policies, procedures, and state/provincial and federal law.	Surgical Dental A B C	Interpretive Guidelines: Evaluating Compliance See Anesthesia Class Definitions & Requirements documents for references.	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION B: BASIC MANDATES				
1-B-3	The facility has defined a mission statement that reflects the population it serves and the services it provides.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to evaluate whether the facility's mission statement communicates its purpose and goals and how they guide the facility/organization for the patients it serves.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the facility's mission statement. Interview leadership and staff. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-B-4	The facility has provided a set of organizational values which guide daily operations, are familiar to all staff, and are available to the public.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to evaluate that the facility has a public list of core principles that guide and direct the organization and its culture. Facility staff must be familiar with these values and the values must be available to the public.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review and validate that the values are available to the public. Assess staff knowledge through interviews. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-B-5	The facility must inform the public of the services.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to evaluate that the facility has a public list of core principles that guide and direct the organization and its culture. Facility staff must be familiar with these values and the values must be available to the public.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review and validate that the values are available to the public. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Assess staff knowledge through interviews. 	
1-B-6	The facility must ensure that no marketing and advertising regarding the competence and capabilities of the organization is misleading or implies that it provides care or services that it is not capable of providing.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to evaluate whether the organization's marketing and advertisement formats accurately reflect the competence and capabilities of the services provided.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review marketing and advertising materials. Discuss marketing and advertising with the facility's leadership and staff. Is the facility acting in good faith? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-B-7	The facility only uses the recognized abbreviations allowed to be used in the clinical records.	Surgical Dental A B C	<p>Interpretive Guidance: The intent for patient safety and documentation consistency is that the facility only uses an approved, recognized list of medical abbreviations for clinical record documentation. The facility must define and approve the abbreviations allowed to be used in the clinical record.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Validate the list of approved abbreviations and resources used, such as MedicineNet Medical Dictionary and Tabers Medical Dictionary, or facility-developed policy. During clinical record review, note abbreviations used and ensure these 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			are on the official abbreviation list adopted by the facility.	
1-B-8	<p>The facility must perform a self-survey review of compliance with all Quad A standards annually prior to the expiration date of its accreditation in each of the two years between Quad A onsite surveys. The self-survey documentation must be retained for a minimum of 3 years and include:</p> <ol style="list-style-type: none"> 1. A completed Self-Survey checklist 2. A Plan of Correction for any standard identified as non-compliant 3. Evidence that each plan of correction has been carried out to establish compliance with standards 4. Evidence that findings from the self-survey have been reviewed, included in the facility's Quality Improvement Plan, and discussed in the facility's Quality Improvement meetings. 	Surgical Dental	<p>Interpretive Guidance: The intent is to ensure that the facility performs annual self-surveys consistent with QUAD A requirements.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the most recent self-survey for completeness. Are the required elements present? • Are the last 3 years of self-survey documentation available? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-B-9	The facility must make its final survey results publicly available.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the final survey results are publicly available.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility leadership regarding how the facility makes its final survey result available to the public. • Verify that they are made available to the public. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION C: PATIENT SELECTION				
1-C-1	A patient who, by reason of pre-existing or other medical conditions, is at significant risk for outpatient surgery in this facility must be referred to alternative facilities as defined in facility policy . Any surgery for which a patient must be routinely transferred to a hospital after the surgery is not appropriate for an outpatient surgical setting.	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure the facility has a defined scheduling policy and procedure that includes only those procedures and a combination of procedures of duration and degree that permit safe recovery and discharge from the facility and identify patients with significant category risks that should be referred to alternative facilities for care.</p> <p>Services, particularly vascular and ophthalmic procedures, are often no longer offered in a hospital setting. Therefore, they are performed in an outpatient setting for ASA Class IV patients.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Assess facility policy regarding the list of patient risk categories, medical clearance requirements and criteria for accepting or referring patients. Interview staff about scheduling guidelines and patient risk assessment process. Is there evidence that procedures are conducted that require routine transfer to a hospital? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
1-C-2	The facility must have a scheduling policy that includes only those procedures and/or a combination of procedures of duration and degree that permit safe recovery and discharge from the facility consistent with state law .	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure the facility has a defined scheduling policy and procedure that includes only those procedures and a combination of procedures of duration and degree that permit safe recovery and discharge from the facility and identify patients with significant category risks that should be referred to alternative facilities for care.</p> <p>QUAD A does not dictate the length of surgery that can be performed in an outpatient setting. The facility must have policies and procedures that outline procedure length and how that time is determined.</p> <p>The general recommendations for safe outpatient surgery involve surgical time limits of four (4) to six (6) hours for a general anesthesia case. If the procedure exceeds this time limit, it may be more appropriate to perform the surgery in a hospital setting. Some states put a time limit on surgery length for the outpatient setting.</p> <p>A facility policy should outline the types of procedures and length of procedures to be performed within the facility. There are several suggestions of times that may be used to define procedure length in the policy:</p> <ul style="list-style-type: none"> • Admission to the facility • Time in/time out • Open and close times 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Total anesthesia time <p>Whichever definition a facility uses, the patient's recovery time must be considered. The patient's total time in the facility must be under 23 hours and 59 minutes. In addition, the required staff, including a physician, must be available to monitor the patient's recovery until the patient is discharged from the facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Assess the list of patient risk categories, medical clearance requirements and criteria for accepting or referring patients. • Review facility policy and interview staff about scheduling guidelines and patient risk assessment process. • Review clinical records. 	
1-C-3	The process for entry or admission to the facility for a procedure must be coordinated and defined in a policy.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>The intent of this standard is to ensure the facility has implemented a defined patient admission and registration process with a policy to coordinate the care, treatment and services to be provided.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility policy and evaluate admission and registration processes and procedures for all patients' entry to the facility. • Interview staff. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe patient population and practice if possible. 	
1-C-4	If pediatric services are provided by the facility, there must be a written policy defining the unique perioperative care of pediatric patients. This is based upon considerations of age, BMI or weight, special needs, risk categories, surgery, facility equipment, and capability. The written policy for pediatric patients is available and current.	A B C	<p>Interpretive Guidance: The intent of this standard is to determine if there is a written policy that defines the unique perioperative care of pediatric patients based on risk categories, type of surgery, equipment and staff competence and to ensure the safety of children. The policy must also define the age range of pediatric patients served. Pediatric policies should be available for review and up to date.</p> <p>Pediatrics is a multifaceted specialty that encompasses children's physical, psychosocial, developmental and mental health. Pediatric care may begin periconceptionally and continue through gestation, infancy, childhood, adolescence and young adulthood.</p> <p>The American Academy of Pediatrics (AAP) previously identified the upper age limit as 21 years with a note that exceptions could be made when the pediatrician and family agree to an older age, particularly in the case of a child with special health care needs.</p> <p>The AAP, American Dental Association (ADA), and other organizations no longer support an arbitrary age limit. Although adolescence and young adulthood are recognizable phases of life, an upper age</p>	<p>Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>limit is not easily demarcated and varies depending on the individual patient. The establishment of arbitrary age limits on pediatric care by healthcare providers should be discouraged. The decision to continue care with a pediatrician or pediatric medical or surgical subspecialist should be made solely by the patient (and family, when appropriate) and the physician and must take into account the physical and psychosocial needs of the patient and the abilities of the pediatric provider to meet these needs.</p> <p>Pediatric dentistry is an age-defined specialty that provides both primary and comprehensive preventive and therapeutic oral health care for infants and children through adolescence, including those with special health care needs.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility's pediatric services policy. • Interview staff and discuss pediatric patient policy requirements, pediatric ASA risk categories, list of approved pediatric procedures, and current emergency response procedures. • Determine staff competency and training and pediatric equipment/medication availability. Assess emergency pediatric transfer procedures. <p>American Academy of Pediatrics, Age Limit of Pediatrics, reaffirmed 2023</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://publications.aap.org/pediatrics/article/140/3/e20172151/38333/Age-Limit-of-pediatrics?autologincheck=redirected American Dental Association, Guidelines for Teaching Pediatric Pain Control and Management, 2021 https://www.ada.org/-/media/project/ada-organization/ada/ada-org/files/resources/library/oral-health-topics/ada_guidelines_teaching_pediatric_sedation.pdf?rev=86a7c539ce9d4025bc2b291223f35328&hash=2DF304CA67B8592C2290DE91E816726A Part 4: Pediatric Basic and Advanced Life Support: 2020 American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care, 2020 https://www.ahajournals.org/doi/10.1161/CIR.0000000000000901	
1-C-5	No more than 5000 cc's of aspirate should be removed while performing liposuction, unless the patient is monitored overnight within the facility.	A B C	Interpretive Guidance: The intent is to ensure the safe removal of aspirate. This standard does not allow for the use of a "recovery hotel" for observation. Evaluating Compliance: <ul style="list-style-type: none"> Interview facility staff to determine whether there have been any cases of liposuction in which more than 5000 cc of aspirate have been removed. 	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review the clinical record for documentation of the amount of aspirate removed and documentation of appropriate overnight monitoring, if applicable. Include at least one liposuction case in the clinical record sample to be reviewed. 	
1-C-6	No more than 500cc of aspirate should be removed when performing liposuction in a Class A facility. The more stringent requirement applies if State law differs.	A B C	<p>Interpretive Guidance: The intent is to ensure the safe removal of aspirate in Class A facilities.</p> <p>This standard does not allow for the use of a "recovery hotel" for observation.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview facility staff to determine whether there have been any cases of liposuction in which more than 500 cc of aspirate have been removed. Review the clinical record for documentation of the amount of aspirate removed and documentation of appropriate overnight monitoring, if applicable. Include at least one liposuction case in the clinical record sample to be reviewed. 	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION D: PATIENTS' RIGHTS				
1-D-1	A copy of the QUAD A "Patients' Bill of Rights" is prominently displayed, or a copy is provided to each patient. The QUAD A "Patients' Bill of Rights" is also adhered to by facility personnel.	Surgical Dental A B	The purpose of the Patients' Bill of Rights is to ensure that patients have been advised of their rights and that the basic rules of conduct between patients and caregivers are followed to address access to care, respect,	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
		C	<p>dignity, communication, patient confidentiality and consent for treatments to establish that patients have been advised of their rights.</p> <p>The Patient's Bill of Rights is to be prominently displayed, or a copy of the Patient's Bill of Rights may be given to the patients or provided at the time of registration. Posting the Patient's Bill of Rights on the facility's website alone is not sufficient,</p> <p>Staff must be educated on the facility's policy and procedure regarding the Patient's Bill of Rights upon hire and annually.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review personnel training documentation to ensure staff have been trained in the Patient Bill of Rights. • Review personnel files. • Observe that the current QUAD A "Patient's Bill of Rights" is prominently displayed in the facility or a copy is provided to each patient. • If copies of the document are provided to each patient, the patient record must reflect this provision. clinical records will be reviewed for evidence of this documentation, if applicable. 	Enter observations of non-compliance, comments or notes here.
1-D-18	The patient has a right to personal privacy.	<p>Surgical Dental</p> <p>A</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
		B C		<input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-D-19	The patient has a right to receive care in a safe setting.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-D-20	The patient has a right to be free from all forms of abuse or harassment.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-D-22	The patient has a right to refuse treatment.	Surgical Dental A B C	Interpretive Guidance: The intent is to validate that the facility has a process in place for a patient or his/her representative, as allowed under state law, the right to make informed decisions regarding his or her care. These rights include being informed of his or her health status, being involved in care planning and treatment, and being able to request or refuse treatment. There may be some "exceptions or	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>limitations to the right to refuse treatments" due to mental capacity conditions, underage children, patients with life-threatening conditions or those who may pose a threat to the community related to infectious disease. In such cases, a parent or other appointed guardian has the right to refuse treatment for the patient.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the Patient Rights document to ensure refusal of treatment is included. • Interview staff about their training for the right to refuse treatments and understanding of the process. • Inquire if any patients have refused treatment and assess the advanced directives form. <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the Patient Rights document to ensure refusal of treatment is included. • Interview staff about their training for the right to refuse treatments and understanding of the process. • Inquire if any patients have refused treatment and assess the advanced directives form. 	
1-D-23	All new staff must have training regarding the Patient Bill of Rights including concerns and complaints from family members / adult escorts and the various religious and ethnic concerns of the usual patient	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>The staff must be aware of the facility's policy and procedure to effectively address patient concerns and complaints. The intent is to validate that staff have been trained and understand the Patient Bill of Rights,</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	population and the policy and process for addressing concerns and complaints.		<p>including how to respond to and report patient complaints for investigation and resolution for their patient population in a timely manner.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff regarding their knowledge of the Patient Bill of Rights. Inquire if any patients or families have filed complaints. If yes, review the related documentation. Review personnel files for evidence of training. 	compliance, comments or notes here.
1-D-24	Any issues judged significant related to the Patient's Bill of Rights must be brought to the attention of administration in a timely fashion.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review facility policy. Does the facility have a list of what is considered significant issues that must be reported to the leadership? What is the turnaround time for issues to be investigated, resolved, and communicated outcomes? Review a sample of complaints to ensure the policy was followed. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
1-D-25	The facility must have the patient acknowledge that the Bill of Rights has been reviewed and understood by the patient/legal representative.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>The intent is to ensure the patients understand that they have a Patient Bill of Rights and what it means.</p> <p>Facilities must provide explanations and opportunities for questions to ensure patients</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>and families understand. For non-English speaking patients, the Bill of Rights should be provided in the language of their patient or utilize a qualified translator.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review clinical records to validate patient acknowledgment. 	
1-D-26	The facility must provide patient privacy including gender-specific dressing and lavatory areas. This may include gender-specific dressing and lavatory areas as well as dietary provisions if provided by the facility.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is for the facility to provide patient privacy for patient information collected, dressing areas, gender-specific lavatories, and special diets if necessary. Privacy requirements should be outlined in the facility policy.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review facility policy related to patient privacy provisions. Interview and observe staff. Observe dressing room areas and lavatory areas for appropriate signage to assess compliance. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-D-27	The staff provide care in a manner that is respectful, professional, and consistent with the facility's mission statement.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is that the staff behave and respond in a professional manner when interacting with patients and families during patient care.</p> <p>Evaluating Compliance: Compliance may be validated through observation of staff-patient and family interaction and behaviors and interviews with</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			staff and patients.	
1-D-28	The Patient's Bill of Rights is printed and available in the language of the majority (and substantial minority) of the patient population served.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the facility has a Bill of Rights written in a manner that most of its patient population can read and understand based on the population served. It should be posted and/or available for patients. The Bill of Rights must be provided in the written languages of its patient population served, (i.e. Spanish, etc.)</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Inquire if Bill of Rights copies are made available or given to patients. Is the Bill of Rights posted in the facility and in the language the facility provides service for? • What is the facility's policy? • Interview staff regarding the process and understanding of the Bill of Rights. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SUB-SECTION E: QUAD A-MANDATED REPORTING

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
1-E-1	Changes in facility ownership must be reported to the QUAD A Central Office within thirty (30) days of the change.	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure facility ownership is current and accurate in the facility's QUAD A file. There should be ownership change information only if the facility's ownership has changed.</p> <p>Evaluating Compliance: Interview leadership about any changes to ownership and verify facility ownership with QUAD A records. If there is no evidence that an ownership change has occurred, this standard should be marked as compliant.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-E-2	Any change in the physician staff (physician, surgeon/proceduralist and anesthesiologist) must be reported in writing to the QUAD A office within thirty (30) days of the change. Credentials of new physician staff (medical license, evidence of board certification or eligibility, and delineation of privileges for the facility) must also be sent to the QUAD A Central Office within the same timeframe.	Surgical Dental A B C	<p>Interpretive Guidance: This standard aims to ensure that facility physician staff data is current and accurate in the facility's QUAD A file. Please note that only anesthesiologists who perform procedures (e.g., pain management procedures) are required to be reported under this standard. In addition, this standard does not include contract anesthesiologists.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Verify physician staff listing. • Review documentation of notifications to QUAD A. Are changes reported within 30 days? • 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
1-E-3	Any action affecting the current professional license of any licensed facility staff must be reported in writing to the QUAD A office within ten (10) days of the time the facility becomes aware of such action.	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that any adverse professional staff licensure actions are documented and that all clinically licensed staff have a current professional license in good standing. Adverse actions on clinical licenses can include suspension, expiration, probation, etc.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review with facility leadership the facility's process for identifying and reporting license status changes for the medical director, physicians, pain management staff, and other licensed facility staff. Review clinical personnel files to determine if there is evidence of such action. If licensure action has occurred, is there evidence that the action was reported timely to QUAD A? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-E-4	Any death occurring in an accredited facility or any death occurring within thirty (30) days of a procedure performed in an accredited facility must be reported to the QUAD A office within five (5) business days after the facility is notified or otherwise becomes aware of that death. In addition to this notification, the death must be contemporaneously reported as an adverse event in the online Patient Safety Data Reporting portal. In the event of a death occurring within thirty (30) days of a procedure performed in	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	an QUAD A-accredited facility, an unannounced survey may be performed by a senior surveyor.		Evaluating Compliance: <ul style="list-style-type: none"> Interview the physician and nursing staff regarding any deaths that have occurred since the last survey. Death records should be incorporated into the clinical record review sample if deaths have occurred. Request evidence to verify that any deaths were reported to QUAD A within the required timeframes. .Ask the facility to log on to their PSDR portal and ensure any patient death (on the day of or within 30 days of the procedure) has been reported. 	
1-E-5	All adverse events which occur in the facility or as a result of care provided at the facility must be communicated to the affected patient(s) and/or facility staff.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION F: PATIENT SAFETY DATA REPORTING				
1-F-1	Online Patient Safety Data Reporting is performed at least every three (3) months in accordance with the due dates established by QUAD A and includes submitting random cases and all adverse events to the QUAD A portal at www.QUAD A.org.	Surgical Dental A B C	Interpretive Guidance: This intent is to ensure the submission of PSDR is submitted quarterly reporting to QUAD A on a wide variety of data. These are the Patient Safety Data Reporting standards, referred to as PSDR. This standard requires the facility to report safety data on both random patient cases and cases that are defined as adverse	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments															
			<p>events.</p> <p>PSDR Reporting Deadlines</p> <table><tr><th>Period</th><th>Cases Performed</th><th>Reporting Deadline</th></tr><tr><td>Period 1</td><td>January 1 - March 30</td><td>April 15</td></tr><tr><td>Period 2</td><td>April 1 - June 30</td><td>July 15</td></tr><tr><td>Period 3</td><td>July 1 - September 30</td><td>October 1</td></tr><tr><td>Period 4</td><td>October 1 - December 31</td><td>January 1</td></tr></table> <p>Evaluating Compliance:</p> <ul style="list-style-type: none">• Interview the Quality Coordinator to determine the facility's process for documenting, investigating, and reporting adverse events.• Request that the facility pull up their PSDR portal or refer to printed confirmations of PSDR reporting to validate that reports have been submitted on a timely basis or refer to printed confirmations of PSDR reporting	Period	Cases Performed	Reporting Deadline	Period 1	January 1 - March 30	April 15	Period 2	April 1 - June 30	July 15	Period 3	July 1 - September 30	October 1	Period 4	October 1 - December 31	January 1	
Period	Cases Performed	Reporting Deadline																	
Period 1	January 1 - March 30	April 15																	
Period 2	April 1 - June 30	July 15																	
Period 3	July 1 - September 30	October 1																	
Period 4	October 1 - December 31	January 1																	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
1-F-2	For each surgeon/proceduralist operating in the facility, the random sample of cases may include the first case performed by such surgeon/proceduralist each month during the reporting period. The facility must submit into the online Patient Safety Data Reporting portal a minimum of three (3) cases, or all cases performed by surgeons who have performed fewer than three (3) in the respective period, every three (3) months. If a surgeon/proceduralist performed fewer than three (3) cases, an exemption form must be submitted.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure patient safety through PSDR reporting.</p> <p>When a surgeon/proceduralist has performed fewer than three (3) cases during the reporting period, complete the <u>Patient Safety Data Reporting Exemption Form</u>. Before submitting this document, make sure to submit all cases online (www.quada.org).</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Ask the facility to log in to the PSDR system and open previous periods to demonstrate compliance or refer to printed confirmations of PSDR reporting. If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. <p>PSDR Reporting Exemption Form https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/PSDR%20Exemption%20Form-2.pdf</p> <p>Patient Safety Data Reporting Exemption Form https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/PSDR%20Exemption%20Form-2.pdf</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-F-3	All adverse events that occur within thirty (30) days of any procedure are submitted contemporaneously with the facility learning of the occurrence of such	Surgical Dental A B	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	adverse events to the online Patient Safety Data Reporting (PSDR) portal.	C	<p>reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Adverse events must be defined in facility policy and procedures. At a minimum, include those adverse events addressed in Sub-Section E: QUAD A Mandated Reporting and Sub-Section F: Patient Safety Data Reporting and any other adverse events determined by the facility are included, along with severity guidance.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview the Quality Coordinator to determine the facility's process to document, investigate and report adverse events • Review Quality data and Governing Body meeting minutes for evidence of adverse events in the past twelve (12) months. Compare cases noted in the facility's documentation to those reported to QUAD A • Review the facility's adverse event documentation and request the facility to provide evidence that the adverse events were reported via the PSDR system. • Ask the facility to log in to the PSDR system and open previous periods to demonstrate compliance. 	Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.770. <p>National Quality Forum (NQF), Serious Reportable Events https://www.qualityforum.org/Topics/SREs/Serious_Reportable_Events.aspx</p> <p>NQF List of Serious Reportable Events, https://www.qualityforum.org/Topics/SREs/List_of_SREs.aspx</p>	
1-F-4	Reportable adverse events include, but are not limited to: Any unplanned hospital admission	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview facility staff to determine if any unplanned hospital admissions have occurred over the past three (3) years. Review the facility's adverse event documentation to identify the patient(s). Ask the facility to log in to the PSDR system and open the reported case to demonstrate compliance or refer to printed confirmations of PSDR reporting. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. Review clinical records. If any adverse events are identified, verify reporting to QUAD A when the facility becomes aware of the event. 	
1-F-5	Reportable adverse events include, but are not limited to: Any emergency room visit	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview facility staff to determine if any emergency room visits have occurred over the past three (3) years. Review the facility's adverse event log to identify the patient(s). Ask the facility to log in to the PSDR system and open the reported case to demonstrate compliance or refer to printed confirmations of PSDR reporting. If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review clinical records. If any adverse events are identified, verify reporting to QUAD when the facility was aware of the event. 	
1-F-6	Reportable adverse events include, but are not limited to: Any unscheduled return to the operating room for a complication of a previous surgery	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview facility staff to determine if any unscheduled returns to the operating room for complications have occurred over the past three (3) years. Review the facility's adverse event log to identify the patient(s). Ask the facility to log in to the PSDR system and open the reported case to demonstrate compliance or refer to printed confirmations of PSDR reporting If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. Review clinical records. If any adverse events are identified, verify reporting to 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			QUAD A at the same time the facility is aware of the event.	
1-F-7	Reportable adverse events include, but are not limited to: Any complications such as infection, bleeding, wound dehiscence, or inadvertent injury to another body structure	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to determine if any complications have occurred over the past three (3) years. • Review the facility's adverse event log to identify the patient(s). • Ask the facility to log in to the PSDR system and open the reported case to demonstrate compliance. • If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. • Review clinical records. If any adverse events are identified, verify reporting to QUAD A at the same time the facility is aware of the event. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
1-F-8	Reportable adverse events include, but are not limited to: Any cardiac or respiratory problems during the patient's stay at the facility or within 48 hours of discharge	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to determine if cardiac or respiratory problems occurred during the patient's admission or within 48 hours of the patient's discharge over the past three (3) years. • Review the facility's adverse event log to identify the patient(s). • Ask the facility to log in to the PSDR system and open the reported case or refer to printed confirmations of the PSDR reporting to demonstrate compliance. • If there is any question about whether the facility has submitted the required cases at the same time the facility becomes aware of the event, please call the QUAD A office at 224.643.7704. • Review clinical records. If any adverse events are identified, verify reporting to QUAD A at the same time the facility is aware of the event. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
1-F-9	Reportable adverse events include, but are not limited to: Any cardiac or respiratory problems during the patient's stay at the facility or within 48 hours of discharge	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to determine if any allergic reactions have occurred over the past three (3) years. • Review the facility's adverse event log to identify the patient(s). • Ask the facility to log in to the PSDR system and open the reported case or refer to printed confirmations of PSDR reporting to demonstrate compliance. • If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. • Review clinical records. If any adverse events are identified, verify reporting to QUAD A at the same time the facility is aware of the event. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
1-F-10	Reportable adverse events include, but are not limited to: Any incorrect needle or sponge count	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>The pre- and post-surgical counts (instrument, sponge, and needle counts) are part of the Surgical Safety Checklist.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to determine if any incorrect needle or sponge counts have occurred over the past three (3) years. • Review the facility's adverse event log to identify the patient(s). • Ask the facility to log in to the PSDR system and open the reported case or refer to printed confirmations of PSDR reporting to demonstrate compliance. • If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. • Review clinical records. If any adverse events are identified, verify contemporaneous reporting to QUAD A. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
1-F-11	Reportable adverse events include, but are not limited to: Any patient or family complaint	Surgical Dental A B C	<p>The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to determine if any patient or family complaints have occurred over the past three (3) years. • Review the facility's adverse event log to identify the patient(s). • Ask the facility to log in to the PSDR system and open the reported case or refer to printed confirmations of PSDR reporting to demonstrate compliance. • If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. • Review clinical records. If any adverse events are identified, verify contemporaneous reporting to QUAD A. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
1-F-12	Reportable adverse events include, but are not limited to: Any equipment malfunction leading to injury or potential injury to the patient	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>be reviewed and investigated when necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to determine if any equipment malfunctions leading to injury or potential injury to the patient have occurred over the past three (3) years. • Review the facility's adverse event log to identify the patient(s). • Ask the facility to log in to the PSDR system and open the reported case or refer to printed confirmations of PSDR reporting to demonstrate compliance. • If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. • Review clinical records. If any adverse events are identified, verify reporting to QUAD A at the same time the facility is aware of the event.. 	compliance, comments or notes here.
1-F-13	Reportable adverse events include, but are not limited to: Any death occurring within thirty (30) days of a procedure	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>necessary. Adverse events must be reported to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to determine if any deaths have occurred over the past three (3) years. • Review the facility's adverse event documentation log to identify the patient(s). • Ask the facility to log in to the PSDR system and open the reported case or refer to printed confirmations of PSDR reporting to demonstrate compliance. • If there is any question as to whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. • Review clinical records. If any adverse events are identified, verify reporting to QUAD A at the same time the facility is aware of the event. 	notes here.
1-F-14	Reportable adverse events include, but are not limited to: Any iatrogenic dental trauma.	Dental A B C	<p>Interpretive Guidance:</p> <p>The intent of this standard is to ensure that the details of adverse events that occur within thirty (30) days of the procedure are reported to QUAD A within the required timeframes so that the circumstances may be reviewed and investigated when necessary. Adverse events must be reported</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>to QUAD A irrespective of the perceived nature or cause.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to determine if any iatrogenic dental trauma has occurred over the past three (3) years. • Review the facility's adverse event log to identify the patient(s). • Ask the facility to log in to the PSDR system and open the reported case or refer to printed confirmations of PSDR reporting to demonstrate compliance. • If there is any question about whether the facility has submitted the required cases, please call the QUAD A office at 224.643.7704. • Review clinical records. If any adverse events are identified, verify contemporaneous reporting to QUAD A. 	
1-F-15	<p>Each adverse event submission must include:</p> <p>The identification of the problem,</p> <p>The immediate treatment or disposition of the case,</p> <p>The outcome,</p> <p>The reason for the problem, and</p> <p>An assessment of the efficacy of treatment.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p>	<p><input type="checkbox"/> Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

SECTION 2: FACILITY LAYOUT & ENVIRONMENT

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: LAYOUT				
2-A-1	The Operating Suite is physically and distinctly separate and segregated from the General Office Area (waiting room, exam room(s), administrative area, physician office, staff lounge, etc.)	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure that the surgical suite is contained and separated from other areas to minimize opportunities for infection and cross-contamination.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Conduct a walk-through of the facility to get an understanding of the facility's physical layout. • Is the surgical "suite" distinct and separate from other areas? • Does the layout of the walk-through match the floor plan the facility submitted? <p>Facilities Guidelines Institute – Resource https://www.fgiguideines.org/</p> <p>International Health Facility Guidelines</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
2-A-2	The Operating Suite includes the Operating Room, Prep/Scrub area, Clean and/or Dirty Room, and Post-Anesthesia Care Unit (PACU).	Surgical B C	<p>Interpretive Guidance: The intent is to ensure that the Operative Suite includes the required components.</p> <p>Minor procedures may be performed in an exam room, if appropriate, based on the procedure and patient status.</p> <p>Evaluating Compliance:</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Determine if the operating suite includes the required components. Are minor procedures only performed in an exam room? 	
2-A-3	There is a separate and adequately sized Post-Anesthesia Care Unit (PACU) within the operating room suite.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure that there is a room within the facility where patients recover immediately after surgery. A "room" consists of an area with at least semi-permanent walls from floor to ceiling separating it from other areas of the facility. The size of the recovery room must be commensurate with the number of ORs in the facility and the expected volume of patients who will be in recovery simultaneously.</p> <p>Evaluating Compliance: Determine if there is a separate room in which patients recover from their surgery.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
2-A-7	All major surgery is done in the separate and distinct operating room(s).	Surgical Dental A B C	<p>Interpretive Guidance: The intent is that major surgeries are performed in a traditional and fully equipped OR.</p> <p>Procedures must be performed in a suitable area. Major surgery is not permitted in a procedure or exam room.</p> <p>Major surgery is an invasive operative procedure where one or more of the following occurs: 1) A body cavity is entered 2) A mesenchymal barrier is crossed</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			3) A fascial plane is opened 4) An organ is removed 5) Normal anatomy is operatively altered Evaluating Compliance: <ul style="list-style-type: none"> Review OR log and/or clinical record for documented location of surgeries performed. Interview key staff about locations where procedures are allowed in the facility. 	
2-A-8	Unauthorized individuals are deterred from entering the operating room suite either by locks, alarms, signage , or facility personnel.	Surgical A B C	Interpretive Guidance: The intent is to ensure that unauthorized individuals do not have access to the OR suite. Evaluating Compliance: <ul style="list-style-type: none"> Review any policies that may exist, limiting the type of personnel and other individuals allowed access to the operating room suite. Interview staff related to who is allowed access to the operating suite(s). Inquire about access that staff have to the area, such as housekeeping, clerical staff, etc. Ask about deterrents used to limit access to these areas. Observe any unauthorized entry into the operating suite area(s). Verify that only those with appropriate credentials can enter. If the facility utilizes locks or alarms, test to ensure they are working appropriately by attempting to gain access to the operating suite. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe that appropriate locks, alarms, facility personnel or signage are posted outside the Operating Suite, notifying individuals that only authorized individuals are allowed past the operating suite doors. 	
2-A-9	There is a separate waiting room which is adequately sized and adequately lighted.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
2-A-10	There is designated area for administrative activities.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
2-A-11	There is at least one examination room.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
2-A-12	This examination room is separate and distinct from the operating room.	Surgical A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION B: FACILITY ENVIRONMENT				
2-B-1	The facility must have a safe and sanitary environment, properly constructed, equipped, and maintained to protect the health and safety of patients.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
2-B-3	The entire facility must be maintained, equipped, regularly cleaned, sanitary, and free of clutter and litter, consistent with a medical facility designed to perform procedures.	Surgical Dental A B C	Interpretive Guidance: All areas of the facility must be clean and sanitary. The facility has policies and procedures in place that address the frequency and type of cleaning and disinfectants required. Evaluating Compliance: <ul style="list-style-type: none"> During the facility tour, determine if the entire facility is clean and sanitary, maintained and free of clutter and litter. Review the facility cleaning policies and procedures. Interview staff regarding cleaning policies and procedures. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>AORN eGUIDELINES, Environmental Cleaning, 2020 https://aornguidelines.org/guidelines/content?sectionid=173715702&view=book#236401528 (This reference does not apply to RHC and OPT.)</p> <p>APIC Environmental Services https://apic.org/Resources/Topic-specific-infection-prevention/Environmental-services/</p> <p>CDC Environmental Cleaning Procedures Best Practices for Environmental Cleaning in Global Healthcare Facilities with Limited Resources, 2024 https://www.cdc.gov/healthcare-associated-infections/hcp/cleaning-global/procedures.html</p> <p>CDC Environmental Cleaning Program Improvement Toolkit: A Practical Guide for Implementing the Best Practices for Environmental Cleaning in Healthcare Facilities in Resource-Limited Settings https://www.cdc.gov/healthcare-associated-infections/media/pdfs/environmental-cleaning-toolkit-guide-508.pdf</p> <p>WHO Environmental cleaning and infection prevention and control in health care facilities in low- and middle-income countries https://iris.who.int/bitstream/handle/10665/366379/9789240051041-eng.pdf</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
2-B-4	<p>The walls, cabinets, countertops, blinds and shades, and flooring are covered with smooth and easy-to-clean material that is free from tears, breaks, or cracks.</p> <p>If the floors contain seams or individual tiles, they are sealed with an impermeable sealant other than silicone.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>The intent is to minimize areas where contaminants can be left behind after cleaning. Contaminants could create a dirty and unsafe environment. The facility has cleaning policies and procedures in place that address cleaning and maintenance of walls, countertops, blinds and shades, cubicle curtains, and flooring. Cabinets and countertops must be made of non-porous and non-absorbent materials. Laminate, stainless steel, and glass are examples of acceptable materials.</p> <p>Floors in clinical areas (does not apply to the operating room) are made of non-porous and non-absorbent materials. Examples of acceptable materials include luxury vinyl tile, vinyl composite tile, and sheet vinyl. These examples do not apply to the operating room flooring.</p> <p>The Facility Guidelines Institute states that the operating room shall have monolithic (seamless) floor and wall base assemblies and an integral coved wall base that is carried up the wall a minimum of six (6) inches and is tightly sealed to the wall. Flooring must also be non-porous and non-absorbent. Homogenous sheet vinyl and homogenous sheet rubber, are the best options for operating room floors. Sheet format products must have heat-welded seams where the sheets are thermally fused via the use of a vinyl or rubber heat weld</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>applied with a heat weld gun. This is how the sheet becomes monolithic or seamless.</p> <p>Surfaces must be able to be cleaned with a hospital-grade EPA-approved disinfectant.</p> <p>Easy-to-clean carpets may be used in non-clinical areas, including offices, waiting rooms, lobbies, and public corridors.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • During the facility tour, observe walls, floors and countertops. Are they smooth and easy to clean? • Note any walls, floors, blinds and shades, cubicle curtains and countertops that have tears, breaks or cracks. Are they repaired or replaced when damaged? • Does the flooring have seams? Does the facility provide documentation that the seams have been sealed with an impermeable sealant other than silicone? • Review the facility's cleaning policies and procedures. • Interview staff. <p>AORN eGUIDELINES, Environmental Cleaning, 2020 https://aornguidelines.org/guidelines/content?sectionid=173715702&view=book#236401528</p> <p>APIC Environmental Services</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://apic.org/Resources/Topic-specific-infection-prevention/Environmental-services/ CDC Environmental Cleaning Procedures Best Practices for Environmental Cleaning in Global Healthcare Facilities with Limited Resources, 2024 https://www.cdc.gov/healthcare-associated-infections/hcp/cleaning-global/procedures.html CDC Environmental Cleaning Program Improvement Toolkit: A Practical Guide for Implementing the Best Practices for Environmental Cleaning in Healthcare Facilities in Resource-Limited Settings https://www.cdc.gov/healthcare-associated-infections/media/pdfs/environmental-cleaning-toolkit-guide-508.pdf FGI Guidelines, Application Guidance, 2024 https://fgiguideines.org/wp-content/uploads/2022/06/FGI_determining_a_ppropriate_room_type_2022-06-24.pdf International Health Facility Guidelines https://healthfacilityguidelines.com/ViewPDF/ViewIndexPDF/iHFG_part_a_introduction WHO Environmental cleaning and infection prevention and control in health care facilities in low- and middle-income countries https://iris.who.int/bitstream/handle/10665/36	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			6379/9789240051041-eng.pdf	
2-B-5	The operating room and scrub area ceiling surface or drop-in tiles are smooth, washable, and free of particulate matter that could contaminate the operating room and scrub area.	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is to minimize potential contamination of the OR and sterile field and supplies. Ceiling tiles should be free from dust and other particulate matter. The presence of staining suggests that there is or has been a water issue above the OR. The cause of the staining must be investigated, addressed and ceiling tiles changed to reduce the likelihood of contamination.</p> <p>Evaluating Compliance: During the facility tour, observe the ceiling of all operating rooms. Note any particulate matter or staining on the ceiling tiles.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
2-B-6	All openings to outdoor air are effectively protected against the entrance of insects, animals, etc. The facility must have policies and procedures in place and implemented to address these issues.	Surgical Dental A B C	<p>Interpretive Guidance: The facility must take precautions to maintain a clean and sanitary environment, free from outside air pollutants, animals and insects. Policies and procedures must be put in place and implemented to address these precautions. These activities must be conducted in accordance with professionally recognized standards of infection control practice. Examples of national organizations that promulgate nationally recognized infection and communicable disease control guidelines, and/or recommendations include: the Centers for Disease Control and Prevention (CDC), the Association for Professionals in Infection Control and</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Epidemiology (APIC), the Society for Healthcare Epidemiology of America (SHEA), and the Association of periOperative Registered Nurses (AORN).</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview facility staff to assess which nationally accepted standards of practice have been adopted by the facility. • Observe any evidence of outside air, insects, or animals throughout the facility. This would include gaps in door seals and evidence of insects and rodents. <p>AORN eGUIDELINES, Environmental Cleaning, 2020 https://aornguidelines.org/guidelines/content?sectionid=173715702&view=book#236401528</p> <p>APIC Environmental Services https://apic.org/Resources/Topic-specific-infection-prevention/Environmental-services/</p> <p>CDC Environmental Cleaning Procedures Best Practices for Environmental Cleaning in Global Healthcare Facilities with Limited Resources, 2024 https://www.cdc.gov/healthcare-associated-infections/hcp/cleaning-global/procedures.html</p> <p>CDC Environmental Cleaning Program Improvement Toolkit: A Practical Guide</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>for Implementing the Best Practices for Environmental Cleaning in Healthcare Facilities in Resource-Limited Settings https://www.cdc.gov/healthcare-associated-infections/media/pdfs/environmental-cleaning-toolkit-guide-508.pdf WHO Environmental cleaning and infection prevention and control in health care facilities in low- and middle-income countries https://iris.who.int/bitstream/handle/10665/366379/9789240051041-eng.pdf</p>	
2-B-7	There are no overloaded wall plugs or overloaded extensions in use, no altered grounding plugs in use, and wires are not broken, worn, or unshielded.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure electrical safety.</p> <p>Equipment, extension cords, and wall plugs must be of medical grade and meet UL standards.</p> <p>The use of an extension cord is permitted as long as:</p> <ul style="list-style-type: none"> • It is temporary and not used in lieu of permanent installation of a wall receptacle • It does not present a trip hazard or any other safety-related hazard • Equipment connected to the extension cords does not overload the current draw for the extension cord. <p>An extension cord could temporarily power equipment in a surgery or procedure room, provided it meets all of the above requirements. However, an extension cord cannot be used for equipment that is used</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>repeatedly for multiple events, days, weeks, etc.</p> <p>The use of a power strip attached to an IV pole is not permissible. Fitting a grounding plug on a power cord that does not contain a grounding conductor creates a misleading and possibly unsafe condition. Users properly assume that a grounding plug on a power cord (regardless of the appliance's requirements) indicates that there exists a properly installed and compliant grounding conductor within the power cord.</p> <p>NFPA references:</p> <ul style="list-style-type: none"> • 10.2.4 Adapters and Extension Cords. • 10.2.4.1 Three-prong to two-prong adapters shall not be permitted. • 10.2.4.2 Adapters and extension cords meeting the requirements of 10.2.4.2.1 through • 10.2.4.2.3 shall be permitted. • 10.2.4.2.1 All adapters shall be listed for the purpose. • 10.2.4.2.2 Attachment plugs and fittings shall be listed for the purpose. <p>Evaluating Compliance: During the facility tour, observe outlets and use of extension cords.</p> <p>UL Standards & Engagement, Electrical Safety https://ulse.org/ul-standards-engagement/electrical-safety </p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Regulations, Codes & Standards Q&A: Extension cords - Regulations, Codes & Standards Q&A: Extension Cords, 2018 https://www.healthcarefacilitiesociety.com/po-stds/Regulations-Codes-Standards-QA-Extension-cords--19059	
2-B-9	The entire facility is appropriately lighted, properly ventilated, and temperature controlled for patient and personnel comfort.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure adequate lighting, ventilation, and temperature control in the entire facility. Evaluating Compliance: <ul style="list-style-type: none"> During the facility tour, observe the lighting, ventilation and temperature controls. Interview staff to determine appropriateness. FGI Guidelines, 2018 https://www.fgiguideines.org/wp-content/uploads/2017/11/E94_HCD2017_A_New_Class_Act.pdf International Health Facility Guidelines https://healthfacilityguidelines.com/ViewPDF/ViewIndexPDF/iHFG_part_a_introduction The 2018 FGI Guidelines: Demystifying Procedures, Operating, and Imaging Rooms https://www.fgiguideines.org/wp-content/uploads/2017/11/E94_HCD2017_A_New_Class_Act.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
2-B-10	The administrative area provides adequate work space and provides sufficient space and storage for supplies and equipment.	Surgical Dental A B C	Interpretive Guidance: The intent is that workspaces and storage of supplies and equipment are appropriate to the services provided, the amount and type of equipment and supplies maintained and services provided. Evaluating Compliance: <ul style="list-style-type: none"> During the facility tour, observe workspaces, storage of supplies and equipment and other items that may not be properly stored. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
2-B-14	The lavatory facilities are sufficient to accommodate patient and staff needs.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
2-B-19	Smoking is prohibited in the entire facility.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> Assess signage prohibiting smoking in the facility. Observe the practice of staff, patients, and families. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SUB-SECTION C: OPERATING ROOM ENVIRONMENT

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
2-C-2	Each operating room is of a size adequate to allow for the presence of all equipment and personnel necessary for the performance of the operations, and must comply with applicable local, state/provincial or federal/national requirements. There must be ample clear space on each side of the procedure table to accommodate emergency personnel and equipment in case of emergency and permit the safe transfer of the patient to a gurney for transport.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure staff and equipment can safely move about in the operating room. If there is a question about maneuverability, facility staff should be able to physically demonstrate that ample space is available to safely transfer a patient during an emergency. The movement of staff and patients on stretchers must proceed safely and uninhibited by obstructions.</p> <p>See 2018 FGI standards for recommended room sizes.</p> <p>2018 FGI Guidelines https://www.fgiguideines.org/wp-content/uploads/2017/11/E94_HCD2017_A_New_Class_Act.pdf</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff to determine if there are specific space requirements for their locality. • Observe ample space is available for maneuvering during the case tracer or observation of care. • Request that the facility staff physically demonstrate that there is sufficient room for staff and equipment to provide safe patient care, including emergency care when needed <p>ASHE, Infection Control Guide on Heating and Ventilation and Air Conditioning for Nurse Managers and Clinicians</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://www.ashe.org/system/files/media/file/2022/04/02-Nurse-Manager-Clinicians-Guide_FINAL.pdf 2018 FGI Guidelines https://www.fgi.org/wp-content/uploads/2017/11/E94_HCD2017_A_New_Class_Act.pdf International Health Facility Guidelines https://healthfacilityguidelines.com/ViewPDF/ViewIndexPDF/iHFG_part_a_introduction	
2-C-3	Each operating room is ventilated and temperature controlled. The facility policy defines parameters based on patient population, procedure, and frequency of monitoring.	Surgical Dental A B C	Interpretive Guidance: Temperature, humidity, and airflow in ORs must be maintained within acceptable industry standards to inhibit microbial growth, reduce the risk of infection, control odor, and promote patient and staff comfort. Logs should be maintained to show that temperature/humidity readings are regularly monitored. Records should describe the facility's corrective actions when they fall outside of acceptable ranges. Minimum industry standards: Humidity maintained between 20%-60% (ASHRE, standard 170), Ventilation: 15-20 air exchanges per hour (FGI), and Temperature 68-75° F (AORN). Dubai Health Authority (DHA) requirements are based on ASHRE recommendations: <ul style="list-style-type: none"> • Humidity – 20-60% • Ventilation – at least 20 air exchanges 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>per hour</p> <ul style="list-style-type: none"> Temperature 18-22° C, 64-72° F <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review temperature, humidity, and ventilation logs to determine if appropriate parameters are maintained. If documented readings are not within parameters, interview staff on what interventions were implemented to address low or high measurements. Review reports of air exchanges and confirm air exchanges are compliant. <p>2018 FGI Guidelines https://www.fgiguideines.org/wp-content/uploads/2017/11/E94_HCD2017_A_New_Class_Act.pdf</p> <p>Dubai Health Authority Mechanical (HVAC) Engineering Design https://services.dha.gov.ae/tahpi-app/HealthFacilityGuidelines/Guidelines/FileContent/Preview/DHAHFG/Part%20E_2%20-%20Mechanical%20(HVAC)%20Engineering%20Design</p> <p>International Health Facility Guidelines https://healthfacilityguidelines.com/ViewPDF/ViewIndexPDF/iHFG_part_a_introduction</p>	
2-C-4	The facility must have policies and procedures in place that address operating room cleaning, frequency and type of disinfectants used in accordance with industry standards.	Surgical Dental A	<p>Interpretive Guidance:</p> <p>The facility should have a cleaning schedule and policy in place for the Operating Room(s) in accordance with industry</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
		B C	<p>standards.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • During the facility tour, observe the OR(s) for cleanliness, maintenance, litter and clutter. • Review the facility's cleaning policy and any cleaning logs that are maintained as evidence of compliance with the facility policy. • Interview appropriate staff related to how the OR(s) are cleaned and maintained at the start and end of the day and before/after each procedure. <p>Appendix B2 Specialized Patient Areas Environmental Cleaning in Global Healthcare Settings HAI https://www.cdc.gov/healthcare-associated-infections/hcp/cleaning-global/appendix-b2.html?CDC_AAref_Val=https://www.cdc.gov/hai/prevent/resource-limited/special-areas.html</p> <p>AORN, Environmental Cleaning, 2020 https://aornguidelines.org/guidelines/content?sectionid=173715702&view=book</p>	Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
2-C-5	There is adequate storage space within the operating room to hold equipment, supplies and medications. Unused equipment, supplies and medications are covered to avoid contamination.	Surgical Dental A B C	<p>Interpretive Guidance: The intent of the standard is to ensure adequate storage in the operating room to avoid contamination and minimize the need for staff to leave the operating room for frequently used supplies, equipment and medications.</p> <p>Equipment is stored out of the way. Unused equipment, supplies, and medications are covered (in cabinets, drawers, bins or dust covers are used) if kept in the operating room to avoid contamination.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe operating room storage space. • Interview staff regarding the adequacy of storage space and the frequency at which staff must leave the operating room for frequently used supplies, equipment, and medications. • Are unused equipment and supplies covered or kept in a defined storage area? • Are unused and medications kept in a cabinet? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
2-C-9	The operating room(s) are temperature controlled between 20 and 22.2 degrees Celsius (68-72 degrees Fahrenheit) and relative humidity is between 20-60%.	Surgical A B C	<p>Interpretive Guidance: Each operating room should have a separate temperature control.</p> <p>For the established temperature range in operating rooms, NFPA 99-2012 requires</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>ASHRAE 170-2008, Ventilation Table 7-1.</p> <ul style="list-style-type: none"> For operating rooms in classes B and C, the established range for temperatures is 20 – 22.2 degrees Celsius / 68 to 72 degrees Fahrenheit. Class A operating/procedure rooms should have a range of 21.1 – 23.9 degrees Celsius / 70 to 75 degrees Fahrenheit. Ventilation Table 7-1 includes an exception for temperatures to be outside of established minimum ranges when required for patient comfort and/or medical conditions. If a provider uses this exception and follows an established policy, logging the issue is not required. The relative humidity should be between 20% and 60%. <p>If the temperature falls below the established range, verify that it will not have a negative impact on patient care or the relative humidity level or take further action. If the temperature/humidity falls outside the acceptable range, corrective action will be taken and remeasurement to confirm temperature and humidity within the acceptable range prior to the start of surgical procedures.</p> <p>Evaluating Compliance:</p>	compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review logs kept to monitor temperature and humidity record keeping and the description of corrective action as applicable. Confirm corrective action is taken if temperature and/or humidity are outside the acceptable range and remeasurement to confirm that corrective action was effective in bringing temperature/humidity back into an acceptable range. Interview staff regarding the steps to be taken when the temperature exceeds the acceptable range. <p>ASHRAE/ASHE standard 170-2008 – Ventilation of Health Care Facilities. Table 7.1 www.ashrae.org/File%20Library/Technical%20Resources/Standards%20and%20Guidelines/Standards%20Addenda/170-2008/ad170_2008_d.pdf</p> <p>AORN Infection Control Guide on Heating, Ventilation and Air Conditioning (HVAC) https://prod.ashe.org/system/files/media/file/2022/04/02-Nurse-Manager-Clinicians-Guide_FINAL.pdf</p> <p>International Health Facility Guidelines https://healthfacilityguidelines.com/ViewPDF/ViewIndexPDF/iHFG_part_a_introduction</p>	
SUB-SECTION D: POST-ANESTHESIA CARE UNIT (PACU) ENVIRONMENT				

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
2-D-1	The PACU is maintained, clean and free of litter.	Surgical Dental B C	<p>Interpretive Guidance: The intent of this standard is to ensure the PACU is maintained, clean, and free of litter. The facility must maintain a functional and sanitary environment to avoid sources and transmission of infections and communicable diseases. Clean and free of litter includes, but is not limited to free of dust and visible soil; walls are smooth, uniform, and easy to clean without chips/cracks in wall finish; no mold or rust in the facility; HVAC and plumbing are in working order; windows and door frames are in working order; no visible damage or disrepair of electrical receptacles and light switches evident.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • During the tour of the facility, note the general appearance of cleanliness and odors. • Observe floors, horizontal surfaces and walls for intactness and ease of cleaning and disinfecting. • Interview staff to determine whether cleaning/disinfection takes place at the appropriate frequencies, using suitable EPA-registered agents. Ask for supporting documentation to confirm. • Determine how hazardous materials are disposed of, and whether general trash is disposed of properly. • Review the techniques for cleaning and disinfecting environmental surfaces, 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>disposal of regulated and non-regulated waste, and pest control.</p> <p>Common Rust Issues in Healthcare Facilities and How to Deal with Them, 2024 https://thedailynotes.com/rust-issues-healthcare-facilities-deal</p> <p>RUST: The Silent Threat to Infection Control, 2022 https://blog.cmecorp.com/rust-the-silent-threat-to-infection-control</p>	
SUB-SECTION E: STORAGE				
2-E-1	Sterile supplies and equipment are stored away from potential contamination in closed cabinets/drawers; or if not, sterile supplies must be stored away from heavy traffic areas and potential contamination hazards.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent of this standard is to ensure that sterile supplies and equipment are stored in a safe and appropriate manner to maintain cleanliness, sterility, functionality, easy access, and identification and to avoid contamination and injury, maintaining a safe environment for patients and staff. Sterile supplies stored anywhere in the facility should be protected from dust, damage to the packaging, moisture, pests, temperature/humidity exceeding recommended ranges, etc.</p> <p>The facility must provide and maintain a sanitary environment to avoid the sources and transmission of infections and communicable diseases. All areas of the facility must be clean and sanitary.</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Corrugated cardboard presents an infection control issue. It is susceptible to moisture, water, insects, vermin, and bacteria in warehousing, storage, and transportation environments.</p> <p>Supplies and equipment are generally delivered in corrugated cardboard boxes. Once the supplies and equipment have been removed, the boxes are removed from the facility. They should never be present near semi-sterile or sterile areas.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe the facility for overall cleanliness and maintenance and organization of storage areas. • Observe to determine if supplies and equipment are stored safely to maintain their cleanliness or sterility, functionality and prevent injury to patients and staff. • Observe to determine if sterile supplies and equipment are stored off the floor. • Observe to determine if sterile supplies are stored away from potential contamination in closed cabinets, drawers, shelves or otherwise stored to avoid potential hazards and contamination. • Observe under the sink cabinets to ensure no patient equipment or surgical supplies are stored in this area. If storage is maintained under the sink, a risk assessment must be completed by the facility to ensure products will not be 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>damaged in the event of a sink plumbing leak or moisture in this environment.</p> <ul style="list-style-type: none"> Observe the facility to ensure that corrugated cardboard boxes are not stored within clean or sterile supply areas. <p>Healthcare Facilities Today, Q&A : Corrugated cardboard boxes https://www.healthcarefaciliestoday.com/posts/QA-Corrugated-cardboard-boxes--13520</p>	
2-E-2	Storage space for sterile supplies and equipment is organized in a manner that maintains cleanliness, sterility, and functionality, provides easy access for identification and minimizes the risk of contamination and injury to patients and staff.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is that the risk of contamination and injury to patients and staff is minimized.</p> <p>Medical supplies and equipment are visible, accessible, and organized in a clean environment for improved workflow and inventory management.</p> <p>Only areas/rooms designated for storage are used in the facility unless the facility has FDA documentation permitting use for storage.</p> <p>Corridors are kept clear to facilitate the free and safe movement of staff, patients and equipment.</p> <p>Patient care supplies are stored away from the edge of a sink to avoid possible splash contamination. They are also not stored near water sources to avoid possible splash contamination or excessive moisture, which may compromise packaging.</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Per the National Fire Protection Association (NFPA) Life Safety Code 101, storage must maintain an 18-inch clearance from the ceiling to allow for proper function of the fire and safety sprinkler system; however, shelving secured to the wall may go all the way to the ceiling, encroaching into the zone within 18 inches of the ceiling provided that the shelving is more than 18 inches laterally away from any sprinkler heads.</p> <p>The NFPA 13 2022 10.2.8.1 (*) guideline 10.2.8.2. states: <i>The 18 in. (450 mm) dimension shall not limit the height of shelving on a wall or shelving against a wall in accordance with 10.2.8.1.</i> The NFPA 13 guideline 10.2.8.2.1 guideline states: <i>Where shelving is installed on a wall and is not directly below sprinklers, the shelves, including storage thereon, shall be permitted to extend above the level of a plane located 18 in. (450 mm) below ceiling sprinkler deflectors along with guideline 10.2.8.2.2 stating: Shelving, and any storage thereon, directly below the sprinklers shall not extend above a plane located 18 in. (450 mm) below the ceiling sprinkler deflectors.</i> If used, fixed, or mobile-wired shelving, the lowest level shelf is covered with a plastic cover.</p> <p>Evaluating Compliance:</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe areas used for storage to confirm the area was designed for storage (away from possible contamination sources, maintain cleanliness and sterility of supplies as applicable). Are corridors kept clear to provide for the safe movement of staff, patients and equipment? Are patient care supplies maintained away from sinks to avoid possible splash contamination? Is there an 18-inch clearance between the deflector and the top of storage? If used, fixed or mobile-wired shelving is the lowest shelf covered with a plastic cover? 	
2-E-3	As applicable to the setting, outdated medical supplies, instruments, implants, and equipment are removed and destroyed in accordance with federal/national, state, provincial, and local regulations.	Surgical Dental A B C	<p>Interpretive Guidance: No outdated medical supplies, instruments, implants, or equipment are used in the provision of patient care. Outdated supplies, instruments, implants, or equipment may not maintain their sterility or integrity.</p> <p>Medical supplies, instruments, implants and equipment not stored within proper temperature settings may be considered expired for patient use. Some may require certain temperatures to maintain potency.</p> <p>Sterile items that can be reprocessed a specific number of times (e.g., LMA and implant sizers) per the manufacturer's instructions for use must have</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>documentation regarding the number of times the item has been processed.</p> <p>Re-processing “expired” supplies is not acceptable unless the item is implicitly approved for such and the process is documented in the manufacturer’s IFU. When the item does not come with cleaning and re-sterilization instructions, it must be considered a single-use item with a terminal expiration date.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Inspect and check for expired supplies, instruments, implants and equipment used in the facility. • Check manufacturers’ recommendations for accurate best use by date or expirations. • If expired supplies, instruments, implants, or equipment are observed, interview staff to determine if a procedure is in place to check expiration dates on a regular basis. • Are sterile items that can be reprocessed a specific number of times, reprocessed in accordance with the manufacturer’s instructions for use? Is documentation present regarding the number of times the item has been reprocessed? • Interview staff. 	

SECTION 3: SAFETY

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: General Safety				
3-A-2	There is a reliable means of two-way communication to necessary personnel in other facility locations.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that there is a secondary and easy means of communication during an emergency when help/assistance is needed quickly.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe for a means of reliable two-way communication. • Interview staff about the availability of reliable two-way communication. • Ask staff to demonstrate the use of two-way communication and in what situations it might be used. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION B: Facility Safety Manual				
3-B-1	<p>There is a Facility Safety Manual that is reviewed and updated annually and is in accordance with all other federal/national, provincial, state and local regulations.</p> <p>For international facilities, there must be evidence that specific national, provincial and local regulations are included.</p>	Surgical Dental A B C	<p>Interpretive Guidance: The Facility Safety Manual is a compilation of safety procedures and guidelines to follow in emergencies or unsafe situations. The safety manual includes guidelines to prevent injury and illness of staff, patients and visitors. Staff are knowledgeable of the location and contents of the Facility Safety Manual.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the Facility Safety Manual. • Look for documented evidence that the Facility Safety Manual has been reviewed and updated annually. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Interview staff to assess awareness of the Facility Safety Manual, where it is located and its contents. <p>Outpatient Surgery Cultivate a Culture of Safety, 2024 https://digital.outpatientsurgery.net/view/571733896/4/</p> <p>Outpatient Surgery The Essential Elements of a Staff Safety Program, 2024 https://digital.outpatientsurgery.net/view/571733896/14/</p> <p>International Safety Standards https://www.iso.org/obp/ui/en/#iso:std:iso:11135:dis:ed-3:v2:en</p>	
3-B-4	The facility safety manual provides employees with information about hazardous chemicals used and methods to minimize hazards to personnel.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure staff safety when handling hazardous chemicals.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the Facility Safety Manual. Interview staff. <p>International Safety Standards https://www.iso.org/obp/ui/en/#iso:std:iso:11135:dis:ed-3:v2:en</p> <p>OSHA Compliance Quick Start https://www.osha.gov/complianceassistance/quickstarts/health-care</p> <p>OSHA A to Z</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://www.osha.gov/a-z#/ OSHA Healthcare https://www.osha.gov/healthcare	
3-B-5	There is a written exposure control plan, which is reviewed and updated at least annually.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure staff safety when a hazardous exposure occurs. Evaluating Compliance: <ul style="list-style-type: none"> Review written exposure control plan. Interview staff. International Safety Standards https://www.iso.org/obp/ui/en/#iso:std:iso:11135:dis:ed-3:v2:en OSHA Compliance Quick Start https://www.osha.gov/complianceassistance/quickstarts/health-care OSHA A to Z https://www.osha.gov/a-z#/ OSHA Healthcare https://www.osha.gov/healthcare	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
3-B-6	There is a written chemical hazard communication program, which is reviewed and updated annually.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is ensure staff safety when a chemical hazard exposure occurs.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review policies and procedures. Are policies and procedures reviewed and updated at least annually as needed? Interview staff. <p>International Safety Standards https://www.iso.org/obp/ui/en/#iso:std:iso:11135:dis:ed-3:v2:en</p> <p>OSHA Compliance Quick Start https://www.osha.gov/complianceassistance/quickstarts/health-care</p> <p>OSHA A to Z https://www.osha.gov/a-z#</p> <p>OSHA Healthcare https://www.osha.gov/healthcare</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION C: Hazardous Agents				
3-C-2	All explosive and combustible materials and supplies are stored and handled in a safe manner with appropriate ventilation according to state/provincial, local or national laws and regulations.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the safe storage and handling of explosive and combustible materials.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> During the facility tour, observe the physical storage and handling of explosive and combustible materials 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>(e.g., chemicals, medical gases) and ensure ventilation spaces or extraction devices are used in accordance with regulations or the manufacturer's IFU.</p> <ul style="list-style-type: none"> • Interview staff on storage and handling procedures of explosive and combustible materials. • Are areas ventilated per state/provincial, local or national laws and regulations? • Are combustible materials stored away from fire ignition sources? <p>ICC, 2018, Flammable and Combustible Liquids https://codes.iccsafe.org/content/IFC2018/chapter-57-flammable-and-combustible-liquids</p> <p>International Safety Standards https://www.safetynotes.net/international-safety-standards/</p> <p>NFPA 30 Flammable and Combustible Liquids Code, 2021 https://standards.globalspec.com/std/14328537/nfpa-30</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
3-C-4	Compressed gas cylinders are stored and handled in a safe manner according to local, state/provincial, or national laws and regulations.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is the facility stores and handles compressed gas cylinders in a safe and regulated manner to protect the safety of facility patients, visitors, staff and the surrounding community.</p> <p>Potential hazards Depending on the product contained within the cylinder, compressed gases are capable of creating environments that are reactive, explosive, flammable, oxidizing, oxygen-deficient, extremely cold, corrosive or otherwise hazardous to health. Therefore, it's essential to wear the appropriate Personal Protective Equipment (PPE) when handling cylinders and compressed gases. All appropriate firefighting, staff safety and first aid equipment should be available in case of emergencies.</p> <p>Storage area basics</p> <ul style="list-style-type: none"> • Always separate gases by type and keep them in assigned, clearly identified locations. • OSHA requires that cylinders containing flammable gases are either stored at least 20 feet (6.1 meters) away from cylinders containing oxygen and other oxidants or are separated by a fire-resistant wall with a rating of at least 30 minutes that interrupts line of sight. • Poisonous and toxic gases should also be stored separately. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Do not store cylinders (empty or otherwise) in hand trucks or cylinder carts. <p>Storage area conditions</p> <ul style="list-style-type: none"> Gas cylinders should only be stored in areas that are well-ventilated and properly illuminated. Compressed gas storage areas should be identified using proper signage and located away from sources of excess heat, open flame or ignition, and electrical circuits. They should not be located in enclosed or subsurface areas. Vent hoods are not a safe storage area except for when a cylinder is in use <p>Securing cylinders in storage</p> <ul style="list-style-type: none"> The risk of a cylinder falling over and possibly shearing off its valve demands that it always be held in place with a chain or another type of fastener, such as a bench or wall clamp. While in storage, cylinders without permanently configured valve protection MUST have cylinder valve protection caps firmly in place. <p>Temperature exposure</p> <ul style="list-style-type: none"> Compressed gas cylinders typically come in two (2) types of materials: steel and aluminum. <ul style="list-style-type: none"> Steel cylinders are generally used for more corrosive products. While 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>they are more durable than aluminum cylinders, they should not be stored near steam pipelines or exposed to direct sunlight.</p> <p>➤ Aluminum cylinders are used to increase the stability of gas mixtures containing specific components. They can be damaged by exposure to temperatures in excess of 350°F (177°C).</p> <ul style="list-style-type: none"> No matter the material, extreme temperatures weaken cylinder walls and may result in a rupture. Do not permit cylinder temperatures to exceed 125°F (52°C) or apply devices that will heat any part of the cylinder above this temperature. <p>Storing and returning empty cylinders</p> <ul style="list-style-type: none"> The cylinder storage area should be arranged so older stock is used first. Remember, cylinder carts and hand trucks are not suitable storage places for any cylinder. Empty cylinders should be stored separately, clearly identified and promptly returned. When storing depleted cylinders, leave some pressure to prevent backflow that would allow moisture and other contaminants into the cylinder. Ensure that all valves are 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>closed and cylinder caps and/ or guards are securely installed.</p> <p>Handling compressed gas cylinders</p> <ul style="list-style-type: none"> • Most gas cylinders are very heavy and remain so whether they are empty or filled, as their contents are in gaseous form and weigh very little. Even “empty” cylinders are considered hazardous and are still regulated by the Department of Transportation due to the small amount of residual gas they contain. • The safest way to move cylinders is using a hand truck or cylinder cart specifically designed for this purpose. • Avoid lifting cylinders by their caps or guards or with lifting magnets or slings which can damage the valve. <p>Before using cylinders</p> <ul style="list-style-type: none"> • Before using a cylinder, check to make sure it is properly labeled. Do not accept or use cylinders without a clearly identifiable label. • After ensuring the cylinder is labeled correctly, it's important to read and understand the accompanying Safety Data Sheet (SDS) for detailed technical and regulatory information on the product. • Always remember to wear the appropriate Personal Protective Equipment (PPE) when using cylinders. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Depending on the gas, this may include respirators, eyewear, gloves and specialized clothing.</p> <ul style="list-style-type: none"> • Ensure that equipment such as fire extinguishers, eyewash stations and showers are located nearby and properly maintained, where required. In addition, ambient air monitors with alarms that detect gas are essential safety devices, especially when dealing with highly toxic gases. <p>Securing cylinders before and after use</p> <ul style="list-style-type: none"> • Whenever a cylinder is in use, it must be properly secured with a fastening device. Floor or wall brackets are ideal for cylinders that are stationary and will not be moved while in use. • For cylinders that must be moved around, it's recommended to secure them with portable bench brackets. <p>Compressed Gas Safety Part 1: Understanding Gas Types & Hazards, 2022 https://www.airgas.com/MCM-028.1.pdf</p> <p>Compressed Gas Safety Part 2: Storage & Handling https://www.airgas.com/MCM-028.2.pdf</p> <p>Compressed Gas Safety Part 3: Using Compressed Gases https://www.airgas.com/MCM-</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			028.3.pdf International Code Council (ICC) 2018, Compressed Gases https://codes.iccsafe.org/content/IFC2018/chapter-53-compressed-gases Oxygen Tank Storage Regulations, 2020 https://www.hfmmagazine.com/articles/4002-oxygen-tank-storage-regulations	
3-C-5	Hazardous chemicals are labeled as hazardous. Any hazardous material removed from the manufacturer's container and placed in a secondary container must be properly labeled.	Surgical Dental A B C	Interpretive Guidance: The intent is the facility identifies and documents all hazardous materials used, stored, or generated throughout the facility and ensures that they are properly labeled. This index of hazardous materials is updated on an annual basis. This index may be an index of Safety Data Sheets (SDS) maintained for each hazardous product. Hazardous materials that must be included in the inventory are those whose storage, use, or handling are regulated by standards or laws. The SDSs are maintained in an area that is always available to the staff for every hazardous material with which they may come in contact, The SDSs must be readily and quickly available to staff. Hazardous products are appropriately labeled according to regulations and NFPA standards. Evaluating Compliance: <ul style="list-style-type: none"> Check hazardous materials during the facility tour looking for proper labeling, use, disposal, and storage. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Ask staff to provide SDSs for random selected materials. • Ask staff to see the SDSs to verify that there is an index of SDS for all hazardous materials. • Confirm that the index of hazardous materials is updated annually. • Ask to see the Chemical Hazard Communication Plan. • Verify that the Chemical Hazard Communication Plan is updated annually • Verify that the Chemical Hazard Communication Plan includes the index of chemicals present in the facility. <p>If a chemical is placed into a secondary container (not the one from the manufacturer), it requires an OSHA-approved labeling method such as this: https://www.osha.gov/sites/default/files/publications/OSHA3492QuickCardLabel.pdf</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
2-C-9	The operating room(s) are temperature controlled between 22.2 degrees Celsius (68-72 degrees Fahrenheit) and relative humidity is between 20-60%.	B C	<p>Interpretive Guidance: Each operating room should have a separate temperature control.</p> <p>For the established temperature range in operating rooms, NFPA 99-2012 requires ASHRAE 170-2008, Ventilation Table 7-1.</p> <ul style="list-style-type: none"> For operating rooms in classes B and C, the established range for temperatures is 20 – 22.2 degrees Celsius / 68 to 72 degrees Fahrenheit. Class A operating/procedure rooms should have a range of 21.1 – 23.9 degrees Celsius / 70 to 75 degrees Fahrenheit. Ventilation Table 7-1 includes an exception for temperatures to be outside of established minimum ranges when required for patient comfort and/or medical conditions. If a provider uses this exception and follows established policy, logging the issue is not required. The relative humidity should be between 20% and 60%. <p>If the temperature falls below the established range, verify that it will not have a negative impact on patient care or the relative humidity level or take further action. If the temperature/humidity falls outside the acceptable range, corrective action will be taken and remeasurement to confirm temperature and humidity within the acceptable range prior to the start of surgical</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>procedures.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review logs kept to monitor temperature and humidity recordkeeping and the description of corrective action as applicable. Confirm corrective action is taken if temperature and/or humidity are outside the acceptable range and remeasurement to confirm that corrective action was effective in bringing temperature/humidity back into an acceptable range. Interview staff regarding the steps to be taken when the temperature exceeds the acceptable range. <p>ASHRAE/ASHE standard 170-2008 – Ventilation of Health Care Facilities. Table 7.1 www.ashrae.org/File%20Library/Technical%20Resources/Standards%20and%20Guidelines/Standards%20Addenda/170-2008/ad170_2008_d.pdf AORN Infection Control Guide on Heating, Ventilation and Air Conditioning (HVAC) https://prod.ashe.org/system/files/media/file/2022/04/02-Nurse-Manager-Clinicians-Guide_FINAL.pdf</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION D: Medical Hazardous Waste				
3-D-1	All medical hazardous wastes are disposed of in sealed, labeled containers and stored in compliance with local, state/provincial, and national guidelines, and/or OSHA (Occupational Safety and Health Act) acceptable containers and separated from general refuse for special collection and handling.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure safe practices when handling medical hazardous wastes</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility policies and procedures. • Interview staff. • Observe staff handling medical hazardous wastes. <p>CDC Regulated Medical Waste, 2003 https://www.cdc.gov/infection-control/hcp/environmental-control/regulated-medical-waste.html</p> <p>EPA Medical Waste, 2024 https://www.epa.gov/rcra/medical-waste</p> <p>OSHA Hazardous Waste https://www.osha.gov/hazardous-waste/standards</p>	<p>Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
3-D-4	Used disposable sharp items are placed in secure puncture-resistant containers that are located as close to the use area as is practical.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to employ safety practices to prevent needlestick injuries and the transmission of HIV, hepatitis A and B, and other bloodborne pathogens. Containers for disposing of used sharps should be based on the following National Institute for Occupational Safety and Health (NIOSH) criteria:</p> <ul style="list-style-type: none"> • Functionality: Containers should be puncture-resistant, durable during installation and transport, and an appropriate size and shape. The closure should be secure and minimize exposure during closure. • Accessibility: Containers should be upright and easy to operate while preventing the contents from spilling. The container should be placed in a visible location, within easy horizontal reach, and below eye level. The container should also be placed away from any obstructed areas, such as near doors, under sinks, near light switches, etc. • Visibility: Containers should be clearly visible to the healthcare worker. The container should be designed so that workers may be able to easily determine the container's fill status and distinguish any warning labels. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Accommodation: Containers should facilitate ease of storage and assembly, require minimal worker training, be easy to operate, and have a flexible design. They should also easily accommodate one-handed disposal of a sharps device. Product design should minimize sharp surfaces and cross-infection hazards. Installation and mounting systems should be safe, durable, stable, and cleanable. <p>FDA-cleared sharps containers must be made of heavy-duty plastic, feature a tight-fitting, puncture-resistant lid, remain upright and stable during use, be leak-resistant, and be properly labeled with a hazardous waste warning. Additionally, sharps disposal containers should be disposed of when they are three-quarters full.</p> <p>Information regarding the mounting of sharps containers is based on general safety practices and recommendations from the FDA and OSHA guidelines. While there is no explicit regulation stating that sharps containers must be mounted, it is recommended to place them in stable and secure locations to prevent spills and ensure ease of access. Mounting is one way to achieve this stability and accessibility. If a large sharps container is on the floor, it must be secured to prevent accidental tipping. Sharp containers cannot be on wheels for</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>the same reason.</p> <p>Sharps should not protrude out of the disposal container. Sharps containers should be changed out when they are three-quarters full to prevent overfilling, as recommended by the FDA. This helps avoid spills and reduces the risk of needlestick injuries.</p> <p>The Department of Transportation (DOT) has regulations concerning sharps disposal, particularly for containers transported off-site for disposal. These containers must be puncture-resistant and securely closeable to prevent leaks. For sharps containers to be eligible for reuse, they must meet stringent requirements: they must be FDA-approved as reusable medical devices, permanently marked to indicate their suitability as reusable containers, and disinfected effectively based on the type of infectious substance they previously contained.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility policy and procedures on the disposal of used sharps. • Are sharps disposal containers puncture-proof? • Are sharps disposal containers secured to prevent accidental tipping of the container? • Observe employees discarding used sharps. • Observe the placement of sharp containers. (i.e., Are they located close 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>to the use of sharps? Are they placed at the appropriate height level (height of 52-56 inches?)</p> <ul style="list-style-type: none"> • Are used sharps disposed of properly? <p>CDC - Bloodborne Infectious Diseases - Stop Sticks : Sharps Disposal - NORA Workplace Safety and Health Topic</p> <p>FDA Sharps Disposal Containers https://www.fda.gov/medical-devices/safely-using-sharps-needles-and-syringes-home-work-and-travel/sharps-disposal-containers</p> <p>Department of Transportation (DOT) Regulations https://www.hercenter.org/regsandstandards/dot.php</p> <p>NIOSH - Selecting, Evaluating, and Using Sharps Disposal Containers https://stacks.cdc.gov/view/cdc/6386</p> <p>USDA - Safely Using Sharps https://www.fda.gov/medical-devices/safely-using-sharps-needles-and-syringes-home-work-and-travel/sharps-disposal-containers</p> <p>Sharps Contain Regulations: Your Guide, 2024 https://www.danielshealth.com/knowledge-center/sharps-container-regulations-your-guide</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION E: Fire Safety				
3-E-1	The facility is equipped with functioning heat sensors and/or smoke detectors that are tested annually .	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the facility has a working and maintained heat and smoke detection alarm system to protect the safety of patients, visitors, staff, and the surrounding community.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review facility documentation to confirm the annual inspection and/or testing of heat sensors and/or smoke detectors. Review facility policy and procedure on Fire Safety. Interview staff regarding the fire alarm system. During the facility tour, observe fire alarm system. During the facility tour, observe the heat sensors and/or smoke detectors. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
3-E-2	<p>The number of fire extinguishers available and their location must conform to local fire codes. Minimally, a fire extinguisher is located within 75 feet of any location in the facility.</p> <p>Fire extinguishers are visually inspected monthly, maintenance inspections are done annually and conform to local fire codes.</p>	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the facility has a sufficient number of fire extinguishers for its size, that the extinguishers meet local fire codes, and that they are fully charged, in good operating condition, and ready for use, should they be needed. It ensures the safety of patients, staff, visitors and the facility are protected in the event of a fire.</p> <p>1. Visual Fire Extinguisher Inspections – Once per Month According to <u>OSHA [29 CFR 1910.157(e)(2)</u>,</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>employers must perform a visual inspection of portable fire extinguishers at least once per month. Visually inspecting fire extinguishers helps ensure several important points:</p> <ul style="list-style-type: none"> • The extinguisher is still present in its designated location • No damage has occurred to the equipment • No obstructions are blocking the equipment from view or from easy access • The extinguisher is fully charged and operational <p>What should you look for during a visual inspection?</p> <ul style="list-style-type: none"> • Look for obvious signs of physical damage, such as corrosion, leakage, or dents. • Check the pressure gauge to make sure the indicator is in the operating range. • Make sure the pull-pin is not missing and the pull pin seal is intact. • Verify the date of the last professional inspection. <p>2. Maintenance Inspections – Once per Year</p> <p>Employers need to perform a full maintenance check on their workplace's portable fire extinguishers once per year, according to <u>OSHA 29 CFR 1910.157(e)(3)</u>. "Maintenance" means a thorough examination and repair, as needed, of all the</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>facility's portable fire extinguishers, as covered in NFPA 10(98), Sec. 4-4.</p> <p>Annual fire extinguisher maintenance inspections should be performed by a professional fire protection company. These companies have the proper tools and training to ensure optimal compliance while recognizing and correcting any potentially hazardous situations. Once a fire extinguisher passes its annual maintenance, it is verified with a dated inspection tag. That tag is good for one year from the date indicated. If the unit fails to pass the inspection, it must be repaired or replaced.</p> <p>3. Internal Maintenance Inspection – ~ Every 5, 6, or 12 Years (depending on equipment type)</p> <p>This internal maintenance also requires the services of a fire protection company. Internal maintenance testing involves discharging of the fire extinguisher and a complete internal examination and recharging to ensure all components of the fire extinguisher are working correctly. Extinguishers such as the dry chemical type requiring a 12-year hydrostatic test also require a 6-year internal examination.</p> <p>In addition to or as part of the internal maintenance examination, periodically the fire extinguisher cylinders must be hydrostatically tested to ensure their integrity and ability to safely contain the pressure used to expel the agent.</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Typically, pressurized water, carbon dioxide, and wet chemical extinguishers need to be hydrostatically tested every five (5) years. Dry chemical extinguishers need to be tested every 12 years.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility policy and procedure on Fire Extinguishers. • During the facility tour, observe how many fire extinguishers are present in the facility. • Verify that fire extinguishers are within 75 feet of any location in the facility. • Review documentation of monthly visual inspections and the annual maintenance inspection of the fire extinguishers. <p>OSHA regulation on fire extinguisher (1926.150(c)(1)(i)): 1926.150 - Fire protection. Occupational Safety and Health Administration (osha.gov)</p> <p>Info on types of extinguishers appropriate to the OR: ACPG Technical Article - ADA Mounting Heights and Projection for Fire Extinguisher Cabinets (activarcpg.com)</p> <p>OSHA Evacuation Plans and Procedures eTool Portable Fire Extinguishers https://www.osha.gov/etools/evacuation-plans-procedures/emergency-standards/portable-extinguishers</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Guide To How Often Should You Inspect Your Portable Fire Extinguishers</p> <p>https://jhfirer.com/guide-to-how-often-should-you-inspect-your-portable-fire-extinguishers/</p>	
SUB-SECTION F: Exits				
3-F-1	Exit signs are posted and illuminated consistent with state/provincial, local, national regulations and/or NFPA and OSHA codes.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>The intent is that the facility has properly illuminated exit signs so that staff, patients and visitors can easily, quickly, and safely identify an exit to the outside in the event of a facility emergency that requires evacuation.</p> <p>While signs are not required to be “self-illuminating,” the exit signs must be illuminated with backup power in case of a power outage. A battery back up is acceptable.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> During the facility tour, observe all exit signs to ensure they are properly illuminated. Request that staff demonstrate the back-up power to the exit signs to assess compliance. Confirm exit signs are connected to emergency power. 	<p>Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
3-F-3	There are sufficient emergency lights for exit routes and patient care areas in case of power failure.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is that the facility has emergency lighting for exits and patient care areas in case of a power failure.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review facility policy and procedure on Power Failure. During the facility tour, observe emergency power sources for lights. Interview staff on what power source is available in patient care areas during a power failure and how the exits are illuminated during a power failure. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
3-F-4	Hallways, stairways and elevators are sufficiently wide to allow emergency evacuation of a patient by emergency personnel and their equipment.	Surgical Dental A B C	<p>Interpretive Guidance: The intent of this standard is that the hallways, stairways, and elevators meet egress and corridor width requirements as set forth by local, state, or national fire authorities (e.g., NPFA, or other regulatory agency) and are free of clutter for easy and quick passage by staff and patients, especially during an emergency.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review facility policy on removing items from the corridor during an emergency. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> During the facility tour, observe that hallways, stairways, and elevators are free of clutter and allow for easy egress. 	
SUB-SECTION G: Personnel Safety				
3-G-1	If an ethylene oxide gas sterilizer or automated endoscope reprocessor (AER) is used, appropriate personnel are badge-tested to ensure that there is no significant ethylene oxide or glutaraldehyde exposure.	Surgical A B C	<p>Interpretive Guidance: Ethylene Oxide (EtO) is a colorless gas that is known to be an eye, skin, and respiratory irritant in low concentrations, as well as presenting carcinogenic, mutagenic, reproductive, and neurologic hazards to workers. The odor of EtO cannot be detected below 700 ppm.</p> <p>Personal monitoring involves measuring a person's exposure to EtO by testing the air that the person (an employee) would breathe regardless of where the person moves in the workplace. A sampling device is attached to the shirt collar or as close as practical to the nose and mouth of the employee in the employee's "breathing zone" – the hemisphere forward of the shoulders with a radius of approximately six to nine inches – to test airborne EtO concentrations.</p> <p>After the samples have been analyzed, the employer must post monitoring results within</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>15 days of receiving them or notify employees of the results in writing. The employer must also mention the steps being taken to reduce employee exposure when the monitoring results indicate that the time-weighted average or excursion limit has been exceeded.</p> <p>Glutaraldehyde is widely used as a cold sterilant to disinfect heat-sensitive instruments, such as endoscopes, bronchoscopes, and dialysis equipment (NIOSH, 2001). Glutaraldehyde's properties as a chemical sterilant were initially recognized in the early 1960s as the health care industry searched for a safer alternative to formaldehyde, which is regulated by OSHA as a carcinogen (29 CFR 1910.1048). In the years since its introduction as a disinfectant/sterilant, glutaraldehyde has been linked with a variety of health effects – ranging from mild to severe – including asthma, breathing difficulties, respiratory irritation, and skin rashes. (Pryor, 1984; Crandall, 1987).</p> <p>The Federal Occupational Safety and Health Administration (OSHA) does not have a Permissible Exposure Limit for glutaraldehyde. The National Institute for Occupational Safety and Health (NIOSH) established a Recommended Exposure Limit (REL) of 0.2 ppm in 1989 (http://www.cdc.gov/niosh/npg/npgd0301.htm)</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>). Other organizations that have occupational exposure limits include the American Conference of Governmental Industrial Hygienists (ACGIH), which currently recommends a Threshold Limit Value (TLV) of 0.05 ppm in air, measured as a ceiling concentration, and the United Kingdom Health and Safety Executive which also has established a 0.05 ppm Workplace Exposure Limit (WEL) averaged over both 8 hours and 15 minutes. The occupational exposure limits discussed above were current at the time this document was published. However, it is essential that health care personnel keep informed of current Federal, state, and local regulations applicable to glutaraldehyde, and professional guidelines.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • During the facility tour, observe the use of EtO in the facility. • If EtO is used, request to review the facility policy on these substances. The policy must include monitoring employee exposure, notification to employees exceeding allowable exposure levels and steps to take to lower employee exposure levels. • If EtO is used, observe the use of personal monitoring devices. • Review personnel files for evidence of staff training on the safe use, storage and handling of EtO and glutaraldehyde. Cite deficiencies in training at 11-I-11. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review facility policy related to use of glutaraldehyde. Review monitoring documentation to confirm employee exposure is being monitored and results are within limits set by NIOSH. <p>OSHA ethylene oxide.pdf</p> <p>glutaraldehyde.pdf (osha.gov)</p>	
3-G-2	Personnel are properly trained in the control procedures and work practices that have been demonstrated to reduce occupational exposures to anesthetic gases.	Surgical Dental C	<p>Interpretive Guidance: The intent of this standard is to ensure that staff have been properly trained in general workplace controls to minimize occupational exposures to anesthetic gases upon hire and annually thereafter. These controls include Engineering Controls, Work Practices, Administrative Controls, and Personal Protective Equipment.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the training materials to validate all training areas are covered: Engineering Controls, Work Practices, Administrative Controls, and Personal Protective Equipment. Interview staff. Review personnel files to ensure that staff have been trained in the control procedures and work practices to reduce occupational exposures to anesthetic gases. <p><u>Anesthetic Gases: Guidelines for</u></p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p data-bbox="1157 228 1640 332"><u>Workplace Exposures Occupational Safety and Health Administration (osha.gov)</u></p> <p data-bbox="1157 365 1640 527">World Health Organization Exposure to Hazardous Chemicals https://www.who.int/tools/occupational-hazards-in-health-sector/exposure-to-hazardous-chemicals</p> <p data-bbox="1157 592 1640 836">National Library of Medicine Principles of Environmental-Sustainable anaesthesia: A Global Consensus Statement from the World Federation of Societies of Anaesthesiologists, 2022 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9298028/</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
3-G-3	There is a written policy for what is considered to be personal protective equipment for specific tasks in the facility (eg, instrument cleaning, disposal of biological waste, surgery, radiology protection, exposure reduction , etc.).	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that staff utilize appropriate personal protective equipment for specific tasks.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review policies and procedures and confirm there is a policy for what personal protective equipment is required for specific tasks in the facility. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION H: X-Ray and Laser Safety				
3-H-2	If laboratory services are provided, these laboratory services must be provided in accordance with the Clinical Laboratory Improvement Act (CLIA) requirements at 42 CFR 493 operating under a current CLIA certificate appropriate to the level of services performed.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that laboratory services are performed safely and accurately.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the facility's CLIA certificate and ensure the type of certificate is consistent with the lab services provided (i.e., waived, microscopy, moderate complexity) and that the Lab Director is correct. Interview staff regarding running controls and any necessary calibration of lab equipment (all as recommended in the IFU). Review records of quality control testing and patient lab services. <p>eCFR Part 493-Laboratory Requirements https://www.ecfr.gov/current/title-42/chapter- </p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			IV/subchapter-G/part-493	
3-H-3	<p>If x-ray equipment is used, safety measures are taken to protect patients and staff from injury. Warnings and signage exist to warn those whose health may be affected by x-rays.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: This intent is to maintain patient and staff safety from exposure to radiation. Staff must wear the proper protective gear, such as lead aprons, thyroid shields, and goggles. Mobile shields and lead curtains should be used, when possible, to protect patients.</p> <p>X-ray imaging, which uses ionizing radiation, can potentially damage DNA. Ensuring that individuals are made aware that this equipment is in use can signal the need for protective equipment or the need to leave the immediately affected area.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe staff use of protective gear when using X-ray equipment. • Observe how lead aprons are stored. They should not be hanging over chairs, etc. Creases break down the lead's protection. • Review facility policies and procedures and confirm policy in place with 	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>instructions on utilization of x-rays during pregnancy.</p> <ul style="list-style-type: none"> Review personnel files and confirm staff was notified related to occupational exposure to radiation. Observe signage and warnings posted near the area where X-ray equipment is being used. <p>Medical X-ray Imaging FDA https://www.fda.gov/radiation-emitting-products/medical-imaging/medical-x-ray-imaging#risks</p> <p>The Radiology Information Resource for Patients https://www.radiologyinfo.org/en</p> <p>Radiation Dose http://www.radiologyinfo.org/en/safety/index.cfm?pg=sfty_xray</p> <p>Health Physics Society Public Information Committee http://hps.org/publicinformation/</p> <p>Journal of the American Dental Association Optimizing Radiation Safety in Dentistry, 2024 https://jada.ada.org/article/S0002-8177(23)00734-1/fulltext?_gl=1*1t7n6dl*_gcl_au*MzQ1MDk4MjI3LjE3MTc3MjUwMzU.*_ga*NjQ5NzI1NDczLjE3MTc3MjUwMzU.*_ga_X8X57NRJ4D*MTCxNzgwOTE5Mi43LjEuMTcxNzgwOTQwNi</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			4wLjAuMA..#secsectitle0145)	
3-H-4	If X-ray is used, staff maintain dosimetry badges and records, if applicable, for at least three (3) years.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure facilities use individual badges - not area dosimetry. Badges should be worn every day in the neck or chest area facing the radiation source. If you wear a lead apron the badge must be worn OVER the lead. Do not borrow or loan badges to others.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe the staff for the proper use of dosimetry badges while operating the X-ray equipment. Review facility documentation that radiation exposure was measured with dosimetry badges and results reviewed with employees quarterly or more frequently, as required by state and/or federal law. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
3-H-8	If a laser is used, all manufacturer recommended safety precautions are actively in place prior to any usage. All safety measures are taken to protect patients and staff from injury, including appropriate eyewear, covered mirrors, covered windows, signage on the door, etc. in accordance with state/provincial laws and regulations.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that safety measures are instituted to protect patients and staff from injury.</p> <p>If a laser is used during procedures, the manufacturer's user manual is present and available for use.</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Are procedures performed in the facility consistent with the current version of the ANSI Standard for Safe Use of Lasers in Health Care Facilities? Are all procedures performed according to the manufacturer's instructions for use Are safe practices in place when using laser equipment. Staff working with laser devices are trained prior to participating in procedures using these devices. 	

SECTION 4: EQUIPMENT

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: Facility Equipment				
4-A-1	If a central source of piped oxygen is used, the system must meet all applicable local, state/provincial, country safety codes.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the oxygen level prescribed is actually delivered to the patient.</p> <p>The manufacturer's instructions shall include directions and information deemed adequate for the proper operation, testing, and maintenance of the <u>medical gas</u> and vacuum systems.</p> <p>Centrally plumbed oxygen compliance should be verified by an American Society of Safety Engineers (ASSE) 6030 (independent gas verifier's certificate) for compliance to the appropriate Category level.</p> <p>Inspection and testing reports are maintained by the facility.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Request and review the most recent inspection and testing reports. • Are the inspections and testing done in accordance with the manufacturer's instructions for the proper testing and maintenance? • If issues were identified, was remedial action taken to correct the problem • Was the testing and maintenance conducted by a qualified independent gas verifier? Preferably one certified by the ASSE 6030, <p>The National Fire Protection Agency (NFPA) 99, 2012 https://up.codes/viewer/centers-for-medicare-and-medicaid-services/nfpa-99-2012/chapter/5/gas-and-vacuum-systems#5</p> <p>World Class Healthcare Compliance, Medical Gas Systems: The Definitive Guideline https://f.hubspotusercontent20.net/hubfs/479873/bonus%20content/medical-gas-systems-guide.pdf?_hstc=1717358.4f83df3156ea0e81ee9d942814fad43.1726598873503.1726598873503.1726598873503.1&_hssc=1717358.1.1726598873503&_hsfp=2901579814&hsCtaTracking=4a8af79e-62cb-4897-ae24-627d87fe0fcc%7C030bdec8-b6d4-44c4-b056-b9088173751a</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-A-2	Medical equipment and supplies are available in the facility in appropriate sizes and quantities based on the patient population served.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the appropriate medical equipment and supplies are available in the facility based on the patient population served. This includes both adults and pediatric populations, as appropriate.</p> <p>If the facility serves pediatric patients, the facility defines its pediatric population.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe the medical equipment and supplies available in the facility. Are they sufficient for the patient population served, both adult and pediatric? Interview staff. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION B: Operating Room Equipment				
4-B-2	There is a properly functioning operating room table or chair.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure patient safety.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe the operating room table and/or chair to determine if they function properly. Interview staff regarding functionality. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-B-3	The operating room is provided with sufficient and adequately functioning lighting in the ceiling based on the types of cases performed. Adequate illumination for patients, machines, and monitoring equipment, which must include battery-powered illuminating systems, are present.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure proper lighting for surgical cases.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe all operating room lighting. Is it adequate for the types of cases performed? • Interview staff regarding the adequacy of ceiling lighting and illumination for patients, machines, and monitoring equipment. • Are battery-powered illuminating systems present? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
4-B-5	Sufficient electrical outlets are available, labeled and grounded to suit the location (e.g.; wet locations) and connected to emergency power supplies where appropriate.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the electrical outlets are appropriate to the types of surgical cases and procedures performed.</p> <p>Operating rooms are considered wet procedure locations unless a risk assessment conducted by the owner or the owner's life safety consultant deems otherwise. Due to the invasive nature of the procedures, wet procedure locations require special protection against electrical shock.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe the electrical outlets. Are they sufficient to accommodate all equipment used? • Are outlets labeled and grounded based on the location? • Are the outlets connected to emergency power supplies, when appropriate? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Interview staff regarding the adequacy of electrical outlets. 	
4-B-6	Sequential compression devices (SCD) are employed for operations lasting one (1) hour or longer, except for operations carried out solely under local or topical anesthesia.	Surgical B C	<p>Interpretive Guidance:</p> <p>The intent is to minimize the risk of venous thromboembolism (VTE) and deep vein thrombosis (DVT) in those patients who will be in the OR or procedure room > than 60 minutes.</p> <p>The SCDs should be in place prior to the procedure and remain in place until the patient is ambulatory unless contraindicated.</p> <p>The facility should have a policy in place that describes when and how to use the selected SCDs.</p> <p>SCDs may not be indicated for use with pediatric patients (less than 13 years old).</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review facility policy Is a risk assessment conducted? SCDs may not be indicated based on the level of sedation and type of procedure. For example, if the procedure involves a lower limb, or if the patient is small Review clinical record documentation for documented evidence that SCDs were utilized during procedures lasting one (1) hour or longer. Observe practice. Interview staff regarding the use of SCDs. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>American Nurse, Enhancing patient outcomes with sequential compression device therapy, 2013</p> <p>https://www.myamericannurse.com/enhancing-patient-outcomes-with-sequential-compression-device-therapy/</p>	
4-B-7	<p>A source of cautery is present in the operating room.</p> <p>When unipolar electrocautery is used, a single-use/disposable or reusable grounding pad is used.</p>	<p>Surgical</p> <p>B</p> <p>C</p>	<p>Interpretive Guidance:</p> <p>The intent is to safeguard patients and staff from electrocution.</p> <p>Electrosurgical cautery devices are commonly used in various medical procedures to achieve hemostasis, cut tissues, and coagulate blood vessels. These devices utilize electrical energy to generate heat and perform precise surgical procedures.</p> <p>High-temperature cautery pens (heat pens) do not require collector pads.</p> <p>Unipolar electrocautery equipment must be used and maintained according to the manufacturer's instructions for use (IFUs).</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe the presence of cautery in the OR. • Review the manufacturer's information for use and the facility's documentation that the cautery has been tested at least annually. • Observe the type of unipolar electrocautery used. Are they used in accordance with the manufacturer's IFUs? 	<p><input type="checkbox"/> Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • If reusable, are the grounding pads reprocessed and maintained in accordance with the manufacturer's IFUs? • Observe practice when possible. • Interview staff regarding the types of unipolar electrocautery devices used. Are they single-use/ disposable or reusable? If reusable, how are they maintained? Are they reprocessed in accordance with the manufacturer's IFUs? <p>AORN eGuidelines, Electrosurgical Safety, 2020 https://aornguidelines.org/guidelines/content?sectionid=173718992&view=book#229131846</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-B-8	“Forced air warmers,” blanket warmers, or other devices are used to maintain the patient’s temperature. The patient's temperature is monitored periodically to ensure normothermia.	Surgical Dental C	<p>Interpretive Guidance: The intent is to ensure that the patient’s temperature is maintained during all anesthetics.</p> <p>This standard applies when significant changes in patient temperature are anticipated. The facility defines in policy the meaning of “significant changes” in temperature.</p> <p>The temperature in the operating room environment, combined with the use of general anesthesia agents, places surgical patients at an increased risk for the development of perioperative hypothermia.</p> <p>Patient warming prevents inadvertent perioperative hypothermia, which can cause vasoconstriction, tissue hypoxia, and a decreased ability to fight infections. Perioperative warming also increases patient satisfaction and helps to reduce lengths of stay in the PACU.</p> <p>To ensure patients are properly warmed, a patient warming checklist should be included in the facility’s policies and procedures. Essential elements include:</p> <ul style="list-style-type: none"> • If the patient is not pre-warmed, start active warming prior to induction of anesthesia. • Warm intravenous fluids and blood products to 37°C. • Warm irrigation fluids used intraoperatively in a thermostatically controlled cabinet to 38°C to 40°C. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Document temperature routinely (every five minutes, for example). • Measure core temperatures whenever possible. • Induction of anesthesia should not begin unless the patient's temperature is 36°C or above. • Actively warm patients intraoperatively if they'll be anesthetized for more than 30 minutes or if they'll be sedated for less than 30 minutes and are at higher risk of inadvertent perioperative hypothermia. • The temperature setting on warming devices should be set to maintain a patient temperature of at least 36.5°C. • Measure and document patients' temperatures upon admission to PACU and then every 15 minutes thereafter until a normothermic reading is achieved. • Discharge should not be arranged unless the patient's temperature is 36°C or above. If it is below 36°C, the patient should be actively warmed until normothermia is reached. • The temperature of warming devices must be monitored, and the facility must have a policy and procedure for actions to take when the temperature of the warming device is out of range. <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility policies and procedures regarding patient warming. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Interview staff. • Review clinical records. • Review temperature monitoring logs. • Observe practice if possible. <p>Association of Anaesthetists Peri-operative warming devices: performance and clinical application, 2014 https://associationofanaesthetists-publications.onlinelibrary.wiley.com/doi/full/10.1111/anae.12626</p> <p>Article Outpatient Surgery Magazine (aorn.org) Patient Warming's Preventative Benefits, 2021 https://www.aorn.org/outpatient-surgery/article/2021-May-patient-warming-benefits</p> <p>Safety and efficacy of resistive polymer versus forced air warming in total joint surgery Patient Safety in Surgery Full Text (biomedcentral.com) https://pssjournal.biomedcentral.com/articles/10.1186/s13037-017-0126-0</p> <p>AORN Outpatient Surgery, Implementing Safe and Effective Patient Warming, 2022 https://www.aorn.org/outpatient-surgery/article/2022-June-patient-warming</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION C: Anesthesia Equipment				
4-C-1	The operating room is equipped with an EKG monitor with pulse read-out.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure the adequacy of the patient's circulatory function during all anesthetics.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe the presence of an EKG monitor in the OR. • Review the manufacturer's information for use and the facility's documentation that the equipment has been tested at least annually. • Interview staff regarding use. <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
4-C-2	The operating room is equipped with a pulse oximeter.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure patient safety through pulse oximeter monitoring.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe the presence of pulse oximeter in the OR. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review the manufacturer's information for use and the facility's documentation that the equipment has been tested at least annually. <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDxMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	
4-C-3	The operating room is equipped with blood pressure monitoring equipment, including cuff sizes as appropriate for the patient population treated in the facility.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the adequacy of the patient's circulatory function during all anesthetics.</p> <p>Evaluating Compliance: Observe the presence of blood pressure monitoring equipment in the OR. Is the cuff size appropriate for the population served?</p> <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDxMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			parameters/standards-for-basic-anesthetic-monitoring	
4-C-4	The operating room is equipped with oral airways including sizes specific for each size of patient population treated in the facility.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure patient safety when an oral airway is needed.</p> <p>Evaluating Compliance: Observe the presence of oral airways for each size for the patient population treated in the facility.</p> <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAxMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
4-C-5	The operating room is equipped with nasopharyngeal airways including sizes for each size of patient population treated in the facility.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure patient safety when a nasopharyngeal airway is required.</p> <p>Evaluating Compliance: Observe the presence of oral airways in each size needed for the patient population treated in the facility.</p> <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAxMjU</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring	
4-C-6	The operating room is equipped with a functional and clean laryngoscope. Laryngoscope is cleaned as appropriate, HLD or sterilized. Permitted in Class B for emergency use only.	Surgical Dental B C	Interpretive Guidance: The intent is to ensure patient safety when a laryngoscope is required. Laryngoscope handles and blades must be disinfected or sterilized according to the manufacturer's IFU and then stored in a manner that identifies the device as clean and prevents cross-contamination. Examples of compliant storage include a peel pack post steam sterilization (long-term) or wrapping in a sterile towel (short-term). Examples of non-compliant storage would include unwrapped blades in an anesthesia drawer or on top of an emergency cart. Laryngoscope batteries and laryngoscope blade light bulbs are checked at least monthly. Evaluating Compliance: <ul style="list-style-type: none"> • Observe the storage of laryngoscope blades to ensure packaging is sealed to prevent recontamination. • Test a sample of blades to ensure they are functional. • Review facility policy related to the cleaning and testing of equipment. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Interview staff regarding cleaning and testing of equipment. Review documentation of cleaning. <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	
4-C-7	The operating room is equipped with a comprehensive assortment of endotracheal tubes, stylets, and laryngeal mask airways including sizes and types for the patients being treated in the facility. Permitted in Class B for emergency use only.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure patient safety when an endotracheal tube and stylet, or laryngeal mask airway is required.</p> <p>Evaluating Compliance: Observe the endotracheal tubes, stylets, and laryngeal airways available to ensure a comprehensive assortment for the patients being treated.</p> <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-C-9	<p>The operating room is equipped with a positive pressure ventilation device (e.g. Ambu® bag, bag valve mask), including sizes of masks to cover the range needed for the patient population treated in the facility.</p> <p>If self-inflating bags are used, they must be capable of delivering positive-pressure ventilation with at least 90% oxygenation concentration.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure patient safety when a positive pressure ventilation device is required.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe the presence of positive pressure ventilation device(s) in the OR. If self-inflating bags are used, are they capable of delivering positive-pressure ventilation with at least 90% oxygen concentration? Inspect the integrity of the positive pressure ventilation device along with its expiration date, <p>Positive Pressure Ventilation - PubMed (nih.gov), 2023 https://pubmed.ncbi.nlm.nih.gov/32809751/</p> <p>Consensus Recommendations for the Safe Conduct of Nonoperating Room Anesthesia: A Meeting Report From the 2022 Stoelting Conference of the Anesthesia Patient Safety Foundation - Anesthesia Patient Safety Foundation (apsf.org) https://pubmed.ncbi.nlm.nih.gov/32809751/</p> <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring	
4-C-10	The operating room is equipped with a source of oxygen and with appropriate delivery devices (e.g. nasal cannula, face mask) to provide adequate oxygen for the patient population treated and procedures performed in the facility.	Surgical Dental A B C	Interpretive Guidance: The intent of this standard is to ensure patient safety when oxygen is required. Evaluating Compliance: Observe that the OR is equipped with oxygen. Are appropriate delivery devices present and ready for use? AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAxMjU Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring Understanding noninvasive ventilation, 2021 https://www.myamericannurse.com/understanding-noninvasive-ventilation/	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-C-11	The operating room is equipped with a source of adequate and reliable suction and suction equipment.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure patient safety when suction is required.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe the presence of suction equipment in the OR. Is it adequate and reliable? Turn the suction on to verify its functionality. <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDxMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
4-C-12	The operating room is equipped with a reliable source of oxygen, adequate for the length of the procedures performed in the facility (back up must consist of at least one full E cylinder). Back up oxygen source must have a regulator on it and be ready to use. If oxygen cylinders are used as backup, they must be full.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure patient safety when oxygen is required.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe the operating room's oxygen source. Is it adequate for the length of procedures performed in the facility? Is a backup oxygen source present with a regulator? Is it ready for use? Are oxygen cylinders used for backup? If yes, are they full? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAxMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>Understanding noninvasive ventilation, 2021 https://www.myamericannurse.com/understanding-noninvasive-ventilation/</p> <p>Indian Journal of Anaesthesia, Anaesthesia Gas Supply: Gas Cylinders, 2013 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3821267/</p>	
4-C-13	If inhalation general anesthesia is used, the operating room is equipped with an inspired gas oxygen monitor on the anesthesia machine with an audible alarm to indicate a low oxygen concentration.	Surgical Dental C	<p>Interpretive Guidance: The intent is to ensure safe patient oxygen concentration during inhalation of general anesthesia. This device will detect if O2 is not flowing through the anesthesia machine and the mixture of gases.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe the anesthesia machine for evidence of an inspired gas oxygen monitor. Is it equipped with an audible alarm to indicate low oxygenation? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Interview staff regarding the use of the anesthesia machine and oxygen monitor. <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAxMjU</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>International Standards Organization (ISO) ISO5358”1992(en) Anaesthetic machines for use with humans, 1992 https://www.iso.org/obp/ui/#iso:std:iso:5358:ed-2:v1:en</p> <p>ISO5358”1992(en) Continuous flow inhalational anaesthetic apparatus (anaesthetic machine) for use with humans, 1992 https://cdn.standards.iteh.ai/samples/11384/8da97623dbe74f6ab594cc26391c7c76/ISO-5358-1980.pdf</p>	
4-C-14	The operating room is equipped with an end-tidal carbon dioxide monitor with an audible alarm on to indicate values outside the normal range which is used on all moderate sedation, deep sedation, and general anesthesia cases.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate ventilation of the patient receiving moderate and deep sedation and general anesthesia cases.</p> <p>End-tidal carbon dioxide (ETCO₂) monitoring provides valuable information about</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>CO₂ production and clearance (ventilation). Also called capnometry or capnography, this noninvasive technique provides a breath-by-breath analysis and a continuous recording of ventilatory status. It is commonly called the “ventilation vital sign.”</p> <p>During regional anesthesia (with no sedation) or local anesthesia (with no sedation), the adequacy of ventilation shall be evaluated by continual observation of qualitative clinical signs. During moderate or deep sedation, the adequacy of ventilation shall be evaluated by continual observation of qualitative clinical signs and monitoring for the presence of exhaled carbon dioxide unless precluded or invalidated by the nature of the patient, procedure, or equipment.</p> <ul style="list-style-type: none"> • Evaluating Compliance: Observe the operating room. Is there an end-tidal carbon dioxide monitor? Does it have an audible alarm to indicate values outside the range? • Interview staff. Is it used on all moderate and deep sedation, and general anesthesia cases? • Review clinical records to validate end-tidal monitoring on all moderate and deep sedation, and general anesthesia cases? <p>AANA Documenting Anesthesia Care, 2016 https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>American Nurse, Understanding end-tidal CO2 monitoring, 2012 https://www.myamericannurse.com/understanding-end-tidal-co2-monitoring/</p> <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>ASA Statement on Continuum of Depth of Sedation: Definition of General Anesthesia and Levels of Sedation/Analgesia https://www.asahq.org/standards-and-practice-parameters/statement-on-continuum-of-depth-of-sedation-definition-of-general-anesthesia-and-levels-of-sedation-analgesia</p>	
4-C-15	When ventilation is controlled by a mechanical ventilator, there shall be in continuous use a device that is capable of detecting the disconnection of any of the breathing system's components. The device must give an audible signal when its alarm threshold is exceeded.	Surgical Dental C	<p>Interpretive Guidance: The intent is to ensure patient safety when mechanical ventilation is used.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe the mechanical ventilator(s) used. • Is a device used capable of detecting the disconnection of any of the breathing components? • Does the device provide an audible alarm when its threshold is exceeded? <p>Standards for Basic Anesthetic Monitoring (asahq.org), 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			parameters/standards-for-basic-anesthetic-monitoring International Standardards Organization (ISO) ISO5358”1992(en) Anaesthetic machines for use with humans, 1992 https://www.iso.org/obp/ui/#iso:std:iso:5358:ed-2:v1:en ISO5358”1992(en) Continuous flow inhalational anaesthetic apparatus (anaesthetic machine) for use with humans, 1992 https://cdn.standards.iteh.ai/samples/11384/8da97623dbe74f6ab594cc26391c7c76/ISO-5358-1980.pdf	
4-C-16	<p>If nitrous oxide alone is used, then a safe delivery system is used. A safe delivery system meets these criteria:</p> <ol style="list-style-type: none"> 1) Alarms 2) Gas scavenging 3) Color coding of tanks, knobs, and hoses 4) Diameter index safety system for non-interchangeable connection of gases - pin index safety system 5) Oxygen fail-safe system and oxygen flush capacity 6) Quick connection for positive-pressure oxygen delivery 7) Emergency air inlet 8) Reservoir bag 9) Storage in secured area 	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure the safe delivery of nitrous oxide.</p> <p>See standard 3-A-1 and the Nitrous Oxide Addendum and references contained in the Anesthesia Class document.</p> <p>Evaluating Compliance: Observe the oxygen delivery system. Does it contain the necessary safeguards?</p> <p>See standard 3-A-1 and the Nitrous Oxide Addendum and references contained in the Anesthesia Class document.</p> <p>National Library of Medicine, Pin Index Safety, 2022</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://www.ncbi.nlm.nih.gov/books/NBK532908/#article-27225.s1 Anaesthesia Gas Supply: Gas Cylinders - PMC, 2013 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3821267/	
4-C-17	<p>An anesthesia machine with a purge system to extract exhaled gaseous air to out-of-doors or to a neutralizing system is present. If inhalation anesthesia is used, a carbon–dioxide–neutralizing system is required when using an anesthesia machine.</p> <p>An adequate and reliable waste anesthetic scavenging system exists if inhalation anesthetics are used.</p>	<p>Surgical Dental C</p>	<p>Interpretive Guidance: The intent is to ensure the safety of the patient and staff when an anesthesia machine is in use.</p> <p>The purge and waste scavenging systems aim to remove as much residual anesthetic gases as possible, reducing patient and staff exposure.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Observe the Anesthesia machine. Does it have a purge system? • If inhalation anesthesia is used, is a carbon-dioxide—neutralizing system present and used with an anesthesia machine? • Is an adequate and reliable waste anesthetic scavenging system used when inhalation anesthetics are used? • Interview staff. <p>OSHA Anesthetic Gases: Guidelines for Workplace Exposures, 2000 https://www.osha.gov/waste-anesthetic-gases/workplace-exposures-guidelines</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-C-18	An anesthesia machine is required if volatile agents are available in the facility. If total intravenous anesthesia (TIVA), spinal, or epidural anesthesia is used exclusively, and no volatile inhalation agents are available, an anesthesia machine is not required.	Surgical Dental C	<p>Interpretive Guidance: If an anesthesia machine is present and accessible to the facility, it is presumed that general anesthesia is being provided. In these cases, the facility is expected to comply with all Class C standards.</p> <p>Evaluating Compliance: Is an anesthesia machine available? Are volatile agents available in the facility?</p> <p>OSHA Anesthetic Gases: Guidelines for Workplace Exposures, 2000 https://www.osha.gov/waste-anesthetic-gases/workplace-exposures-guidelines</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION D: Post-Anesthesia Care Unit (PACU) Equipment				
4-D-1	The PACU is equipped and readily accessible to handle emergencies	Surgical Dental B C	<p>Interpretive Guidance: If an anesthesia machine is present and accessible to the facility, it is presumed that general anesthesia is being provided. In these cases, the facility is expected to comply with all Class C standards.</p> <p>Evaluating Compliance: Is an anesthesia machine available? Are volatile agents available in the facility?</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-D-2	A separate pulse oximeter is available for each patient in the PACU.	Surgical Dental B C	<p>Interpretive Guidance: The intent is for the facility to have a pulse oximeter available for all patients to monitor blood oxygen levels.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe patient use of pulse oximeters. Is there a pulse oximeter for each patient in PACU? Interview the staff regarding policy and procedures 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION E: Maintenance of Equipment				
4-E-1	<p>The facility has a preventive maintenance program to ensure that all essential mechanical, electric and patient-care equipment is maintained in safe operating condition and is replaced no less frequently than according to a schedule.</p> <p>A qualified technician annually inspects all equipment and reports in writing that the equipment is safe and operating according to the manufacturer's specifications. Stickers may be placed on individual equipment; however, written records must be maintained. All equipment is on a maintenance schedule, and records are kept for a minimum of at least three (3) years.</p>	Surgical Dental A B C	<p>Interpretive Guidance: The intent is that all essential equipment is maintained and safe for use in patient care.</p> <p>All equipment is inspected when initially brought into the facility, prior to use in patient care, and annually thereafter.</p> <p>The qualified technician may be a biomedical technician/engineer, electrical technician/engineer, medical technician/engineer, life safety code technician/engineer, or equipment manufacturer. The individual must be trained or certified to inspect and maintain specific equipment.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review and validate the equipment maintenance plan. Randomly select several pieces of equipment and review the facility's 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>maintenance and inspection records. Are records available for the last three (3) years? Are inspections conducted by a qualified technician?</p> <ul style="list-style-type: none"> • Observe equipment maintenance sticker inspection dates. • Interview staff to see if they can recognize whether the equipment has been tested or needs to be tested. • Interview staff to determine if they know when a piece of equipment is unsafe to use and the process for removing it from use. 	
4-E-5	The manufacturer's specifications and requirements for all equipment are kept in an organized file and followed for each piece of equipment.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is that the facility maintains the manufacturer's specifications and recommendations requirements for all equipment used in the facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility's file on the manufacturer's specifications and requirements for all equipment. Randomly select several pieces of equipment to validate inclusion in the file. • Interview staff. • Select a few random pieces of equipment and ask to see the manufacturer's specifications and recommendations requirements on file for the pieces of equipment. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-E-6	The facility's emergency backup power equipment is tested monthly to ensure proper function in accordance with federal/national, state, provincial, and local requirements. The test results are filed and kept for a minimum of three (3) years.	Surgical Dental B C	<p>Interpretive Guidance: The intent is that the facility conducts monthly emergency back up power equipment checks to ensure proper function. Test results are filed and kept for three (3) years.</p> <p>The facility maintains policies and procedures regarding emergency back up equipment testing.</p> <p>Monthly Testing (Sec. 8.4.2) A monthly test is performed on Level 1 and Level 2 generators. A Level 1 generator is one whose failure could result in death or serious injury. A level 2 generator is one whose failure would not result in life-threatening injury. During testing, a generator should operate under available load for a minimum of thirty minutes. A successful test is one in which the generator:</p> <ul style="list-style-type: none"> • Achieves the minimum exhaust gas temperature for monthly testing as indicated by the manufacturer's manual, or • Operates at normal temperature while running at no less than 30% of the nameplate Kilowatt rating. <p>If a generator cannot operate until its water and oil pressures have stabilized, it should be tested for less than thirty minutes to avoid prolonging its downtime.</p> <p>Yearly Testing (Sec. 8.2.4.3) If a generator fails the monthly test, it should be operated under a load supplied by a load bank (i.e. load bank testing) for two (2) continuous</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>hours each year. During this two-hour period, the unit should be operated as follows:</p> <ul style="list-style-type: none"> • At 25% of the nameplate Kilowatt rating for 30 minutes. • At 50% of the nameplate Kilowatt rating for 30 minutes. • At 75% of the nameplate Kilowatt rating for 60 minutes. <p>The "exercise" supplied by load bank testing can improve a generator's operating capacity, making it more responsive during a real power outage.</p> <p>Testing is conducted by a trained and qualified technician/engineer.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility's policies and procedures. • Review maintenance logs for monthly checks. Are records maintained for a minimum of three (3) years? • Is testing conducted by a trained and qualified technician/engineer? <p>NFPA 110 Emergency Generator Testing Requirements https://www.primepower.com/blog/nfpa-110-emergency-generator-testing-requirements</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-E-7	Central/Plumbed/Piped Anesthesia gas systems, including nitrous delivery system, are checked by a qualified inspector and written reports are available stating that the equipment is safe and operating according to the manufacturer's specifications.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is that the facility has an inspection process in place to ensure patient safety when central/plumbed/piped anesthesia gas systems are used, including the nitrous delivery system, that is checked by a qualified inspector.</p> <p>Centrally plumbed oxygen compliance should be verified by an American Society of Safety Engineers (ASSE) 6030 (independent gas verifier's certificate) for compliance to the appropriate Category level. Inspectors are certified when required by state law.</p> <p>Inspection and testing reports are maintained by the facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility's policies and procedures • Review documentation to validate inspection compliance. <p>NFPA 99, 2012 Chapter 5 Gas and Vacuum Systems https://up.codes/viewer/centers-for-medicare-and-medicaid-services/nfpa-99-2012/chapter/5/gas-and-vacuum-systems#5 World Class Healthcare Compliance, Medical Gas Systems: The Definitive Guideline https://f.hubspotusercontent20.net/hubfs/479873/bonus%20content/medical-gas-systemsguide.pdf?_hstc=1717358.4f83df3156ea0e81eee9d942814fad43.1726598873503.17</p>	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			26598873503.1726598873503.1&_hssc=1717358.1.1726598873503&_hsfp=2901579814&_hsCtaTracking=4a8af79e-62cb-4897-ae24-627d87fe0fcc%7C030bdec8-b6d4-44c4-b056-b9088173751a	
4-E-8	<p>Nitrous oxide/oxygen delivery safety system checks: Annual documented checks of ambient nitrous oxide levels should be less than 25 ppm according to NIOSH.</p> <p>The facility's policies and procedures document these system checks and address who is qualified to perform them, their frequency, the method of testing, and the action to be taken if the nitrous oxide levels are greater than 25 ppm in accordance with the manufacturer's instructions for use.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is that the facility maintains, documents, and monitors annual checks of ambient nitrous oxide levels, which should be less than 25 ppm, in accordance with NIOSH, to ensure patient safety.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility policies and procedures. • Interview staff. • Review nitrous oxide level reports to verify that the ambient nitrous oxide levels are less than 25 ppm. • Verify that appropriate action is taken when levels are less than 25 ppm. • Review the documentation of safety checks <p>Controlling Exposures to Nitrous Oxide During Anesthetic Administration NIOSH CDC NIOSH Controlling Exposures to Nitrous Oxide During Anesthetic Administration, 1994 https://www.cdc.gov/niosh/docs/94-100/pdfs/94-100.pdf?id=10.26616/NIOSH-PUB94100</p>	<p>Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
4-E-10	The facility regularly conducts appropriate testing in accordance with the manufacturer's specifications for all equipment. Records of that testing are maintained within the facility for at least three (3) years.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is that the facility regularly performs appropriate testing of all equipment in accordance with the manufacturer's specifications and maintains testing records within the facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review evidence of testing. • Is documentation of testing maintained for at least three (3) years? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SECTION 5: IN CASE OF EMERGENCY

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: Emergency Equipment				
5-A-1	Emergency cart is immediately available with a defibrillator or automated external defibrillator (AED), necessary drugs, and other CPR equipment (e.g. suction, pediatric defib pads) necessary for the patient population being served.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to have all necessary equipment together in one place and immediately available to manage an emergency in the OR or PACU at all times a patient is in the facility.</p> <p>This also means that if a contract anesthesia provider brings any emergency medications or equipment into the facility and removes any of these items when leaving the facility, the contract anesthesia provider must remain in the facility until all patients have been discharged from the PACU.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Inspect the emergency cart to ensure that it is equipped with the required working equipment, medications, and other CPR equipment. Interview staff regarding the emergency cart contents. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
5-A-3	The standard defibrillator, or an Automated External Defibrillator (AED), is checked at least weekly for operability in accordance with the manufacturer's instructions for use , and the test results are documented and kept for a minimum of three (3) years.	Surgical Dental A B C	<p>Interpretive Guidance: This is to ensure that the standard defibrillator or AED functions properly in an emergency situation.</p> <p>Documentation of the checks is generally kept in a log that tracks who and when the defibrillator is checked, when the battery has been changed, etc., to ensure it is working and ready for emergency situations.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Checks are done according to the manufacturer's instructions for use. The battery is tested with the defibrillator unplugged.</p> <p>Most AEDs have a battery life of two (2) to four (4) years. Depending on the brand, AED pads typically expire in two (2) years.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the manufacturer's instructions for use. • Interview staff regarding how the defibrillator or AED is checked. Is it consistent with the manufacturer's instructions for use? • Inspect the log to ensure that at least weekly tests have been conducted over the past three (3) years. • Interview staff regarding the replacement of batteries. • Inspect supplies, such as defibrillator, to ensure they have not expired. <p><u>A Study on Performance and Safety Tests of Defibrillator Equipment - PMC (nih.gov)</u></p> <p><u>Automated External Defibrillators (AEDs) FDA</u></p> <p><u>FDA-Approved AED Devices</u></p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
5-A-4	The facility medical staff, anesthesia professionals, other clinical staff, and the governing body of the facility coordinates, develops, and revises facility policies and procedures to specify the types of emergency equipment required for use in the facility's operating room.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
5-A-5	The emergency equipment must be immediately available for the use of emergency situations.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
5-A-6	The emergency equipment must be appropriate for the facility's patient population.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
5-A-7	The emergency equipment must be maintained by appropriate personnel.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION B: Emergency Power				
5-B-1	The emergency power source is able to begin generating ample power to operate essential electrical equipment used in the operating suite within thirty (30) seconds of a power failure.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure that essential electrical equipment in the operating room has a functioning emergency power source in the event of a power outage.</p> <p>The facility has a power failure policy that addresses testing of the emergency power source, who conducts the testing, the frequency of testing, and what to do if the emergency power source does not engage within 30 seconds. Testing is done in accordance with the manufacturer's instructions for use.</p> <p>Testing documentation is maintained for at least three (3) years.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the manufacturer's instructions for use. • Review the facility power failure policy. Does it address the necessary items? Is it consistent with the manufacturer's instructions for us? • Review the testing results. What action was taken if the testing of the emergency power source failed? • Is documentation retained for a minimum of 3 years? • Interview staff. <p>NFPA 110 Testing and Service Requirements for Standby Power Systems, 2015 https://www.cummins.com/sites/default/files/202</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			1-02/External%20(Final)%20NFPA%20110%20Testing%20and%20service%20requirements%20for%20Standby%20Power%20Systems 12.15.2020.pdf	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
5-B-2	The operating room(s) and PACU have an emergency power source, (e.g. a generator or battery powered inverter), with capacity to operate critical equipment (e.g., ventilators, lighting, monitoring, anesthesia, and procedure equipment) for a minimum of 90 minutes. If two or more operating rooms are used simultaneously, an adequate emergency power source must be available for all operating rooms.	Surgical Dental B C	<p>Interpretive Guidance: The intent is ensure all operating and recovery rooms (not individual pieces of equipment) are equipped with an emergency power source in the event of a power outage.</p> <p>The emergency power supply (EPS) is the source of electrical power (i.e., a generator) used in the backup power system (NFPA 7.9.1). It is independent of the primary source of power and is ready to kick on in case of power failure.</p> <p>A battery backup in a piece of equipment does not meet the requirement for an emergency power supply. Many pieces of medical equipment have a battery backup capable of lasting through most short-term power outages only. However, if there is a natural disaster and help is not immediately available, an emergency power source must be available.</p> <p>Egress lighting in hallways must be provided for a minimum of ninety (90) minutes in the event of normal lighting failure. The emergency lighting system shall either be continuously in operation or capable of repeated automatic operation without manual intervention. Emergency lighting for at least 90 minutes is required.</p> <p>Photoluminescent exit signs are permissible.</p> <p>The facility must have a policy related to the emergency power source, which must include the frequency of testing, steps to take if the</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>system fails to sustain critical equipment for the required timeframe, and record retention.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility policy related to its emergency power system. • Review facility documentation to ensure testing has occurred within the required timeframes and that the system has passed the tests. • Interview staff on steps taken if any failures are noted in the log. <p>The No-Nonsense Guide to NFPA 110 Compliance for Emergency Power Systems https://ckpower.com/wp-content/uploads/2018/04/NFPA-110-Final.pdf</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION C: Emergency Protocols				
5-C-1	There must be a written protocol for emergency evacuation of the facility. The protocol must include provisions for annual drills for the emergency evacuation of patients, staff, and guests; staff training upon hire and annually. Documentation of all drills must be retained in the facility for a minimum of three (3) years.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>The best way to protect staff and patients is to expect the unexpected and to carefully develop an emergency action plan to guide everyone in the workplace when immediate action is necessary with a clear set of roles and responsibilities. Planning in advance helps ensure that everyone knows what to do when an emergency occurs.</p> <p>For annual drills, it is recommended that the facility conduct one (1) drill per quarter: emergency evacuation, fire safety, security, and CPR emergencies.</p> <p>The protocol is reviewed and tested annually and updated as necessary.</p> <p>All staff are expected to have received training on this protocol: upon hire, annually, and as any updates or revisions to the protocol are made.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility protocol for emergency evacuation of the facility. Is the protocol reviewed annually? • Interview staff to assess knowledge of this protocol. • Review drill documentation. Are records retained for at least three (3) years? • Are drills conducted at least annually? • Review staff records to determine that the appropriate training has been provided initially upon hire and annually thereafter, 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			and any time updates occur. Cite deficiencies in training at 11-I-4.	
5-C-2	<p>A written protocol for security emergencies, such as an intruder in the facility, an unruly patient or visitor, or a threat to the staff or patients, must be documented and reviewed annually.</p> <p>The protocol must include provisions for annual drills for security emergencies; staff training upon hire and annually; drill documentation; and, retention of documentation for a minimum of three (3) years.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: There is a written protocol that outlines required activities in the event there is a security emergency. Security emergencies would include:</p> <ul style="list-style-type: none"> • Intruders • Unruly patient or visitor • Bomb threat • Other threats to staff or patients <p>Drills should reflect different locations and scenarios. An after-action report is completed.</p> <p>The protocol is reviewed and tested annually and updated as necessary.</p> <p>As with any policy and procedure, staff are expected to be trained on this protocol upon hire and annually. The protocol itself should be reviewed and updated (as necessary) annually.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility protocol for security emergencies and that the protocol has been reviewed annually. • Interview staff regarding what they would do in various scenarios. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review drill documentation. Are records retained for at least three (3) years? Review personnel files to determine the appropriate training has been provided initially upon hire and annually thereafter, and any time updates occur. Cite deficiencies in training at 11-I-4. 	
5-C-3	<p>There must be a written protocol for fires and fire drills.</p> <p>This protocol must include the provision for: fire drills; staff training upon hire and annually; drill documentation and retention of documentation for a minimum of three (3) years.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: Knowing what to do in a fire is critical to protecting the health and safety of patients, visitors, and staff. A comprehensive protocol describing what to do during a fire is the first step in ensuring this protection. Drills should reflect different locations and scenarios.</p> <p>The protocol is reviewed and tested annually and updated as necessary.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff regarding what they would do in case of a fire and assess their knowledge of the facility's fire protection protocol. Ask staff how often fire drills are conducted. Review the facility's fire protocol for all required elements. Review documentation that fire drills have occurred at least quarterly. <p><u>AORN Sample Fire Safety Policy</u></p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<u>Recommendations to Reduce Surgical Fires and Related Patient Injury: FDA Safety Communication FDA (archive-it.org)</u>	
5-C-4	There must be a written protocol for returning patients to the operating room or transfer to the hospital in the event of patient emergencies.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is that the facility has a protocol in place to provide guidance to ensure the patient remains safe should a return to the OR be required. This protocol should, at a minimum, include who to contact (family, anesthesia, the charge RN, outside emergency assistance, etc.), keeping the patient NPO, how records will be kept, how consent will be obtained, and when to report the event to QUAD A via the Patient Safety Data Reporting system. The protocol is reviewed annually and updated as necessary</p> <p>The protocol is reviewed annually and updated as necessary.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff to assess knowledge of the return to OR protocol. • Review the protocol for all required elements and evidence that the protocol is reviewed and revised annually. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
5-C-7	There must be a written protocol for a situation in which the surgeon/proceduralist, anesthesia professional, or other healthcare professional is impaired or becomes incapacitated.	Surgical Dental A B C	<p>Interpretive Guidance: Staff should be knowledgeable about how to handle situations where the surgeon, anesthesiologist, CRNA, or other healthcare professional is impaired or incapacitated. The facility protocol should be easily accessible to staff and outline appropriate steps to take in these situations.</p> <p>The protocol is reviewed annually and updated as necessary.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff regarding their knowledge of what to do should a healthcare professional be found to be impaired or incapacitated. • Review facility protocol to ensure appropriateness. • Review personnel files to ensure that staff training has occurred upon hire and annually thereafter. Cite deficiencies in training at 11-I-4. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
5-C-11	There must be a written protocol for isolation procedures.	Surgical Dental A B C	<p>Interpretive Guidance: Upon identification of a potentially infectious patient, implementation of prevention measures, including prompt separation of potentially infectious patients and implementation of appropriate control measures (e.g., Respiratory Hygiene/Cough Etiquette and Transmission-Based Precautions) can decrease transmission risks to patients, visitors and staff.</p> <p>The facility must develop and implement a protocol for isolation procedures. The protocol</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>is reviewed annually and updated as necessary. Documented staff training upon hire and annually on these procedures must be present.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility protocol related to isolation procedures. • Interview staff on their knowledge of these procedures and the location of the isolation protocol. • Review personnel files for evidence that documented staff training. <p><u>Isolation Precautions Guidelines Library Infection Control CDC</u></p> <p>Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings (2007) (cdc.gov) Note: Ambulatory care begins on page 37)</p> <p>WHO Infection Prevention and Control https://www.who.int/health-topics/infection-prevention-and-control#tab=tab</p>	

SUB-SECTION F: Disaster Preparedness Plan

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
5-F-1	There is a written protocol for a disaster preparedness plan that provides for the emergency care of patients, staff and others in the facility in the event of fire, natural disaster, functional failure of equipment, or other unexpected events or circumstances that are likely to threaten the health and safety of those in the facility.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the facility is prepared to deal with disasters and emergency care of patients.</p> <p>The protocol is reviewed and tested annually and updated as necessary.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the facility disaster preparedness plan. Does it address the required elements? Interview staff regarding their knowledge of the protocol. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
5-F-2	Facilities must conduct a biennial review and test of its disaster preparedness plan.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SECTION 6: MEDICATIONS

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: Medications				
6-A-1	The facility must provide drugs and biologicals in a safe and effective manner, in accordance with accepted professional practice and under the direction of an individual designated responsible for pharmaceutical services.	Surgical Dental A B C	<p>Interpretive Guidance: Medication errors are the most reported type of medical error. They are preventable events that can result in serious patient harm (e.g., disability, death) and occur during any phase of the medication-use process (i.e., from procuring the medication to monitoring the patient after administration). Adherence to national standards of practice is critical.</p> <p>Evaluating Compliance:</p> <p>AORN Guidelines in Practice: Medication Safety https://aornjournal.onlinelibrary.wiley.com/doi/epdf/10.1002/aorn.14034</p> <p>USP 797 Key Changes (ashp.org)</p> <p>ASA Statement on Security of Medications in the Operating Room, 2023 https://www.asahq.org/standards-and-practice-parameters/statement-on-security-of-medications-in-the-operating-room</p> <p>AANA Safe Injection Guidelines for Needle and Syringe Use, 2022 https://issuu.com/aanapublishing/docs/8_-_safe_injection_guidelines_for_needle_and_syrin?fr=sNzEyZTU2NDAXMiU</p> <p>American Society of Ophthalmic</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Registered Nurses (ASORN) Use of Multi-dose Medications https://asorn.org/professional-resources/policies-and-recommendations/asorn-recommended-practice-use-of-multi-dose-medications/</p> <p>Using Multidose Eyedrops in a Health Care Setting, 2014 https://jamanetwork.com/journals/jamaophthalmology/article-abstract/1901216</p> <p>USP General Chapter Labeling: Expiration Date FAQs December 2023 go.usp.org/USP_GC_7_FAQs?_gl=1*9t81ki*_gcl_au*MTE5NjEzMzM3OS4xNzA3NDE4MTA0*_ga*MTY4NDc2MjkvOS4xNzA3NDE4MTA1*_ga_DTGGQ04CR27*MTcwNzQxODEwNC4xLjAuMTcwNzQxODEwNC4wLjAuMA..</p>	
6-A-2	Drugs must be prepared and administered according to established policies and acceptable standards of practice.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: Note: Per the USP, expiration dates must be formatted using the year (in a 4-digit format), the month, and, if applicable, the day, separated by hyphens or forward slashes in accordance with USP 700 Updates December 2023.</p> <p>Where the manufacturer's FDA-approved package insert specifies environmental conditions, such as temperature, humidity, exposure to light, etc., for drug storage, the facility is expected to follow the labelled conditions.</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Evaluating Compliance:</p> <p>USP General Chapter Labeling: Expiration Date FAQs December 2023 go.usp.org/USP_GC_7_FAQs?_gl=1*9t81ki*_qcl_au*MTE5NjEzMzM3OS4xNzA3NDE4MTA0*_ga*MTY4NDc2MjkyOS4xNzA3NDE4MTA1*_ga_DTGGQ04CR27*MTcwNzQxODEwNC4xLjAuMTcwNzQxODEwNC4wLjAuMA..</p> <p>CDC Single-Dose or Multi-Dose https://www.cdc.gov/injection-safety/media/pdfs/Injection-Safety-For-Healthcare-P.pdf</p> <p>CDC Safe Injection Practices https://www.cdc.gov/injection-safety/hcp/clinical-guidance/index.html</p> <p>American Society of Ophthalmic Registered Nurses (ASORN) Use of Multi-dose Medications https://asorn.org/professional-resources/policies-and-recommendations/asorn-recommended-practice-use-of-multi-dose-medications/</p> <p>Using Multidose Eyedrops in a Health Care Setting, 2014 https://jamanetwork.com/journals/jamaophthalmology/article-abstract/1901216</p> <p>USP General Chapter Labeling: Expiration Date FAQs December 2023 go.usp.org/USP_GC_7_FAQs?_gl=1*9t81ki*_qcl_au*MTE5NjEzMzM3OS4xNzA3NDE4MTA0*_ga*MTY4NDc2MjkyOS4xNzA3NDE4MTA1*_ga_DTGGQ04CR27*MTcwNzQxODEwNC4xLjAuMTcwNzQxODEwNC4wLjAuMA..</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			TA0* ga*MTY4NDc2MjkyOS4xNzA3NDE4M TA1* ga DTGQ04CR27*MTcwNzQxODEw NC4xLjAuMTcwNzQxODEwNC4wLjAuMA..	
6-A-5	Outdated medications are removed and destroyed in accordance with federal/national, state, provincial, and local pharmacy regulation.	Surgical Dental A B C	<p>Interpretive Guidance: Drug expiration dates reflect the time period during which the product is known to remain stable and maintain its integrity, which means it retains its strength, quality, and purity when it is stored according to its labeled storage conditions. Medications not stored within proper temperature settings may be considered expired for patient use. Some medications may require certain temperatures to maintain potency (i.e., muscle relaxants). The manufacturer's instructions for storage and use must be followed.</p> <p>For domestic programs: If medications are on backorder, the expiration may be extended based on the FDA extended use date: Search List of Extended Use Dates to Assist with Drug Shortages FDA</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Inspect and check for expired medications. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Check manufacturers' recommendations for accurate best use by date or expirations. If expired medications are observed, interview staff to determine if a procedure is in place to check expiration dates regularly. Review related medication storage policies. Interview staff. <p><u>Search List of Extended Use Dates to Assist with Drug Shortages FDA</u></p>	
6-A-6	Medications are stored in a secured area away from patient and visitor access.	Surgical Dental A B C	<p>Interpretive Guidance: A secure environment is necessary for medication safety. Medication safety includes the security of oral, sublingual, parenteral, and inhaled pharmaceutical agents used for elective and emergency care. A secure physical area assures the integrity of anesthesia machines and other equipment and materials. The security of medications, while maintaining rapid accessibility, in a secure anesthetizing location is essential for patient safety.</p> <p>The facility's policies and procedures are expected to address the security and monitoring of carts, locked or unlocked, containing drugs and biologicals in all patient care areas to ensure their safe storage and patient safety.</p> <p>Automated Dispensing Cabinets (ADCs) are</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>a secure option for medication storage. They ensure locked storage and allow for electronic tracking of controlled substances and other drugs. These cabinets often have embedded security features, such as login and password or biometric identification, so that they can only be accessed by authorized personnel.</p> <p>Medication carts, anesthesia carts, epidural carts, and other non-automated medication carts containing drugs and biologicals must be secured when not in use.</p> <p>Because a secure anesthetizing location is a limited-access secure location, it is safe practice for anesthesia professionals to leave non-controlled* medications on the top of their anesthesia carts or anesthesia machines for brief periods (e.g., while going to a nearby holding area to bring a patient into the operating room).</p> <p>All syringes must be labeled with the drug's generic name and concentration (in units per mL). The date and time of preparation and the preparer's initials or name should also be included.</p> <p>For infusion bags containing pharmaceuticals for use in the practice of anesthesiology, the total volume of the bag and the generic name and amount of each added pharmaceutical should be the most prominently displayed information. The final concentration of each</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>pharmaceutical in units per mL should also be displayed, as well as the date and time of preparation, the preparer's name or initials, and the patient's name.</p> <p>Vials and ampules: Medication containers intended for use in the practice of anesthesiology should display the generic name and concentration (as the total amount of medication in the container divided by the total volume) most prominently. Preferably, the concentration in units per mL is also displayed. Syringes and containers of medications intended only for regional anesthesia shall be clearly marked as such.</p> <p>At the end of anesthesia cases, when patients are particularly vulnerable, anesthesia professionals dedicate full attention to their patients. This vulnerable period extends from the time the patient emerges from anesthesia until the anesthesia professional transfers care of the patient to recovery personnel. If drugs are locked up during this vulnerable period, provider access to drugs required for emergency patient care is obstructed. Requiring anesthesia professionals to divert attention from patients in order to lock non-controlled* medications in anesthesia carts during the period between emergence from anesthesia and transport of patients out of the operating room jeopardizes patient safety. Therefore, locking non-controlled medications at this point in the anesthetic is</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>not required.</p> <p>It is necessary and safe practice for non-controlled medications to be set up for emergency cases (e.g., obstetrics, trauma). If this is a non-secure location, then medications must be made secure ("locked") by a tamper-evident device that can easily be broken by authorized persons.</p> <p>It is necessary and safe practice for emergency anesthesia drugs (e.g., dantrolene for the treatment of malignant hyperthermia) to be kept in a dedicated emergency cart or cupboard and made secure ("locked") by a tamper-evident device that can easily be broken by authorized persons.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • While touring the facility, observe medication storage areas to determine the security of the medications and that medications are not accessible to patients and visitors. • Are medications stored in accordance with manufacturer's instruction? • Are the temperature of refrigerator and warmers maintained within the parameters of the medication stored inside? Is the facility able to demonstrate that the temperature of medication refrigerators and warmers are monitored at least daily or more frequently if necessary? 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • If a refrigerator or warmer is not within acceptable temperature parameters, is there documentation of action taken by the facility to correct the issue? • Review the contents of anesthesia carts. If non-controlled medications are left on the top of anesthesia carts or anesthesia machines, is this done for brief periods only (e.g., while going to a nearby holding area to bring a patient into the operating room or to the recovery area)? • Are all medications labeled with the generic name of the medication, concentration, date and time of preparation, and the name or initials of the preparer? • Are emergency anesthesia drugs (e.g., dantrolene for the treatment of malignant hyperthermia) kept in a dedicated emergency cart or cupboard and made secure ("locked") by a tamper-evident device that can easily be broken by authorized persons? <p><u>Safe Medication Management at Ambulatory Surgery Centers - Ubaldi - 2019 - AORN Journal - Wiley Online Library</u></p> <p><u>ISMP Launches New Perioperative Medication Safety Guidelines Institute For Safe Medication Practices</u></p> <p><u>ISMP Facility Endorsements</u> (Please note that QUAD A is an endorsing</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>organization!)</p> <p>ASA Statement on Security of Medications in the Operating Room, 2023 https://www.asahq.org/standards-and-practice-parameters/statement-on-security-of-medications-in-the-operating-room</p> <p>AANA USP General Chapter 797, 2023 https://www.aana.com/practice/clinical-practice/clinical-practice-resources/usp-general-chapter/</p> <p>AANA Safe Injection Guidelines for Needle and Syringe Use, 2022 www.aana.com/PracticeManual.</p> <p>AORN Guideline for Medication Safety, 2023 https://aornguidelines.org/guidelines/content?sectionid=173722338&view=book#173722338</p>	
6-A-7	All drugs and biologicals given to patients must be approved by the physician/dentist with a signed order.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure that a written, signed order from the ordering physician is documented.</p> <p>Orders for drugs and biologicals that are transmitted as oral, spoken communications between the prescribing physician and the facility's nursing staff, delivered either face-to-face or via telephone, commonly called "verbal orders," must be followed by a written order that is signed by the prescribing</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>physician. Facility policies and procedures for verbal orders are expected to include a read-back and verification process whereby the nurse receiving the order repeats it back to the prescribing physician, who verifies that it is correct.</p> <p>When administering a drug or biological per verbal order, the nurse should include in the clinical record entry covering the administration of the drug or biological a note that it was prescribed orally, indicating the name of the prescribing physician.</p> <p>The prescribing physician must sign, date, and time the written order in the patient's clinical record confirming the verbal order. This should be done as soon as possible after the verbal order is issued. If the prescribing clinician also administers the drug or biological, a written signed order is not required.</p> <p>Medications prescribed for patients in recovery present a particular area of vulnerability in terms of the potential failure to follow-up a verbal order with a written order signed by the prescribing physician. Careful attention must be given to compliance with the requirement for medications administered during recovery room.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Is there evidence in the clinical records reviewed that there is a written order, 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>signed by a physician or other qualified practitioner, for every drug or biological administered to the patient?</p> <ul style="list-style-type: none"> • Interview staff regarding missing orders or unsigned verbal orders. • Review the facility policy. Does the facility have policies addressing verbal orders? Does it require the prescribing practitioner to sign, date, and time a written order as soon as possible after issuing the verbal order? Do the policies and procedures include a “read back and verify” process where the nurses who receive the order repeat it back to the prescribing physician to verify that the order was understood accurately? • Interview nursing staff to determine how they handle verbal orders. Does their practice conform to the policies and procedures? Do they use a read-back and verify process? 	
SUB-SECTION B: Intravenous Fluids				
6-B-1	Intravenous fluids such as Lactated Ringer’s solution and/or normal saline are available in the facility, including intravenous (IV) administration sets, and various sizes of IV needles based on the patient population served.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that IV fluids and IV supplies appropriate to the patient population are available.</p> <p>Evaluating Compliance: Observe the facility. Are IV fluids appropriate to the patient population served, and are administration sets available?</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION C: Blood and Blood Substitutes				
6-C-1	If blood is administered in the facility, a protocol is present that addresses: typing; cross- matching; checking; verification; who may administer blood; and, patient monitoring requirements.	Surgical A B C	<p>Interpretive Guidance: “Type and screen” refers to pre-transfusion tests that include the determination of the client’s ABO group, Rh type, and a screen for the detection of atypical antibodies. The individual administering the blood ensures that type and screen testing has been completed before initiating a blood transfusion and also uses this information during a two-person verification of a blood product before it is administered to a patient.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility protocol for blood administration. • Interview staff. • Does the clinical record contain documentation that the blood has been typed, cross-matched, checked, and verified? Is the professional administering the blood in concurrence with the facility protocol? Is the patient monitored in accordance with the facility protocol? • If blood is being administered during the survey, observe the process and determine if the process is consistent with the facility’s policy and procedure. <p>Clinical Procedures for Safet Patient Care, 8.7 Transfusion of Blood and Blood Products, 2015 https://opentextbc.ca/clinicalskills/chapter/blood-and-blood-product-administration/</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-C-3	The facility has the means for obtaining and administering blood or blood substitutes such as Dextran, if necessary.	Surgical A B C	<p>Interpretive Guidance: The intent is to ensure that blood or blood substitutes can be obtained and administered if needed.</p> <p>Evaluating Compliance: Review facility policies and procedures.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION D: Controlled Substances				
6-D-1	All controlled substances are secured and locked under supervised access. Storage of controlled substances must be in accordance with applicable federal/national, state/provincial, and local regulations.	Surgical Dental A B C	<p>Interpretive Guidance: Controlled substances are stored in securely locked, substantially constructed cabinet. Locked drawers alone do not provide adequate security for the storage of controlled substances.</p> <p>DEA § 1301.75 Physical security controls for practitioners. (a) Controlled substances listed in Schedule I shall be stored in a securely locked, substantially constructed cabinet. (b) Controlled substances listed in Schedules II, III, IV, and V shall be stored in a securely</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>locked, substantially constructed cabinet. However, pharmacies and institutional practitioners may disperse such substances throughout the stock of noncontrolled substances in such a manner as to obstruct the theft or diversion of the controlled substances.</p> <p>https://www.ecfr.gov/current/title-21/chapter-III/part-1301/subject-group-ECFRa7ff8142033a7a2/section-1301.75</p> <p>Evaluating Compliance: Review the storage of controlled substances to determine if secure and supervised access exists.</p>	
6-D-2	There is a dated controlled substance inventory and a control record that includes the use of controlled substances on individual patients. Such records must be kept in the form of a sequentially numbered, bound journal from which pages may not be removed, or in a tamper -proof, secure computer record consistent with state and federal law. This log must be kept in the facility.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: There must be records of receipt and disposition of all controlled substances, including those brought into the facility by a contract anesthesia professional. The intent is to prevent diversion. The facility's policies and procedures should address the following:</p> <ul style="list-style-type: none"> • Accountability procedures to ensure control of the distribution, use, and disposition of all scheduled drugs. • Records of the receipt and disposition of all controlled substances must be current and accurate. • Records to trace the movement of scheduled drugs throughout the facility. • The licensed healthcare professional who has been designated responsible for the facility's pharmaceutical services 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>is responsible for determining that all drug records are in order and that an account of all scheduled drugs is maintained and reconciled.</p> <ul style="list-style-type: none"> • The record system, delineated in policies and procedures, tracks the movement of all controlled substances from the point of entry into the facility to the point of departure, either through administration to the patient, destruction, or return to the manufacturer. This system provides documentation on controlled substances in a readily retrievable manner to facilitate the reconciliation of the receipt and disposition of all controlled substances. • All drug records are in order, and an account of all controlled substances is maintained, and any discrepancies in the count are reconciled promptly. • The facility's system is capable of readily identifying the loss or diversion of all controlled substances in such a manner as to minimize the time frame between the actual loss or diversion to the time of detection and determination of the extent of loss or diversion. • Pages are sequentially numbered and there is no evidence of page removal or other tampering. • Per the DEA-approved logbook, professional plastic spiral binding is acceptable. However, pages must be numbered sequentially so that it is 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>apparent if a page or pages have been removed.</p> <ul style="list-style-type: none"> • Logs are in a secure electronic or hard copy format. • Secure electronic logs do not need to be sequentially numbered. • If the facility is using Pyxis and an electronic clinical record (EMR), these constitute a “secure computer record” that contains all required information. In this situation, no additional written narcotic log is required. However, an end-of-shift narcotic count is still required. • The facility must house only one (1) DEA-compliant controlled substance log. Multiple versions are not acceptable. • The facility policies and procedures address the steps to be taken if drug diversion is identified. • If evidence of theft or diversion is identified, the facility must report this to the Drug Enforcement Administration (DEA) and local law enforcement, and state regulatory boards as required. <p>Evaluating Compliance: If the facility uses controlled substances:</p> <ul style="list-style-type: none"> • Determine if there is a record system in place that provides information on controlled substances in a readily retrievable manner. • Review the records to determine that they trace the movement of controlled substances throughout the facility. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Determine if there is a system, delineated in policies and procedures, that tracks the movement of all controlled substances from the point of entry into the facility to the point of departure, either through administration to the patient, destruction, or return to the manufacturer. Determine if this system provides documentation on scheduled drugs in a readily retrievable manner to facilitate reconciliation of the receipt and disposition of all scheduled drugs. • Determine if the licensed health care professional who oversees the facility's pharmaceutical services is responsible for determining that all drug records are in order and that an account of all controlled substances is maintained and periodically reconciled. • Is the facility's system capable of readily identifying loss or diversion of all controlled substances in such a manner as to minimize the time between the actual losses or diversion to the time of detection and determination of the extent of loss or diversion? • Determine if facility policy and procedures minimize controlled substance diversion. • If evidence of theft or diversion is identified, has the facility reported this to the Drug Enforcement Administration (DEA) and local law enforcement, and state regulatory boards as required? 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			WHO Controlled Substances https://www.who.int/our-work/access-to-medicines-and-health-products/controlled-substances	
6-D-3	<p>All controlled substance transactions, including daily counts and wastes, require verification by two (2) licensed members of the team. (For facilities with only Schedule IV and V controlled substances, one (1) licensed and (1) authorized member of the operating room team may document verification of daily counts and wastes.)</p> <p>These verifications must be completed on any day that the facility is open and/or controlled substances are administered, and in compliance with federal/national, provincial, state, and local regulations. The facility must develop a policy detailing how unlicensed authorized individuals are authorized, if applicable.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to prevent diversion of controlled substances.</p> <p>RNs, LPNs, and physicians are licensed personnel. Authorized personnel include other members of the operative team designated by the facility per its policy. Two (2) licensed professionals are preferred; however, it is recognized that smaller facilities may not have two licensed professionals present in the facility,</p> <p>An inventory count is necessary when using a hard copy or an electronic controlled substance log, including a medication dispensing machine such as a pyxis</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review facility policy for the appointment of unlicensed authorized individuals. • Review the controlled substance transactions in the log, including daily counts and waste, to determine if all transactions have been verified by two (2) licensed personnel or in Class A facilities using only Schedule IV and V controlled substances (1) licensed and (1) authorized personnel. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> For any noted discrepancies, interview staff and review related documentation to determine what action was taken to resolve the discrepancy. If evidence of theft or diversion is identified, has the facility reported this to regulatory boards as required? 	
6-D-4	There must be a record of receipt and disposition of all controlled substances. Records must be maintained for a minimum of three (3) years.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to prevent diversion of controlled substances.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review facility records to determine if records of receipt and disposition of all controlled substances are complete. Review related facility policies and procedures. Review the facility's DEA form 222. <p>WHO Controlled Substances https://www.who.int/our-work/access-to-medicines-and-health-products/controlled-substances</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION E: ACLS/PALS Algorithm				
6-E-5	There must be a written protocol for cardiopulmonary resuscitation (CPR). This protocol must include the provision for annual drills, staff training upon hire and annually, drill documentation, and retention of documentation for at least three (3) years.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that staff are prepared and knowledgeable in required roles and activities when cardiopulmonary resuscitation is needed.</p> <p>This protocol should include the various roles, who must respond, how CPR will be implemented, and individuals who should be called if assistance is required to maintain patient safety. The protocol is reviewed and tested annually and updated as necessary.</p> <p>Applicable staff must be trained upon hire and annually on the CPR protocol./Code Blue drill</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff to assess knowledge of the CPR protocol and other medical emergency protocols. • Review the protocols for all required elements and evidence that the protocol is reviewed and revised annually. <p>Algorithms American Heart Association CPR & First Aid</p> <p>The Impact of Mock Code Simulation on the Resuscitation Practice and Patient Outcome for Children With Cardiopulmonary Arrest - PubMed (nih.gov)</p> <p>Mock Drill Checklist (Code Blue) (16737) </p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			PDF (scribd.com)	
SUB-SECTION F: Emergency Medications				
6-F-1	All emergency medications as noted must be available and in the facility at all times. Licensed personnel in the facility must know their location.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served. Licensed personnel are aware of their location.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review emergency medications and interview clinical staff to determine if all are always available in the facility. Are they available in sufficient quantities based on the population served? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
6-F-2	The following medication must be available in the facility at all times: IV Antihistamines (e.g. Diphenhydramine).	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served.</p> <p>Evaluating Compliance: Review emergency medications to determine if the type, concentration, and quantity of these medications are always available in sufficient quantities based on the patient population served.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-F-3	The following medication must be available in the facility at all times: Short-acting beta-blocker (e.g., esmolol or labetalol).	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served. Evaluating Compliance: Review emergency medications to determine if the type, concentration, and quantity of these medications are always available in sufficient quantities based on the patient population served.	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
6-F-4	The following medication must be available in the facility at all times: Neuromuscular blocking agents including non-depolarizing agents such as rocuronium or depolarizing agents such as succinylcholine.	Surgical Dental C	Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served. Succinylcholine can be stored outside the refrigerator. However, based on the literature this requires extra monitoring due to degradation of the drug at room temperature and shorter shelf-life. The best practice is to store succinylcholine in the refrigerator at 4 degrees Celsius. If a 10% loss of potency is considered acceptable, then the 20 and 50 mg/ml succinylcholine solutions can be stored in emergency resuscitation carts at room temperature for 8.3 and 4.8 months, respectively; if kept at room temperature, the facility is expected to label the vial with the new expiration date.	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Rocuronium bromide should be stored in a refrigerator, 2° to 8°C (36° to 46°F). DO NOT FREEZE. Upon removal from refrigeration to room temperature storage conditions (25°C/77°F), use rocuronium bromide within 60 days. Use opened vials of rocuronium bromide within 30 days.</p> <p>When medications are stored in a refrigerator, the facility must monitor the refrigerator temperature and document it daily when the facility is open and providing patient services.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility's medication storage policies and procedures for succinylcholine and or rocuronium bromide for completeness and appropriateness. • Interview staff. • Determine how succinylcholine and/or rocuronium bromide are stored. If stored at room temperature, are the vials labeled appropriately with the new expiration date? Review emergency medications to determine if the type, concentration, and quantity of these medications are always available in sufficient quantities based on the patient population served. • Review refrigerator temperature monitoring logs. <p>Stability of Succinylcholine Solutions Stored at Room Temperature</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			www.researchgate.net/publication/6456254_Stability_of_succinylcholine_solutions_stored_at_room_temperature_studied_by_nuclear_magnetic_resonance_spectroscopy Succinylcholine Chloride, 2023 https://www.ncbi.nlm.nih.gov/books/NBK499984/	
6-F-5	<p>The following medication must be available in the facility at all times:</p> <p>If a Benzodiazepine is used in the facility, a reversal agent must be available (e.g. Mazicon™, Flumazenil).</p>	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served.</p> <p>Reversal agents are defined as any drug used to reverse the effects of anesthetics, narcotics, or potentially toxic agents.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the emergency medications to determine if a reversal agent is available in the facility at all times. Is it present in sufficient quantities based on the population served? <p>National Library of Medicine, Reversal agents in anaesthesia and critical care, 2015 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4645356/</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-F-6	The following medication must be available in the facility at all times: Vasopressors other than epinephrine (e.g. Ephedrine).	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served.</p> <p>Evaluating Compliance: Review the emergency medications to determine if a vasopressor other than epinephrine is available in the facility at all times.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
6-F-7	There must be a written protocol for cardiopulmonary resuscitation (CPR). This protocol must include the provision for annual drills, staff training upon hire and annually, drill documentation, and retention of documentation for at least three (3) years.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that staff are prepared and knowledgeable in required roles and activities when cardiopulmonary resuscitation is needed.</p> <p>This protocol should include the various roles, who must respond, how CPR will be implemented, and individuals who should be called if assistance is required to maintain patient safety. The protocol is reviewed and tested annually and updated as necessary.</p> <p>Applicable staff must be trained upon hire and annually on the CPR protocol./Code Blue drill</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff to assess knowledge of the CPR protocol and other medical emergency protocols. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review the protocols for all required elements and evidence that the protocol is reviewed and revised annually. <p>Algorithms American Heart Association CPR & First Aid</p> <p>The Impact of Mock Code Simulation on the Resuscitation Practice and Patient Outcome for Children With Cardiopulmonary Arrest - PubMed (nih.gov)</p> <p>Mock Drill Checklist (Code Blue) (16737) PDF (scribd.com)</p>	
6-F-8	The following medication must be available in the facility at all times: Bronchospasm-arresting medication (inhaled beta-agonist, e.g. albuterol).	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review emergency medications to determine if the type, concentration, and quantity of these medications are available in sufficient quantities based on the population served 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-F-9	The following medication must be available in the facility at all times: Anti-hypertensives	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review emergency medications to determine if the type, concentration, and quantity of these medications are always available in sufficient quantities based on the population served. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
6-F-10	The following medication must be available in the facility at all times: Seizure arresting medication (a benzodiazepine, e.g. Midazolam).	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served.</p> <p>First-line seizure-arresting medications are fast-acting medications that include lorazepam, diazepam, clonazepam, midazolam (IV or nasal spray), and phenobarbital.</p> <p>Phenytoin is not considered a first-line seizure-arresting medication; it is a second-line medication used for established status epilepticus (20 – 40 minutes).</p> <p>It is often not possible to take a medication by mouth during a seizure, and the medications used for emergency management of seizures are available in forms that can be injected into a muscle (IM),</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>administered intravenously (IV, in a vein), used as a nasal spray, or administered rectally.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review emergency medications to determine if the type, concentration, and quantity of these medications are always available in sufficient quantities based on the patient population served. <p>Rescue Medications for Seizures https://www.verywellhealth.com/medications-used-for-seizure-emergencies-5100921</p> <p>Seizure Rescue Therapies https://www.epilepsy.com/treatment/seizure-rescue-therapies#What-are-</p> <p>Medical management of status epilepticus: Emergency room to intensive care unit https://www.seizure-journal.com/article/S1059-1311(19)30204-3/fulltext</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-F-11	The following medication must be available in the facility at all times: Intravenous corticosteroids (e.g., dexamethasone).	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served. Evaluating Compliance: Review emergency medications to determine if the type, concentration, and quantity of these medications are available in sufficient quantities based on the patient population served.	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-F-12	Facilities administering regional or tumescent anesthesia containing bupivacaine must always have 20% lipid emulsion available.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served.</p> <p>Evaluating Compliance: Review the emergency medications to determine if 20% lipid emulsion is always available in the facility. Is it present in quantities appropriate to the patient population served?</p> <p>Internet Book of Critical Care (IBCC) Local Anesthetic Systemic Toxicity (LAST), 2021 https://emcrit.org/ibcc/last/</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-F-13	The following medication must be available in the facility at all times: A narcotic reversal agent (e.g., naloxone, nalmefene).	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure adequate emergency medications and supplies are always available in the facility. The quantities are sufficient based on the population served.</p> <p>Reversal agents are defined as any drug used to reverse the effects of anesthetics, narcotics, or potentially toxic agents.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the emergency medications to determine if a narcotic reversal agent is always available in the facility. Are the quantities sufficient for the population served? <p>National Library of Medicine, Reversal agents in anaesthesia and critical care, 2015 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4645356/</p> <p>Overdose Reversal Medications (NIDA) https://nida.nih.gov/research-topics/overdose-reversal-medications</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION G: Malignant Hyperthermia				
---	If potential malignant hyperthermia triggering agents such as isoflurane, sevoflurane, and desflurane, and the depolarizing muscle relaxant succinylcholine are ever used, or are present in the facility, the following requirements apply:	Surgical Dental	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
6-G-1	<p>If the depolarizing muscle relaxant succinylcholine is present only for use in emergency airway rescue, the facility must document a protocol to manage the possibility of malignant hyperthermia (MH) following its use, and staff training must occur on hire and then annually.</p> <p>In this instance, MH-related components as outlined in standards 6-G-5, through 6-G-11 are not required.</p> <p>Section 6-G does not apply if anesthetic gases and polarizing agents that trigger malignant hyperthermia are not present in the facility at all.</p> <p>If potential malignant hyperthermia triggering agents such as isoflurane, sevoflurane, and desflurane, and/or the depolarizing muscle relaxant succinylcholine are ever used, or are present in the facility, standards 6-G-5 through 6-G-11 apply.</p>	Surgical Dental C	Interpretive Guidance: Interpretive Guidance: Malignant hypertension (MH) is a hypertensive emergency with rapid disease progression and poor prognosis. Facilities choosing polarizing medications Rocuronium as their neuroblocking agent for emergency airway rescue are not required to follow standards in section 6-G but are required to have the current MHAUS algorithm present on their emergency cart. (See comment on the algorithm) Malignant Hyperthermia Requirements for Surgical and Procedural Programs <ul style="list-style-type: none"> Class A and B - MH standards do not apply. Class C Triggering Agents not present - MH standards do not apply with the exception of the need for a protocol, MH algorithm present on the 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>emergency cart, and annual staff training</p> <ul style="list-style-type: none"> • Class C Triggering Agents present - All MH Standards apply, including an MH drill. • Class C Triggering agents present only for emergency use – a documented protocol to manage the possibility of malignant hyperthermia (MH) following its use, and staff training are required. <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Determine through observation and staff interviews if triggering agents such as isoflurane, sevoflurane, desflurane, and/or the depolarizing muscle relaxant succinylcholine are ever used or are present in the facility. If present, evaluate compliance with applicable standards. • Review the facility MH protocol. • Review the facility protocol for managing MH when succinylcholine is present only for use in emergency airway rescue. • Interview members of the surgical team, • Review personnel files to determine if training has occurred upon hire and then annually. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-G-2	Adequate screening for MH risk must be documented , that includes but is not limited to a family history of unexpected death(s) following general anesthesia or exercise; a family or personal history of MH, a muscle or neuromuscular disorder, high temperature following exercise; a personal history of muscle spasm, dark or chocolate colored urine, or unanticipated fever immediately following anesthesia or serious exercise.	Surgical Dental C	<p>Interpretive Guidance: The intent is to assess and minimize the risk of an MH crisis. If a patient is identified as a risk for MH or is considered to be susceptible to MH, the MHAUS precaution recommendations must be followed.</p> <p>This standard applies to all class C facilities regardless of the presence of a triggering agent in the facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the facility's MH risk assessment process. Does the screening process include the required elements? Review the facility protocol, interview clinical staff, and review documentation of the completion and results of the assessment in the clinical records. <p>AORN Malignant Hyperthermia https://aornguidelines.org/glance/content?gbosid=483811</p> <p>MHAUS Frequently Asked Questions, 2024 https://www.mhaus.org/faqs</p> <p>MHAUS Recommendations for Managing an MH Crisis, 2024 https://www.mhaus.org/healthcare-professionals/</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-G-5	If a facility uses depolarizing agents, MH crisis management must be covered in annual staff training. All clinical staff (including contracted healthcare professionals) must be trained. Annual drills are conducted for MH crisis and management including actual dilution of at least one vial of actual Dantrolene (expired OK). Staff should be assigned roles prior to drills and a written protocol outlining those personnel and their roles is on file. Documentation of drills is required.	Surgical Dental C	<p>Interpretive Guidance: The intent is for all clinical staff to be familiar with the management of MH, the administration of Dantrolene/Ryanodex, and their assigned roles, which are key to successful outcomes.</p> <p>Annual drills are required if triggering agents are available in the facility. However, annual drills are not required if a triggering agent is on-site for emergency use only.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility protocol for MH drills. • Interview clinical staff regarding their role in an MH crisis and management. • Are annual drills conducted? Is there documentation available to demonstrate that drills are conducted and identify staff who participated in the drill? • Determine if the actual dilution of at least one (1) vial of (expired) Dantrolene occurred during the drills. • Review personnel files, including contracted healthcare professionals, to determine if the annual training requirement has been met. <p>AORN Malignant Hyperthermia https://aornguidelines.org/glance/content?gbosid=483811</p> <p>MHAUS Recommendations for Managing an MH Crisis https://www.mhaus.org/healthcare-</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			professionals/ MH Crisis Hotline https://www.mhaus.org/healthcare-professionals/ 1-800-644-9737 Be prepared to give your name, number, facility, and email.	
6-G-6	If a facility uses depolarizing agents, a supply of sterile water for injection USP (without a bacteriostatic agent) is available to mix with dantrolene before injection (i.e. 60ml/vial for Dantrium® and Revonto®, 5ml/vial for Ryanodex®).	Surgical Dental C	Interpretive Guidance: All drugs and supplies necessary to manage an MH crisis must be readily accessible to support a positive patient outcome. Evaluating Compliance: <ul style="list-style-type: none"> Verify that an adequate supply of sterile water for injection is available to mix with Dantrolene/Rynadox prior to injection as defined in the standard. A vial of Dantrolene requires 60 ml of sterile water/vial as a diluent. A minimum supply of 12 vials requires 720 ml of diluent. A vial of Rynodex requires 5 ml of sterile water/vial as a diluent. A minimum of 1 vial requires 5 ml of diluent. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
6-G-7	If a facility uses depolarizing agents, a minimum of 4 ampoules, 50cc's each, of sodium bicarbonate (NaHCO ₃).	Surgical Dental C	Interpretive Guidance: All drugs and supplies necessary to manage an MH crisis must be readily accessible to support a positive patient outcome. Evaluating Compliance: <ul style="list-style-type: none"> Determine if the minimum supply of four (4) ampules of 50 cc's NaHCO₃ is available in the facility. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
6-G-8	If a facility uses depolarizing agents, a minimum supply of dantrolene/Ryanodex should be stocked to treat a patient of average weight (approximately 70kg) with an initial dose: Dantrium®/Revonto® - 12 vials (20 mg/vial) Ryanodex® - 1 vial (250 mg/vial).	Surgical Dental C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
6-G-9	If a facility uses depolarizing agents, an additional* supply of dantrolene/Ryanodex and diluents are stored in the facility, or the facility has a written agreement with another source that will provide additional* dantrolene/Ryanodex and diluents on a STAT basis within 10 minutes for continued treatment and stabilization of a patient experiencing a MH episode. *Additional supply of dantrolene is defined as: Dantrium®/Revonto® - 24 vials (20 mg/vial) Ryanodex® - 2 vial (250 mg/vial)	Surgical Dental C	Interpretive Guidance: All drugs and supplies necessary to manage an MH crisis must be readily accessible to support a positive patient outcome. Additional vials of Dantrolene/Ryanodex and diluents are available within ten (10) minutes either on-site or via an agreement with another source. Evaluating Compliance: Determine the availability of an adequate additional supply of Dantrolene/Ryanodex. If the facility has a written agreement with another source that will provide additional medication within ten (10) minutes, review the written	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>agreement.</p> <p>Interview staff to determine if the ability of the outside source to provide additional Dantrolene/Rynadex and diluents is tested. Request that the outside source be contacted and request that they provide the additional medications and diluents. Time the process to determine if the 10-minute timeframe is met.</p> <p>MHAUS Recommendations https://www.mhaus.org/healthcare-professionals/mhaus-recommendations/</p>	
6-G-10	<p>If a facility uses depolarizing agents, flow sheets for any MH intervention as well as forms to rapidly communicate the progress of intervention with receiving facilities are on the emergency cart, and the facility must document and report any "adverse metabolic or musculoskeletal reaction to anesthesia". This documentation must be transportable with the patient when transferred to the receiving facility.</p>	<p>Surgical Dental</p> <p>C</p>	<p>Interpretive Guidance: MH interventions are consistently timed, dated, and documented clearly to facilitate rapid communication with the receiving facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review facility protocols for documentation. Review facility flowsheets for MH. Are these flowsheets located on the emergency cart? Are all interventions documented on the flowsheet? Does the flowsheet and any other forms clearly and rapidly communicate the patient status and the progress of interventions to the receiving facility? 	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Are adverse metabolic or musculoskeletal reactions to anesthesia documented and reported to the receiving facility? Is documentation transportable to the receiving facility? Does the facility maintain copies of all related documentation in the patient's clinical record? 	
6-G-11	Facilities must have a policy for MH transfer including EMS 911 transport to a facility capable of ongoing treatment located within a reasonable distance. A healthcare professional with the ability to continue MH treatment must accompany the patient during transport and provide a report to the receiving facility staff.	Surgical Dental C	<p>Interpretive Guidance: A formal transfer agreement is in place between the facility and the receiving hospital. Safe and timely patient transport and transfer of care to a facility capable of ongoing treatment located within a reasonable distance of the facility is necessary. A competent licensed healthcare professional with the ability to continue MH treatment accompanies the patient during transport and provides a report to the receiving facility to facilitate continuity of patient care. Detailed communication of patient status to the receiving hospital staff must occur both prior to transport and at the time of arrival at the receiving hospital.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the facility policy and written agreement between the facility and the receiving hospital. Is the receiving facility located within a reasonable distance? Is a licensed healthcare professional with the ability to continue MH treatment required to accompany the patient 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>during EMS transport and provide a report to the receiving facility staff? Is the patient's status and ongoing treatment documented during transport?</p> <ul style="list-style-type: none"> • Is there evidence that the patient's status and ongoing MH treatment are communicated to the receiving facility staff both prior to transport and at the time of arrival at the receiving facility? 	

SECTION 7: INFECTION CONTROL

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: Infection Control				
7-A-10	The facility's policies address operating/procedure room apparel. This includes: scrub suits, caps or hair covers, gloves, operative gowns, masks, eye protection, and all other appropriate apparel based on the procedure being conducted.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to minimize the risk of infection.</p> <p>The appropriate use of surgical attire is essential to preventing the transmission of pathogens and protecting staff. The goal of using the proper surgical attire is to reduce microbial contamination throughout the continuum of care in the surgical suite to prevent surgical site infections. The proper surgical attire should be worn in the semi-restricted and restricted areas of the facility.</p> <p>Surgical practitioners working in the operating room include the following attire for the purpose of self-protection: disposable surgical caps; scrub trousers and tops; jackets; disposable shoe covers; surgical clogs or shoes; and surgical masks. Personal protective equipment (PPE), which protects staff from cross-infection or cross-contamination, includes gowns, gloves, masks, aprons, eye protection and disposable, fluid-resistant shoe covers. Facility policies and procedures usually identify the need to wear PPE during surgical procedures, and so normally certain items of PPE would always be used during surgical cases. All surgical practitioners working in the operating room have the authority and responsibility to monitor proper surgical attire compliance in case staff do not wear the</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>correct attire or PPE. Any issues that arise must be corrected immediately,</p> <p>Wearing scrub attire that is laundered at a healthcare–accredited laundry facility or at the facility in accordance with state regulatory requirements and nationally recognized guidelines and standards of care provides control of the laundering process and helps ensure that effective laundering standards have been met.</p> <p>Home laundering is not acceptable. Home laundering is not monitored for quality, consistency, or safety. Home washing machines may not have the adjustable parameters or controls required to achieve the necessary thermal measures (eg, water temperature); mechanical measures (eg, agitation); or chemical measures (eg, capacity for additives to neutralize the alkalinity of the water, soap, or detergent) to reduce microbial levels in soiled scrub attire.</p> <p>Scrubs worn outside the facility may not be used in the operating/procedure room.</p> <p>Scrub attire should be removed before leaving the facility. Changing out of scrub attire into street clothes when leaving the building reduces the potential for healthcare workers to transport pathogenic microorganisms from the facility or healthcare organization into the home or community</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility's surgical attire policies and procedures. Are they consistent with nationally recognized guidelines and standards of practice? • If surgical attire is laundered in-house, is laundering consistent with nationally recognized guidelines and standards of care? • Interview staff regarding surgical attire practices. • Observe clinical practice to determine if surgical attire is used in accordance with the facility's policies and procedures. • Are scrubs worn outside the facility also used in the operating/procedure room? <p>AORN eGuidelines, Surgical Attire, 2024 https://aornguidelines.org/guidelines/content?sectionid=245923790&view=book#245923796</p> <p>AORN Surgical Do's and Don'ts, 2019 https://www.infectioncontrolresults.com/aorn-surgical-attire-dos-and-donts</p> <p>CDC's Core Infection Prevention and Control Practices for Safe Healthcare Delivery in All Settings, 2024 https://www.cdc.gov/infection-control/hcp/core-practices/index.html</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>CDC Laundry and Bedding, 2003 https://www.cdc.gov/infection-control/hcp/environmental-control/laundry-bedding.html</p> <p>Operating Theatre Attire and Personal Protective Equipment, 2016 https://onlinelibrary.wiley.com/doi/10.1002/9781119548935.ch6</p> <p>WHO Infection Prevent and Control https://www.who.int/health-topics/infection-prevention-and-control#tab=tab_1</p>	
7-A-11	A sterile field is used during all operations.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to minimize the risk of infection.</p> <p>Creating and maintaining a sterile field is foundational to aseptic technique and encompasses practice standards that are performed immediately prior to and during a procedure to reduce the risk of infection.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Observe a procedure to determine if a sterile field is established and maintained throughout the procedure. Interview staff to determine if a sterile field is used for all procedures. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
7-A-12	The facility staff must have knowledge of infection control techniques.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to minimize the risk of infection.</p> <p>It is critical that all clinical staff understand proper infection control procedures used in everyday practice.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff and review facility training and education program materials and documentation of staff completion. • Is there documented evidence that all clinical staff (both direct and contract employees, and physician and non-physician staff), have completed the necessary infection control education and training? • Is job-specific, infection prevention education and training provided to all healthcare personnel for all tasks? Is training required before individuals can perform their duties and at least annually as a refresher? • Is additional training provided in response to recognized lapses in infection control practices and to address newly recognized infection transmission threats (e.g., the introduction of new equipment or procedures)? • Are processes developed to ensure that all clinical staff understand and are competent to adhere to infection prevention requirements as they perform their roles and responsibilities? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			WHO Infection Prevent and Control https://www.who.int/health-topics/infection-prevention-and-control#tab=tab_1	
7-A-14	Policy and practices exist to prevent and control infections such as: proper use of antibiotics, hand hygiene, prevention of site infection, and infection event reporting.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to minimize the risk of infection.</p> <p>Adherence to infection prevention and control practices is essential to providing safe and high-quality patient care in all healthcare settings.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff and review policies and procedures designed to prevent and control infections. Minimally, are the following elements addressed? Have all the elements been implemented? <ul style="list-style-type: none"> ➤ Proper use of antibiotics ➤ Hand hygiene ➤ Prevention of site infection ➤ Infection event reporting • Observe practice to determine compliance with hand hygiene practices. • Review patient records to determine if facility antibiotic use is consistent with the facility policy. • Review documentation of infection event reporting to determine if reporting is occurring consistent with facility policy. <p>CDC Guideline for the Prevention of Surgical Site Infection, 2017 https://jamanetwork.com/journals/jamasurger </p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			y/fullarticle/2623725 WHO Infection Prevent and Control https://www.who.int/health-topics/infection-prevention-and-control#tab=tab_1	
7-A-15	Aseptic techniques are maintained during procedures and between cases.	Surgical Dental A B C	Interpretive Guidance: Aseptic techniques are used to prevent contamination from pathogens like bacteria and viruses during medical procedures to minimize the risk of infection. There are four major aspects of the aseptic technique: barriers, patient equipment and preparation, environmental controls, and contact guidelines. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff and observe clinical practice to determine if aseptic techniques are implemented and maintained during procedures and between cases. For example, hand hygiene, environmental cleaning and proper disposal of medical waste. • Are barriers in place, including sterile gowns, gloves, and drapes? Are masks used for the clinical staff? Have sterile barriers touched a contaminated surface? Are barriers replaced if contaminated? • Are sterile equipment and instruments used? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Are doors kept closed during a procedure? Are only necessary staff present during the procedure? Once the clinical staff have donned sterile barriers, do they take care not to touch any nonsterile items? <p>Healthline – Aseptic Technique https://www.healthline.com/health/aseptic-technique#types</p> <p>WHO Infection Prevent and Control https://www.who.int/health-topics/infection-prevention-and-control#tab=tab_1</p>	
SUB-SECTION B: Hand Hygiene				
7-B-1	<p>Hand hygiene is performed in accordance with current nationally recognized and/or WHO guidelines and standards of practice. Periodic hand hygiene auditing must be a part of the facility's quality activities.</p> <p>For surgical/procedural facilities: Scrub facilities are provided for the operating room staff. Scrub products (as appropriate), soap, and alcohol cleansers are provided for the operating room staff, consistent with current adopted guidelines and standards of practice for hand hygiene.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>AORN e Guidelines for Hand Hygiene https://aornjournal.onlinelibrary.wiley.com/doi/abs/10.1002/aorn.13964</p> <p>Clinical Safety: Hand Hygiene for Healthcare Workers https://www.cdc.gov/clean-hands/hcp/clinical-safety/index.html</p> <p>CONSENSUS RECOMMENDATIONS - WHO Guidelines on Hand Hygiene in Health Care - NCBI Bookshelf (nih.gov) https://www.ncbi.nlm.nih.gov/books/NBK144</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			035/#~:text=When%20performing%20surgical%20hand%20antisepsis,are%20not%20necessary%20(IB) World Health Organization (WHO) https://www.who.int/teams/integrated-health-services/infection-prevention-control/hand-hygiene Outpatient Surgery, How to Perform a Proper Hand Scrub, 2009 https://www.aorn.org/outpatient-surgery/article/2009-May-how-to-perform-a-proper-hand-scrub	
SUB-SECTION C: Instrument Processing				
7-C-1	The facility has a written protocol for the reprocessing of all instruments and disinfection of all equipment used in patient care consistent with the manufacturer's instructions for use.	Surgical Dental A B C	Interpretive Guidance: The intent is to minimize the risk of cross-contamination and infection. A written policy and procedure are necessary to ensure that the reprocessing of instruments and disinfection of all equipment used in patient care occurs consistently and is in accordance with the manufacturer's instructions for use. Instrument and equipment processing may be performed off-site by an outside vendor under contract. When this service is performed through a contracted provider, it must be part of the facility's written quality improvement program. Evaluating Compliance:	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review the written policies and procedures for reprocessing all instruments and equipment used in patient care. Interview staff regarding their knowledge of these policies and procedures. Are all reusable medical equipment and point-of-care devices (e.g., blood glucose meters and other point-of-care devices, blood pressure cuffs, oximeter probes, surgical instruments, endoscopes) cleaned and reprocessed (disinfected or sterilized) prior to use on another patient or when soiled in accordance with manufacturer's instructions for use? As a resource, see Part 2, Section III. Single Use Devices, Sterilization, and High-Level Disinfection, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist with identifying the types of observations surveyors should make in all facility types. This form may be used to assist surveyors; however, it is not a required form for all facility types. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Is there a separation between clean and soiled equipment maintained to prevent cross-contamination? • Are the manufacturer's instructions for reprocessing consulted and adhered to? • Are the manufacturer's instructions for reprocessing reusable medical equipment and disinfecting patient equipment readily available and used to establish clear operating procedures and training content for the facility? Are instructions posted at the site where equipment reprocessing is performed? • Do reprocessing personnel have training in the reprocessing steps and the correct use of PPE necessary for the task? • Do personnel responsible for disinfecting patient care equipment have training? • Are the training and competencies of the personnel responsible for reprocessing and/or disinfection of patient equipment documented initially upon assignment of their duties, whenever new equipment is introduced, and periodically (e.g., annually)? • If the reprocessing of instruments is performed through a contracted service, has this service been added to the facility's written quality improvement program? • Interview staff and review the written contract. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> How does the facility ensure that the outside vendor meets all applicable QUAD A standards? Is a process in place to validate compliance, staff competence, quality, etc? Are these processes outlined in a written contract between the facility and the outside vendor? <p>ANSI/AAMI ST79: 2017 & 2020 Amendments; Comprehensive guide to steam sterilization and sterility assurance in health care facilities https://www.standards-global.com/wp-content/uploads/pdfs/preview/1997188</p> <p>CDC Recommendations for Disinfection and Sterilization in Healthcare Facilities, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/summary-recommendations.html</p> <p>CDC Disinfection and Sterilization Guideline, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-and-sterilization/index.html</p> <p>CDC Disinfection of Healthcare Equipment, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/healthcare-equipment.html</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>AORN Guideline Implementation: Surgical Instrument Cleaning, 2015 https://aornjournal.onlinelibrary.wiley.com/doi/full/10.1016/j.aorn.2015.03.005</p> <p>AORN Back to Basics: Instrument Cleaning, 2017 https://aornjournal.onlinelibrary.wiley.com/doi/full/10.1016/j.aorn.2017.01.001</p> <p>AORN Surgical Instrument Decontamination: A Multistep Process, 2019 https://aornjournal.onlinelibrary.wiley.com/doi/full/10.1002/aorn.12784</p> <p>WHO Decontamination and Rerocessing and Reprocessing of Medical Devices for Healthcare Facilities, 2016 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
7-C-2	There is strict segregation of dirty surgical equipment and instruments that have been cleaned and are in the preparation and assembly area.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: WHO Decontamination and Rerocessing and Reprocessing of Medical Devices for Healthcare Facilities, 2016 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
7-C-3	The instrument preparation and assembly area (clean processing area) are separated by walls or space from the instrument cleaning and decontamination area (reprocessing area).	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: WHO Decontamination and Rerocessing and Reprocessing of Medical Devices for Healthcare Facilities, 2016 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851 https://www.who.int/publications/i/item/9789241549851	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
7-C-4	Single-use devices are not reprocessed unless they are approved by the FDA for reprocessing. Reprocessing of these devices is done by an FDA-approved reprocessor.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to decrease the risk of cross-contamination and infections.</p> <p>Safe reprocessing of single-use devices requires the following:</p> <ul style="list-style-type: none"> • FDA approval for re-use of single-use devices • Re-processing occurs in accordance with the manufacturer's instructions • These devices are intended for a limited number of additional uses after initial use and only after adequate cleaning, disinfecting, and re-sterilization by validated techniques as specified by the manufacturer • The manufacturer will not guarantee the integrity of the product once the designated number of re-sterilizations has been achieved. <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review policy and procedures. Are they consistent stent with the manufacturer's IFUs? • Interview staff. • Review the facility's documentation of the processing of single use devices. Does the facility document the reprocessing details of each single-use device to enable product identification, device traceability, and number of 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>sterilizations the device has undergone to ensure that the manufacturer's instructions are not exceeded?</p> <p>CDC Reuse of Single-Use Devices, 2008 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/reuse-single-use-devices.html</p> <p>FDA Reprocessing Single-Use Medical Devices: Information for Health Care Facilities https://www.fda.gov/medical-devices/products-and-medical-procedures/reprocessing-single-use-medical-devices-information-health-care-facilities</p> <p>WHO Infection Prevention Control https://www.who.int/health-topics/infection-prevention-and-control#tab=tab_1</p>	
SUB-SECTION D: Sterilization				
7-D-1	All instruments used in patient care are sterilized, where applicable.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to minimize cross-contamination and infection.</p> <p>Critical equipment (e.g., instruments and equipment that enter normally sterile tissue or the vascular system, such as surgical instruments) must be sterilized.</p> <p>Laryngoscope blades and laryngeal mask airways (LMAs) are considered semi-critical equipment.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review sterilization policies and procedures. • Interview staff. • If the facility does not have a sterilizer, how is instrument processing performed? How is it documented? • As a resource, see Part 2, Section III. Single Use Devices, Sterilization, and High-Level Disinfection, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist with identifying the types of observations surveyors should make in all facility types. This form may be used to assist surveyors; however, it is not a required form for all facility types. • Is there documentation that the sterilizer(s) achieved the time and temperature required for sterilization (either printout or manual documentation of time and temperature) required in the manufacturer's instructions for use? (Documentation of settings does not qualify for compliance – need actual documentation that each load achieved the time and temperature set for sterilization). All sterilization parameters 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>should be set according to those validated by the manufacturer. Some complex instruments or lumened instruments have extended sterilization times and the pre-sets on the sterilizers would not meet the requirements.</p> <ul style="list-style-type: none"> • Review personnel files of staff responsible for decontamination and processing surgical instruments to determine training and competency validation. • Observe practice. <p>AAO Guidelines for the Cleaning and Sterilization of Intraocular Surgical Instruments - 2018 https://www.aao.org/education/clinical-statement/guidelines-cleaning-sterilization-intraocular</p> <p>ANSI/AAMI ST79:2017/(R)2022; Comprehensive guide to steam sterilization and sterility assurance in health care facilities https://array.aami.org/doi/book/10.2345/9781570208027</p> <p>CDC Recommendations for Disinfection and Sterilization Guidelines in Healthcare Facilities, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/summary-recommendations.html#tocBox</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>CDC Sterilization Practices https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/sterilizing-practices.html</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	
7-D-2	<p>The facility has at least one autoclave which uses high pressure steam and heat, or all sterile items are single-use disposable or the facility has contracted with an outside vendor to process instruments.</p> <p>If soiled instruments are processed immediately for sterilization, they are to be treated with an enzymatic cleaner per the manufacturer's instructions for use.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure the proper sterilization of all instruments and minimize infections.</p> <p>Instrument and equipment processing may be performed off-site by an outside vendor under contract. When this service is performed through a contracted provider, it must be part of the facility's written quality improvement program.</p> <p>Intraocular Surgical Instruments must be cleaned and sterilized in strict accordance with the manufacturer's instructions for use and nationally accepted standards of practice. Toxic anterior segment syndrome (TASS) is an acute severe inflammatory reaction to a toxic contaminant introduced into the anterior chamber during intraocular surgery. Cleaning and decontamination, which include thorough rinsing and flushing, should precede disinfection or sterilization. It is recommended that ophthalmic instrumentation should be cleaned</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>separately from nonophthalmic surgical instruments. Contaminated and soiled instruments should also be cleaned in an area separate from where packaging and sterilization take place.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> As a resource, see Part 2, Section III. Single Use Devices, Sterilization, and High-Level Disinfection, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist with identifying the types of observations surveyors should make in all facility types. This form may be used to assist surveyors; however, it is not a required form for all facility types. The processing of instruments and equipment may be performed off-site by an outside vendor under contract. Interview staff and review the written contract. How does the facility ensure that the outside vendor meets all applicable QUAD A standards? Is a process in place to validate compliance, staff competence, etc.? Are these processes outlined in a written contract between the facility and the outside vendor? 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • If the reprocessing of instruments is performed through a contracted service, has this service been added to the facility's written quality improvement program? • Observe practice, if possible. <p>ANSI/AAMI ST79:2017 & 2020 Amendments; Comprehensive guide to steam sterilization and sterility assurance in health care facilities https://www.standards-global.com/wp-content/uploads/pdfs/preview/1997188</p> <p>AAO Guidelines for the Cleaning and Sterilization of Intraocular Surgical Instruments - 2018 https://www.aao.org/education/clinical-statement/guidelines-cleaning-sterilization-intraocular</p> <p>Toxic anterior segment syndrome (TASS): A review and update, 2023 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10841787/</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
7-D-3	Additional methods in use can be chemical autoclave (Chemclave©) or gas (ethylene oxide/EO) sterilizer.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the safe use of chemical sterilizers and minimize infections.</p> <p>Chemical sterilizers are the least common form of sterilization, due to their cost and potential hazards if handled incorrectly. However, when used properly, chemical sterilizers offer the benefits of both steam sterilizers and dry heat sterilizers – resulting in the reduced wear of metal instruments while requiring a shorter sterilization time. Chemical sterilizers use either Ethylene Oxide (EtO), or a combination of alcohol, formaldehyde, ketone, acetone, and water to create a chemical vapor for sterilization. Like steam sterilizers, they also rely on a combination of high temperature, high pressure, and time.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff regarding training and competency validation. • Review personnel files to confirm training and competency validation. Are policies and procedures consistent with the manufacturer's instructions for use? Are necessary precautions taken to limit staff exposure to hazardous gases? • Observe practice, if possible. • Are policies and procedures consistent with the manufacturer's instructions for use? Are necessary precautions taken 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>to limit staff exposure to hazardous gases?</p> <ul style="list-style-type: none"> Observe practice, if possible. <p>CDC Ethylene Oxide “Gas” Sterilization https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/ethylene-oxide-sterilization.html</p> <p>CDC Peracetic Acid Sterilization https://www.cdc.gov/infectioncontrol/hcp/disinfection-sterilization/peracetic-acid-sterilization.html</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	
7-D-4	Gas sterilizers and automated endoscope re-processors (AER) must be vented and tested for occupational exposure in accordance with the manufacturer’s specifications.	<p>Surgical</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure the safe use of gas sterilizers and AERs.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Is practice based on the manufacturer’s IFU. Is the recommended safety testing conducted? Are essential steps for endoscope processing addressed? Interview staff regarding the use of the equipment and the safety training administered by the facility. Review reports to determine whether the facility regularly tests for occupational 	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>exposure and addresses any problems with corrective action.</p> <ul style="list-style-type: none"> Observe practice, if possible. <p>American Society for Gastrointestinal Endoscopy, 2016 https://www.asge.org/docs/default-source/education/Technology_Reviews/automated_endoscope_reprocessors.pdf</p> <p>CDC Ethylene Oxide “Gas” Sterilization https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/ethylene-oxide-sterilization.html</p> <p>CDC Peracetic Acid Sterilization https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/peracetic-acid-sterilization.html</p> <p>CDC Essential Elements of a Reprocessing Program for Flexible Endoscopes – Recommendations of the Healthcare Infection Control Practices Advisory Committee https://www.cdc.gov/hicpac/media/pdfs/essential-elements-508.pdf</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	
7-D-5	The facility must monitor each autoclave load for the appropriate mechanical indicators (e.g., time, temperature, and pressure).	Surgical Dental	<p>Interpretive Guidance: The intent is to minimize infections. Sterilization must be performed in</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	<p>Chemical indicators (external and internal) must be used according to the sterilizer manufacturer's instructions. The use of a type 1 and type 5 indicator is required.</p> <p>Minimally, a biological indicator (spore test) is used weekly for each sterilizer. A biological indicator is required for every load containing implantable items.</p> <p>Evidence of sterilization assurance monitoring is recorded for every load and any corrective action is documented.</p>	<p>A</p> <p>B</p> <p>C</p>	<p>accordance with the manufacturer's instructions for critical equipment (i.e., instruments and equipment that enter normally sterile tissue or the vascular system, such as surgical instruments). Sterilizer equipment is monitored and tracked for sterility and proper functioning. This is generally done in the sterilization log.</p> <p>Physical/Mechanical Indicators (Monitors) Physical/mechanical monitors (embedded in the sterilization equipment) register, record, and report parameters for each cycle (time in use, the temperature achieved, and the pressure attained in the chamber). The information attained through the gauges and/or printouts provides evidence that the sterilization system has met the set parameters (or has not, and corrective action is needed).</p> <p>Chemical Indicators Chemical indicators (as recommended by the manufacturer) should be placed on the outside and inside of each sterilized package unless the internal indicator is readable through the packaging material. Chemical indicators are grouped into 6 types based on how they work. Type 1 and Type 5 indicators are the most currently used.</p> <p>External Chemical Indicators · Type 1 Process Indicators are tapes or labels that change colors to show that the package has been exposed to the</p>	<p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>sterilization process. They should be applied to the outside of every package unless an internal indicator is visible.</p> <ul style="list-style-type: none"> · Type 2 are Indicators for Specific Tests to detect air leaks, ineffective air removal, and the presence of non-condensable gases. Also known as the Bowie-Dick test, it is intended for daily use in dynamic-air-removal (pre-vac) sterilizers. They should be run through a cycle in an empty chamber before the first load of the day to test the system. <p>Internal Chemical Indicators</p> <ul style="list-style-type: none"> · Type 3 are designed to react to a single parameter (e.g., sterilization time, temperature, or pressure). · Type 4 are designed to react to multiple parameters of the sterilization process. · Type 5* are Integrating Indicators, that react to all critical parameters over a specified range of sterilization cycles. These indicators include a spore strip, in which changing color signals the cycle's ability to eliminate microbes. For use inside individual packs, peel pouches, and rigid containers. · Type 6** are Emulating Indicators, that react to a specific sterilization cycle and will show a small deviation in any of the critical parameters (sterilization time, temperature, or pressure). <p>*Class 5 Chemical Integrators react to the three critical variables of a steam sterilization cycle (time, temperature, and the presence of steam) of which the performance is</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>required to correlate to a biological indicator (BI). As a result, Class 5 integrator results are like those of a BI and can detect failures where the selected temperature isn't reached. This failure condition is likely to occur when there is incorrect packaging and loading, air/steam mixtures, and/or incorrect cycle for load contents.</p> <p>**Risk: Class 6 Chemical Indicators (CI) react to the three critical variables for a specified cycle type, and their performance may or may not correlate to a Biological Indicator. It is important to realize that if you run multiple exposure times and temperatures, you must use a distinct Class 6 CI to monitor each cycle time and temperature. Because Class 6 CIs are not required to correlate to a BI, a Class 6 indicator could reveal a pass where a BI would indicate a failure.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility policies and procedures. • Review the sterilization documentation. • Interview staff. • Observe practice if possible. • As a resource, see Part 2, Section III. Single Use Devices, Sterilization, and High-Level Disinfection, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and- 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf).</p> <p>This worksheet may help identify the types of observations surveyors should make in all facility types. This form may also help; however, it is not a required form for all facility types.</p> <p>CDC Recommendations for Disinfection and Sterilization Guidelines in Healthcare Facilities, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/summary-recommendations.html#tocBox</p> <p>CDC Sterilization Practices, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/sterilizing-practices.html</p> <p>Halyard Health Sterilization Pouches: What You Need to Know About the Essential Medical Sterilization Product, 2023 https://www.halyardhealth.com/articles/sterilization/sterilization-pouches-what-you-need-to-know</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
7-D-6	Sterile instruments and supplies are packaged according to the manufacturer's instructions for use (IFU) and sealed effectively. Self-sealing peel pouches must be folded on the crease and may only be double-pouched when the process is validated by the manufacturer.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the safe packaging of sterile instruments and supplies and minimize infections.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Is practice consistent with the manufacturer's IFUs? Interview staff. Observe peel pouches for the following: <ul style="list-style-type: none"> ➤ Overfilled with instruments ➤ Instruments in the closed position ➤ Sealed effectively to ensure that the instruments remain sterile ➤ Only double-pouched if validated for such, inner pouch is not folded Minimally, is the following information on the label of sterile supplies? <ul style="list-style-type: none"> ➤ Sterilizer used ➤ Cycle or load number ➤ Date of sterilization <p>As a resource, see Part 2, Section III. Single Use Devices, Sterilization, and High-Level Disinfection, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist with identifying the types of observations surveyors should make in all facility types. This form may be used to</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>assist surveyors; however, it is not a required form for all facility types.</p> <p>CDC Sterilization Practices, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/sterilizing-practices.html</p> <p>Understanding the Parts and Functions of Surgical Instruments for Sterile Processing, 2024 https://sterileprocessingtech.org/understanding-the-parts-and-functions-of-surgical-instruments-for-sterile-processing/</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	
7-D-7	Each sterilized pack is labeled with the date of sterilization and, when applicable, with the expiration date. When the facility has more than one sterilizer , labels must also identify the sterilizer used .	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure the safe labeling of sterilized packs and minimize infections.</p> <p>Adequate information on the package's label assists the facility in monitoring supplies that have time-related expiration dates and to track and recall instruments associated with a sterilization failure.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Minimally, is the following information on the label of sterile supplies? <ul style="list-style-type: none"> ➤ Sterilizer used ➤ Cycle or load number 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> ➤ Date of sterilization ➤ Expiration date, if applicable ➤ Initials of the processor <p>As a resource, see Part 2, Section III. Single Use Devices, Sterilization, and High-Level Disinfection, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist surveyors in identifying the types of observations they should make in all facility types. This form may be used to assist surveyors; however, it is not a required form for all facility types.</p> <p>CDC Sterilization Practices, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/sterilizing-practices.html</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	
7-D-9	Comprehensive monitoring records that include quality control are retained for the sterilization or other disinfection process and should be reviewed and stored for a minimum of three (3) years.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the sterilizer is not contaminated and minimize infections.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review sterilization or other disinfection process logs. Logs may be hard copy or electronic. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> For each sterilization cycle, are the following elements documented? <ul style="list-style-type: none"> Type of sterilizer and cycle used Load identification number Load contents Exposure parameters (e.g., time and temperature) Operator's name or initials Results of mechanical, chemical, and biological monitoring. Number of re-sterilizations if applicable <p>CDC Sterilization Practices, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/sterilizing-practices.html</p> <p>CDC Best Practices for Sterilization Monitoring in Dental Settings, 2024 www.cdc.gov/oralhealth/infectioncontrol/fags/monitoring.html</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	
7-D-10	There is a written policy and procedure for the management of a positive biological indicator.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that positive biological indicators are managed consistent with the manufacturer's IFUs and minimize infections.</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review the policies and procedures for the management of a positive biological indicator. Interview staff. Can instruments used within the time frame of the positive test be tracked? <p>CDC Sterilization Practices, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/sterilizing-practices.html</p> <p>CDC Best Practices for Sterilization Monitoring in Dental Settings, 2024 www.cdc.gov/oralhealth/infectioncontrol/faqs/monitoring.html</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	notes here.
7-D-11	Immediate use steam sterilization (IUSS) is not done on a routine or frequent practice.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to minimize infections.</p> <p>IUSS, formerly known as “flash sterilization, is defined as the shortest possible time between a sterilized item’s removal from the sterilizer and its aseptic transfer to the sterile field. A sterilized item intended for immediate use is not stored for future use, nor held from one (1) case to another.</p> <p>The use of IUSS should be minimized. Situations when IUSS may be appropriate</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>include:</p> <ul style="list-style-type: none"> • When a specific instrument is needed for an emergency procedure. • When a non-replaceable instrument has been contaminated and needs to be replaced in the sterile field immediately. • When an item has dropped on the floor and is needed to continue a surgical procedure. <p>IUSS is NOT acceptable in the following situations:</p> <ul style="list-style-type: none"> • When used to compensate for inadequate inventory of surgical instrument sets • When a loaner tray was not brought to the facility in time for routine reprocessing • For implant devices, except in a documented emergency situation when no other option is available. • For post-procedure decontamination of instruments used on patients who may have Creutzfeldt-Jakob disease (CJD) or other prion-associated diseases. • On devices or loads that have not been validated with the specific cycle used; or • On devices that are sold by the manufacturer already processed and packaged as sterile and intended for single use only <p>Evaluating Compliance: As a resource, see Part 2, Section III, Single Use Devices, Sterilization, and High-Level</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Disinfection, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist with identifying the types of observations surveyors should make in all facility types. This form may be used to assist surveyors; however, it is not a required form for all facility types.</p> <ul style="list-style-type: none"> • Review the immediate use steam sterilization log to determine if IUSS is performed frequently and/or if more instruments should have been purchased for use. • Observe practice, if possible. <p>ANSI/AAMI ST79:2017/(R)2022; Comprehensive guide to steam sterilization and sterility assurance in health care facilities https://array.aami.org/doi/book/10.2345/9781570208027</p> <p>APIC Immediate-Use Steam Sterilization https://www.apic.org/Resource/TinyMceFileManager/Position_Statements/Immediate_Use_Steam_Sterilization_022011.pdf</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION E: High-Level Disinfection (HLD)				
7-E-1	High-level disinfection is performed upon heat-sensitive endoscopic equipment and other medical devices classified as semi-critical, but only when recommended by the manufacturer's instructions for use (IFU).	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to minimize infection.</p> <p>High-level disinfection is performed for semi-critical equipment (i.e., items that come into contact with non-intact skin or mucous membranes, such as reusable flexible endoscopes, and some laryngoscope blades). Rigid scopes and some laryngoscopes are approved for steam sterilization so the manufacturer's IFU should always be referenced.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • As a resource, see Part 2, Section III. Single Use Devices, Sterilization, and High-Level Disinfection, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist with identifying the types of observations surveyors should make in all facility types. This form may be used to assist surveyors; however, it is not a required form for all facility types. <p>CDC Disinfection of Healthcare Equipment, 2023 https://www.cdc.gov/infection-</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			control/hcp/disinfection-sterilization/healthcare-equipment.html WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1	
7-E-2	Endoscopes are processed in accordance with a written policy and procedure in accordance with recognized guidelines and standards of practice. The policy must address how scopes are treated at the point of use, transported, cleaned, high-level disinfected, and stored.	Surgical Dental A B C	Interpretive Guidance: The intent is to minimize infection. Facilities must process flexible endoscopes according to recognized national guidelines that address treatment at the point of care, transportation, cleaning, high-level disinfection, and storage. The use of AERs can enhance the efficiency, consistency, and reliability of endoscope reprocessing by automating and standardizing several important reprocessing steps, thereby reducing the possibility of human error. The use of AERs reduces the exposure of reprocessing personnel to harmful chemical germicides and may lessen health problems attributed to the reprocessing of endoscopes. The use of AERs for endoscope reprocessing is strongly recommended by the American Society of Gastrointestinal Endoscopy. The facility should define “delayed processing” and determine what additional	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>procedures should be performed when processing is delayed.</p> <ul style="list-style-type: none"> • Treating at the Point of Use Pre-clean flexible endoscopes and reusable accessories by following the device manufacturer's instructions for use (IFU). Pre-cleaning is performed immediately following completion (in the procedure room) of the endoscope procedure to help prevent the formation of biofilm. • Leak-Testing: For endoscopes that require leak testing, the leak testing is performed using the manufacturer's IFU after each use and prior to manual cleaning. Leak testing detects damage to the external surfaces and internal channels of the endoscope that can lead to inadequate disinfection and further damage of the endoscope. • Manual Cleaning: Perform meticulous manual cleaning, including brushing and flushing channels and ports consistent with the manufacturer's IFU before performing high-level disinfection (HLD) or sterilization. Perform manual cleaning within the timeframe specified in the manufacturer's IFU. Manual cleaning is the most critical step in the disinfection process since residual organic material can reduce the effectiveness of HLD and sterilization. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Visual Inspection: After manual cleaning, visually inspect the endoscope and its accessories. Visual inspection provides additional assurance that the endoscope and its accessories are clean and free of defects. Complex devices such as flexible endoscopes may require the use of lighted magnification or additional methods to assist with the inspection process. • Disinfection or Sterilization: Following cleaning and visual inspection, perform HLD or sterilization in accordance with the manufacturer's IFU. Carefully review and adhere to the endoscope manufacturer's reprocessing instructions and to the IFU for chemicals or sterilants and any equipment (e.g., automated endoscope reprocessors) used for reprocessing to help ensure that effective disinfection occurs. • Storage: After reprocessing is complete, store endoscopes and accessories in a manner that prevents recontamination, protects the equipment from damage, and promotes drying. Store processed flexible endoscopes in a cabinet that is either of sufficient height, width, and depth to allow flexible endoscopes to hang vertically without coiling and without touching the bottom of the cabinet OR or designed and intended by the manufacturer for horizontal storage 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>of flexible endoscopes. Scopes should not be stored within three (3) feet of a sink.</p> <ul style="list-style-type: none"> • Documentation: Maintain documentation of adherence to these essential steps each time an endoscope is reprocessed. Documentation is essential for quality assurance purposes and for patient tracing in the event a look back is necessary. <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review endoscope processing protocols. Ensure delayed processing is defined and that additional procedures are addressed when processing is delayed. • Interview staff. • Observe the processing of endoscopes, if possible. • Are the following essential steps addressed? Are these steps followed in practice? • Review the facility policies and procedures. Are they based on the manufacturer's IFU to determine the recommended safety testing and how often the testing should be performed? Are essential steps for endoscope processing addressed? • Interview staff regarding the use of the equipment and the safety training administered by the facility. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review reports to determine whether the facility regularly tests for occupational exposure and addresses any problems with corrective action. <p>Essential Elements of a Reprocessing Program for Flexible Endoscopes – Recommendations of the Healthcare Infection Control Practices Advisory Committee (HICPAC), 2015 https://www.cdc.gov/hicpac/media/pdfs/essential-elements-508.pdf</p> <p>CDC Disinfection and Sterilization – Summary, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-and-sterilization/?CDC_AAref_Val=https://www.cdc.gov/infectioncontrol/guidelines/disinfection/index.htm</p> <p>WHO Decontamination and Reprocessing of Medical Devices for Health-care Facilities https://iris.who.int/bitstream/handle/10665/250232/9789241549851-eng.pdf?sequence=1</p>	

SUB-SECTION F: Cleaning

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
7-F-1	The entire operating room suite is cleaned and disinfected according to an established schedule that is adequate to prevent cross-contamination.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the cleaning and disinfection of the entire operating room suite is adequate to prevent cross-contamination.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review documentation of cleaning. • Review the disinfectant used for cleaning, Is it intermediate-level, a medical grade, and EPA-registered? • As a resource, see Part 2, Section IV. Environmental Infection Control, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist with identifying the types of observations surveyors should make in all facility types. This form may be used to assist surveyors; however, it is not a required form for all facility types. <p>AORN Guidelines in Practice: Environmental Cleaning, 2021 https://aornjournal.onlinelibrary.wiley.com/doi/full/10.1002/aorn.13376</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
7-F-2	The facility's policies and procedures address cleaning of the operating room suite, including the: - Cleaning schedule - Process for cleaning between cases	Surgical Dental A	<p>Interpretive Guidance: The intent is to ensure that the cleaning and disinfection of the entire operating room suite is adequate to prevent cross-contamination.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	<p>- Process for terminal cleaning after the last case of the day</p> <p>- Use of intermediate-level, medical-grade disinfectants EPA-registered as virucidal, bactericidal, tuberculocidal, and fungicidal.</p>	<p>B</p> <p>C</p>	<p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff and review policies and procedures for cleaning and disinfecting the entire operating suite. • Review documentation of cleaning. • Review the disinfectant used for cleaning, Is it intermediate-level, a medical grade, and EPA-registered? • As a resource, see Part 2, Section IV. Environmental Infection Control, of the ASC surveyor infection control worksheet, Exhibit 351 of the SOM (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Downloads/som107_exhibit_351.pdf). This worksheet may be used to assist with identifying the types of observations surveyors should make in all facility types. This form may be used to assist surveyors; however, it is not a required form for all facility types. <p>AORN Guidelines in Practice: Environmental Cleaning, 2021 https://aornjournal.onlinelibrary.wiley.com/doi/full/10.1002/aorn.13376</p>	<p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
7-F-3	There is a written policy for cleaning spills, especially spills that may contain blood borne pathogens.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure safeguards to protect workers against health hazards related to bloodborne pathogens.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Determine whether the facility has a procedure for decontamination after gross spills of blood or other bodily fluids. Interview staff <p>OSHA Bloodborne Pathogens and Needlestick Prevention https://www.osha.gov/bloodborne-pathogens/standards</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
7-F-4	All blood and body fluid spills are cleaned using medical-grade germicides that are virucidal, bactericidal, tuberculocidal, and fungicidal. A spill kit is available and readily accessible.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure safeguards to protect workers against health hazards related to bloodborne pathogens.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Determine whether the facility has a procedure for decontamination after gross spills of blood or other bodily fluids. Interview staff. <p>OSHA Worker Protections Against Occupational Exposure to Infectious Diseases https://www.osha.gov/bloodborne-pathogens/worker-protections</p> <p>The Complete Guide to OSHA Spill Kit</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Regulations, 2024 https://www.homecoreinspections.com/resources/osha-spill-kit-regulations	
7-F-5	Facility policies and procedures have been developed for use by housekeeping personnel for cleaning floors, tables, walls, ceilings, counters, furniture, and fixtures of the operating suite.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that housekeeping staff are consistently and effectively cleaning the facility to minimize infection. Housekeeping services may be performed by an outside vendor under contract. When this service is performed through a contracted service, the service must be part of the facility's written quality improvement program and must have what areas are cleaned specific to the facility. Evaluating Compliance: <ul style="list-style-type: none"> Review written policies and procedures. Interview staff. Review the documentation of cleaning. Is cleaning done consistent with the facility's policies and procedures? How does the facility ensure that the outside vendor meets all applicable QUAD A standards? Is a process in place to validate compliance, staff competence, etc.? Are these processes outlined in a written contract between the facility and the outside vendor? If the housekeeping services are performed through a contracted service, has this service been added to the facility's written quality improvement program? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			CDC Environmental Cleaning Procedures, 2024 https://www.cdc.gov/healthcare-associated-infections/hcp/cleaning-global/procedures.html	
7-F-6	Instrument handling and reprocessing areas are cleaned and maintained.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that instrument handling and reprocessing areas are cleaned and maintained to minimize infection. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Inspect instrument handling and reprocessing areas for cleanliness. • Review cleaning logs. Is cleaning done as specified in the facility's policies and procedures? CDC Cleaning, 2023 https://www.cdc.gov/infection-control/hcp/disinfection-sterilization/cleaning.html CDC Disinfection and Sterilization Guidelines https://www.cdc.gov/infection-control/hcp/disinfection-and-sterilization/index.html	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SECTION 8: CLINICAL RECORDS

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: General Clinical Records				
8-A-5	Clinical records must be kept secure and confidential, consistent with national patient privacy regulations.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that all clinical records are secure and confidential to prevent unauthorized access, intentional damage, or theft in accordance with national patient privacy regulations.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Are clinical records readily accessible to authorized personnel? • Are clinical records properly stored in secure locations where they are protected from fire, water damage, and other threats? The clinical record system must ensure that clinical record entries are not lost, stolen, destroyed, altered, or reproduced in an unauthorized manner. • Does the facility ensure that unauthorized individuals cannot gain access to patient records and that individuals cannot alter patient records? Patient records must be secure at all times. • Does the facility have sufficient safeguards to ensure that access to all information regarding patients is limited to those individuals designated by law and regulation? Are EMRs password-protected? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-A-8	Clinical records for each patient must be accurate, legible, and promptly completed.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-A-9	Clinical records must be retained the number of years as required by state and/or federal law; or a minimum of three (3) years to comply with the QUAD A three-year survey cycle.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure clinical records are retained for a minimum of three (3) years. Clinical records may be in an electronic or paper-based format or a combination of both. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Are clinical records retained for the number of years required by QUAD A, and state law? The more stringent requirement applies. • What is the process for destroying paper-based records? Who is authorized to destroy clinical records? • Are paper-based records destroyed after conversion to an EMR within a reasonable timeframe? Once the data 	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			conversion is successfully completed, it is safe to destroy all paper-based information.	
8-A-10	Clinical records are maintained and easily accessible by the accredited facility.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that clinical records are maintained and easily accessible.</p> <p>Clinical records may be in an electronic or paper-based format.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Are clinical records maintained and easily accessible? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION B: Pre-Operative Documentation				
8-B-1	Clinical records must contain patient identification.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to validate the patient's identity. The patient's identity must be clear through the use of identifiers such as name, date of birth, social security number, etc.</p> <p>The use of photo identification alone is not acceptable.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review clinical records. Is the identity of the patient clear through the use of identifiers such as name, date of birth, social security number, etc. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-B-2	A pre-operative surgical safety checklist must be used for each patient and noted in the patient record.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that steps to promote safe surgery are accomplished in a systematic and timely fashion through the use of a pre-operative safety checklist.</p> <p>Before induction of anesthesia (with at least a nurse and anesthesia professional:</p> <ul style="list-style-type: none"> • Has the patient confirmed his/her identity, site, procedure, and consent? • Is the site marked? • Is the anesthesia machine and medication check complete? • Is the pulse oximeter on the patient and functioning? • Does the patient have a: <ul style="list-style-type: none"> ➤ Known allergy? ➤ Difficult airway or aspiration risk? If yes, equipment/assistance is available. ➤ Risk of greater than 500 ml blood loss (7ml/kg in children)? <p>Before skin incision (with nurse, anesthesia professional, and surgeon/proceduralist):</p> <ul style="list-style-type: none"> • Confirm all team members have introduced themselves by name and role. • Confirm the patient's name, procedure, and where the incision will be made. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Has antibiotic prophylaxis been given within the last 60 minutes? • Anticipated Critical Events <ul style="list-style-type: none"> ➤ To Surgeon: What are the critical or non-routine steps? How long will the case take? What is the anticipated blood loss? ➤ To Anesthesia Professional: Are there patient-specific concerns? ➤ To Nursing Team: Has sterility (including indicator results) been confirmed? Are there equipment issues or any concerns? • Is essential imaging displayed? <p>Before the patient leaves the operating room</p> <p>Nurse Verbally Confirms:</p> <ul style="list-style-type: none"> ➤ The name of the procedure ➤ Completion of instrument, sponge, and needle counts ➤ Specimen labeling (read specimen labels aloud, including patient name) ➤ To Surgeon, Anesthetist, and Nurse? What are the key concerns for the recovery and management of this patient? <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff, • Review clinical records. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Are all of the elements of the WHO Surgical Safety Checklist included? <p>Implementation Manual: WHO Surgical Safety Checklist 2009 https://iris.who.int/bitstream/handle/10665/44186/9789241598590_eng.pdf?sequence=1</p>	
8-B-7	The pre-operative clinical record includes significant medical history and a physical examination covering the organs and systems commensurate with the procedure(s) are recorded on all patients and placed in the clinical record prior to the surgical procedure.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-8	<p>Upon admission, each patient must have a pre-surgical assessment completed by a physician who will be performing the surgery or other qualified practitioner in accordance with applicable State health and safety laws, standards of practice, and facility policy.</p> <p>The pre-surgical assessment must include documentation of any allergies to drugs and biologicals. This assessment must be placed in the patient's clinical record prior to the surgical procedure.</p>	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-B-9	The patient procedural pre-operative assessment should include documentation regarding special needs such as physical impairments, disabilities, religious and/or ethnic concerns.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the patient's special needs, if present, are assessed and documented prior to the procedure.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-10	The pre-operative clinical record includes documentation of blood pressure, pulse, respiration and temperature as taken prior to the operation.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that baseline vital signs are obtained and documented in the clinical record at the time of the patient's admission to the facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review the facility's policy and procedure regarding pre-operative assessments. Does it include obtaining baseline blood pressure, pulse, respiration and temperature as taken prior to the operation. • Review clinical records to validate documentation 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-B-11	The pre-operative clinical record includes documentation of all pre-operative medications given to a patient. This record includes the patient name, date, time, dose, and route of administration.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that all pre-operative medications are documented in the clinical record. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-12	The pre-operative clinical record includes documentation of all intravenous fluids given pre-operatively.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that all pre-operative intravenous fluids are documented in the clinical record. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-13	The pre-operative clinical record includes documentation of any allergies and abnormal drug reactions.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that all allergies to medications and their response are documented in the clinical record. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-B-14	The pre-operative clinical record includes documentation of current medications.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that all current patient medications are documented in the clinical record. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-15	The pre-operative clinical record includes documentation of medical history.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure the patient's medical history is documented in the clinical record. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-17	The pre-operative clinical record includes documentation of any previous operations.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that the patient's previous operations are documented in the clinical record. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-B-18	The pre-operative clinical record includes documentation of perioperative bleeding risk, including medical conditions and anticoagulant medication taken up to the day of the operation.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that any perioperative patient bleeding risk(s) are documented in the clinical record.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records to validate documentation 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-19	A written pregnancy testing policy must be in place that requires a discussion and documentation of the issue with each patient, as appropriate.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the patient's pregnancy status is discussed and documented in the clinical record, as appropriate.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility's policies and procedures. Does it require discussion and documentation of the issue with each patient, as applicable? • Interview staff. • Review clinical records to validate documentation 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-20	The pre-operative clinical record includes evidence that treating physicians or consultants are contacted in cases when warranted by the history and physical examination.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that treating physicians or consultants are contacted when warranted by the pre-operative history and physical and documented in the clinical record.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review clinical records to validate documentation. 	
8-B-21	The pre-operative clinical record includes documentation of appropriate laboratory procedures performed where indicated.	Surgical Dental A B C	<p>Interpretive Guidance:. The intent is to ensure that appropriate laboratory procedures performed pre-operatively are documented in the clinical record.</p> <p>The facility must identify the appropriate laboratory procedures that are to be performed pre-operatively.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> How does the facility define appropriate laboratory procedures? Interview staff. Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-22	The pre-operative clinical record includes pre-operative diagnostic studies and laboratory procedures (entered before surgery), if performed. ms	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-23	For patients receiving general anesthesia, surgical procedures scheduled for 60 minutes or longer, and	Surgical B	<p>Interpretive Guidance:. The intent is to ensure that appropriate</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	for patients with a history of venous thromboembolism (VTE), the pre-operative clinical record includes a written screening protocol for VTE risk. This protocol and assessment tool are to be placed in the facility manual for reference.	C	<p>laboratory procedures performed pre-operatively are documented in the clinical record.</p> <p>The facility must identify the appropriate laboratory procedures that are to be performed pre-operatively.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> How does the facility define appropriate laboratory procedures? Interview staff. Review clinical records to validate documentation. <p>Completion of the Updated Caprini Risk Assessment Model https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6714938/</p> <p>Caprini Risk Assessment Model for Venous thromboembolism, Recommended Intervention for Thromboprophylaxis Based on Risk of VTE. https://thrombosiscanada.ca/wp-content/uploads/2017/04/VTE-Risk-Assessment-Tool-Caprini-Score-Card-Eng-30Apr2018.pdf</p>	<input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-24	The surgeon/proceduralist and the licensed or qualified anesthesia professional concur on the appropriateness of the procedures performed at the facility based on the medical status of the patient,	Surgical Dental A B	<p>Interpretive Guidance: The intent is to ensure that procedures performed at the facility are appropriate based on the patient's medical status, age</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	age and physiological appropriateness of the patient, and qualifications of the providers and the facility resources. This concurrence must be documented in the clinical record.	C	<p>and physiological appropriateness, and qualifications of the providers and facility resources. The surgeon/proceduralist and anesthesia professional concur on the appropriateness of the procedures.</p> <p>If the surgeon/proceduralist also administers the anesthesia, this standard is not applicable (NA).</p> <p>If the RN administers sedation under the surgeon/proceduralists orders, this standard is NA. An RN is not considered a licensed or qualified anesthesia professional.</p> <p>The facility addresses where and how this concurrence is documented through its policies and procedures. It could be included on the pre-op checklist or time-out procedure. A check box is acceptable; a signature is not required.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Determine how and where the concurrence is documented. Interview staff. Review clinical records to validate documentation. 	Enter observations of non-compliance, comments or notes here.
8-B-27	A physician is responsible for determining the medical status of the patient and must examine the patient immediately before procedures and update the H & P.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure any changes in the patient's medical status since the pre-operative H&P was conducted are identified prior to the procedure.	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation. 	compliance, comments or notes here.
8-B-29	An anesthesia history and physical and risk assessment (e.g. physical status anesthesia classification) are recorded in the medical/dental records.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-B-30	An appropriate medical history and oral exam is conducted and periodically updated, which includes an assessment of the hard and soft tissues of the mouth.	Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-B-32	<p>The facility must implement a policy related to patient health needs that are noted during the health assessment conducted preoperatively. The policy must include providing and documenting relevant patient education related to identified areas of need as applicable, such as:</p> <ol style="list-style-type: none"> 1. Smoking cessation; 2. Importance of good nutrition; 3. Importance of exercise; and 4. Substance abuse resources in the medical record. 	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
SUB-SECTION C: Informed Consent				
8-C-1	<p>Properly executed informed consent forms are always obtained, which authorizes the surgeon/proceduralist by name to perform surgery and describes the operative procedure.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
8-C-2	<p>Expectations, alternatives, risks, and complications are discussed with the patient, and these are documented.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure a properly executed informed patient consent for the procedure is obtained and documented.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review the facility's policies and procedures. Are these elements addressed? • Interview staff. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review clinical records to validate documentation. 	
8-C-3	The written informed consent provides consent for the administration of anesthesia or sedatives under the direction of the surgeon, anesthesiologist, or CRNA.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure a properly executed informed patient consent for the administration of anesthesia or sedatives is obtained and documented.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review clinical records: <ul style="list-style-type: none"> ➤ Is a properly executed informed consent for anesthesia or sedatives present? ➤ Is the consent for anesthesia or sedatives present in the patient's clinical record prior to the procedure? ➤ If the anesthesia consent is integrated into the surgical consent the anesthesia professional responsible for administration of anesthesia must participate in the informed consent process and discussion of the planned anesthesia care. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-C-4	The patient signs a consent form if research protocols, videography, or photography are to take place.	Surgical Dental A B C	<p>Interpretive Guidance: The patient or patient's representative has the right to withdraw consent for research protocols, videography, or photography at any time.</p> <p>This standard applies only if videography or photography is used for marketing purposes. It does not apply to procedures, such as endoscopy and colonoscopy, that use videos or photographs for medical documentation.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records to validate documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION E: Laboratory, Pathology, X-Ray, Consultation, Treating Physician Reports, Etc.				
8-E-1	Reports of: laboratory, pathology, X-ray, consultation, treating physician, and any other diagnostic tests are maintained in the clinical record and are accessible for review prior to the procedure.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is that reports are accessible for review in the the medical record prior to the procedure. Reports can be in hard copy or electronic form.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-E-5	The name of the healthcare provider appears on the reports.	Surgical Dental	Interpretive Guidance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
		A B C	Evaluating Compliance:	<input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-E-6	Outside clinical laboratory procedures must be performed by a licensed and accredited facility.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that outside clinical laboratory procedures are performed safely and accurately. The facility must provide evidence of licensure and accreditation for the outside facility providing laboratory services. If laboratory procedures are performed in another country, facility policy must address whether or not the laboratory results will be accepted. Evaluating Compliance: <ul style="list-style-type: none"> Review evidence of licensure, accreditation, and CLIA certificate. If labs are done in another country, is this addressed in policy? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-E-9	The name of the pathologist must be on all pathology reports.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: Review clinical records for related documentation.	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-E-10	All laboratory results must be reviewed and acknowledged by the ordering health care provider.	Surgical Dental A B C	Interpretive Guidance: The ordering health care provider can be an outside provider such as a referring provider or consultant Evaluating Compliance: <ul style="list-style-type: none"> Review clinical records for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-E-11	All other reports, such as pathology reports and medical clearance reports, must be reviewed and acknowledged by the ordering healthcare provider.	Surgical Dental A B C	Interpretive Guidance: The ordering health care provider can be an outside provider such as a referring provider or consultant. Evaluating Compliance: <ul style="list-style-type: none"> Review clinical records for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-E-12	If tests/studies are done in the facility, the laboratory meets applicable licensure, standards, and state/provincial/national laws and regulations.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-E-13	All surgical specimens sent out for pathology must be documented in a pathology specimen log, which minimally includes the date, patient's name, number and type of specimen (biopsy, swab, fluid, etc.), and physician's name.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION F: Anesthesia Care Plan				
8-F-4	The anesthesia care plan is based on a review of the clinical record.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient. The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12. Evaluating Compliance: <ul style="list-style-type: none"> • Interview the anesthesia professionals. • Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-F-5	The anesthesia care plan is based on medical history.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient. The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview the anesthesia professionals. • Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-F-6	The anesthesia care plan is based on prior anesthetic experiences.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient.</p> <p>The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview the anesthesia professionals. • Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-F-7	The anesthesia care plan is based on drug therapies.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient.</p> <p>The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview the anesthesia professionals. Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-F-8	The anesthesia care plan is based on medical examination and assessment of any conditions that might affect the pre-operative risk.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient.</p> <p>The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview the anesthesia professionals. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation. 	
8-F-9	The anesthesia care plan is based on a review of the medical tests and consultations.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient.</p> <p>The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview the anesthesia professionals. Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-F-10	The anesthesia care plan is based on a determination of pre-operative medications needed for anesthesia.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient.</p> <p>The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12. A notation of “See chart” in the clinical record is not acceptable.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Evaluating Compliance: <ul style="list-style-type: none"> Interview the anesthesia professionals. Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation 	
8-F-11	The anesthesia care plan is based on providing pre-operative instructions.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient. The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12. A notation of “See chart” in the clinical record is not acceptable. Evaluating Compliance: <ul style="list-style-type: none"> Interview the anesthesia professionals. Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-F-12	The anesthesia care plan is based on providing pre-operative instructions.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the development of a safe individualized anesthesia plan for the patient.</p> <p>The surveyor is not expected to evaluate the practice of anesthesia or make a medical judgment about the anesthesia care plan. Instead, the surveyor is looking for evidence that the plan is based on the elements listed in standards 8F4 – 8F12.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview the anesthesia professionals. • Review the pre-anesthesia assessment and anesthesia care plan in the clinical record for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION G: Intra-Operative Documentation				
8-G-1	<p>A “Time Out” protocol is in place, practiced, and documented in the clinical record prior to every operation.</p> <p>This protocol must include:</p> <ul style="list-style-type: none"> - A pre-operative verification process including clinical records, imaging studies, surgical fire risk, and any implants identified, and be reviewed by the operating room team. <p>Missing information or discrepancies must be addressed in the clinical record at this time.</p> <ul style="list-style-type: none"> - Marking the operative site: Surgical procedures calling for right/left distinction; multiple structures (breasts, eyes, fingers, toes, etc.) must be marked while the patient is awake and aware, if possible. The person performing the surgery should do the site marking. The site must be marked so that the mark will be visible after the patient has been prepped and draped. A procedure must be in place for patients who refuse site marking. - Immediately before starting the surgical procedure, conduct a final verification by at least two (2) members of the surgical team confirming the correct patient, surgery, site marking(s) and, as applicable, implants and special equipment or requirements. As a “fail -safe” measure, the surgical procedure is not started until any and all questions or concerns are resolved. <p>Procedures done in non–operating room settings must include site marking for any procedures involving laterality, or multiple structures.</p>	<p>Surgical</p> <p>B</p> <p>C</p>	<p>Interpretive Guidance:</p> <p>The intent is to ensure patient safety. A time-out is the surgical team's short pause just before an incision to confirm that they are about to perform the correct procedure on the correct body part on the correct patient.</p> <p>The purpose of a systematic time-out is to refocus on the patient in the OR just before beginning a surgical procedure (i.e., just before the incision).</p> <p>A time-out can be performed easily, does not require any specific qualification or educational courses, can be repeated as many times as necessary, and costs nothing. Its mean duration has been measured to be 36 seconds, leaving no room for excuses for its omission, with the argument that it is time-consuming. Team member introductions help to promote team spirit during operation. Finally, pre-OR time-outs have been shown to significantly increase the rate of on-time first surgical starts.</p> <p>A time-out and a presurgical checklist are two (2) different processes. However, a time-out can be addressed in a presurgical checklist.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review policies and procedures. • Interview staff. 	<p><input type="checkbox"/> Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review clinical records for related documentation. Is corrective action taken when a discrepancy is identified? Observe a time-out being performed by staff. 	
8-G-2	<p>A policy for a “Time Out” protocol is in place, practiced, and documented in the clinical record prior to every procedure.</p> <p>This protocol should include:</p> <ul style="list-style-type: none"> - A pre-procedure verification process to include clinical records and imaging studies to be reviewed by the procedure room team. Missing information or discrepancies must be addressed at this time. - Marking the procedure site where appropriate – procedural marking should at least be indicated on a separate dental diagram. - Side/Site identification will comply with the Universal Protocol standards for dental procedures. - Documented ‘Time Out’ and surgical fire risk assessment immediately before starting the procedure. - A final verification and documentation that at least two (2) members of the procedure team have confirmed the correct patient, procedure, site marking(s), and, as applicable, special equipment or requirements. - As a ‘fail-safe’ measure, the procedure is not started until any and all questions or concerns are resolved. 	<p>Dental</p> <p>A</p> <p>B</p> <p>C</p>	<p>Interpretive Guidance: A time-out and a presurgical check list are two (2) different processes. However, a time out can be addressed in a presurgical checklist.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review policies and procedures. Interview staff. Review clinical records for related documentation Observe a time out being performed by staff when possible 	<p><input type="checkbox"/> Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION H: Intra-Operative Anesthetic Monitoring and Documentation				
8-H-1	A qualified anesthesia professional shall be present in the OR/procedure room throughout the conduct of all general anesthetics, regional anesthetics, and monitored anesthesia care.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure patient safety.</p> <p>Qualified anesthesia staff shall be present in the room throughout the conduct of all general anesthetics, regional anesthetics and monitored anesthesia care. Because patient status can change rapidly during anesthesia, qualified anesthesia staff shall continuously be present to monitor the patient and provide anesthesia care.” (ASA)</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAxMjU</p> <p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNjU2NDAxMjU</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by</p> <p>Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/</p>	
8-H-2	Clinical record must contain evidence of circulation monitored by continuous EKG during procedures.	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure the adequacy of the patient's circulatory function during all anesthetics.</p> <p>Every patient receiving anesthesia shall have the electrocardiogram continuously displayed from the beginning of anesthesia until preparing to leave the anesthetizing location.</p> <p>It is not necessary to include an EKG strip in the clinical record. However, documentation must reflect continuous EKG monitoring and interpretation of the EKG.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation • Observe practice. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYT</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			U2NDAxMjU AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards-for-nurse-anesthesia-practice-2.23?fr=sOGNhNjU2NDAxMjU ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/	
8-H-3	Clinical record must contain evidence of circulation monitored by blood pressure documented at least every five (5) minutes.	Surgical Dental B C	Interpretive Guidance: The intent is to ensure the adequacy of the patient's circulatory function during all anesthetics. Monitor and evaluate circulation to maintain the patient's hemodynamic status. Continuously monitor heart rate and cardiovascular status. Document blood pressure, heart rate, and respiration at least every five minutes for all anesthetics. Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAxMjU</p> <p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNjU2NDAxMjU</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by</p> <p>Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/</p>	
8-H-4	Clinical record must contain evidence of circulation monitored by heart rate documented at least every five (5) minutes.	Surgical Dental B C	<p>Interpretive Guideline:</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
				Enter observations of non-compliance, comments or notes here.
8-H-5	<p>The clinical record must contain evidence of oxygenation and circulation monitoring by continuous pulse oximetry.</p> <p>When the pulse oximeter is utilized, the variable pitch pulse tone and the low threshold alarm shall be audible to the care team.</p> <p>Note: This standard does not apply if only topical and/or local anesthetic is used without the use of an oral premedication.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guideline:</p> <p>Evaluating Compliance:</p> <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p> <p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNjU2NDAXMjU</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by</p> <p>Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/</p>	<p><input type="checkbox"/> Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-H-9	Clinical record must contain evidence of temperature monitoring when clinically significant changes in body temperature are expected.	Surgical Dental C	<p>Interpretive Guidance: The intent is to aid in the maintenance of appropriate body temperature during all anesthetics.</p> <p>Note: This standard does not apply to procedures using local or minimal sedation, or procedures lasting less than 30 minutes.</p> <p>When clinically significant changes in body temperature are intended, anticipated, or suspected, body temperature must be monitored. Facility policies and procedures define what is considered clinically significant changes in body temperature from the patient's baseline temperature. Use active measures to facilitate normothermia.</p> <p>When MH triggering agents are present in the facility, monitor temperature and recognize signs and symptoms to immediately initiate appropriate treatment and management of MH.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMiU</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards-for-nurse-anesthesia-practice-2.23?fr=sOGNhNjU2NDAxMjU</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by</p> <p>Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/</p>	
8-H-10	Every patient receiving general anesthesia shall have the adequacy of ventilation continually evaluated.	<p>Surgical Dental</p> <p>C</p>	<p>Interpretive Guidance: The intent is to ensure adequate ventilation of the patient during all anesthetics.</p> <p>Continuously monitor ventilation by clinical observation, such as chest excursions, observation of the reservoir breathing bag, and auscultation of breath sounds.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe practice. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAMjU</p> <p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNjU2NDAMjU</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by</p> <p>Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/</p>	
8-H-11	<p>Patient monitoring during anesthesia consists of end tidal carbon dioxide (ETCO₂) sampling used on all moderate sedation, deep sedation or general anesthesia.</p> <p>Continual monitoring for the presence of expired carbon dioxide shall be performed unless invalidated</p>	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure adequate ventilation of the patient during moderate sedation, deep sedation, and general anesthesia.</p> <p>Continuously monitor ventilation by clinical observation and confirmation of continuous expired carbon dioxide during moderate</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	by the nature of the patient, procedure, or equipment.		<p>sedation, deep sedation, or general anesthesia. Verify intubation of the trachea or placement of another artificial device by auscultation, chest excursion, and confirmation of expired carbon dioxide. Use ventilatory monitors as indicated.</p> <p>Continual monitoring for the presence of expired carbon dioxide shall be performed unless invalidated by the nature of the patient, procedure, or equipment. In such cases, the rationale for invalidating the need for end-tidal carbon dioxide monitoring must be fully documented in the clinical record. ETCO2 levels are not actually being monitored when using a nasal cannula. Noting the positive presence of CO2 is actually more valid than the documentation of the number. The actual measurement of the CO2 is only accurate with an advanced airway, such as an endotracheal tube or supraglottic airway is in use. For example, if 4L of O2 is being delivered via a nasal cannula, or if a nitrous oxide nasal hood is being used in dentistry, the typical values of the ETCO2 will be 10-20 mm HG due to the dilution of the exhaled CO2 by the fresh gas flow. Documentation of ETCO2 at these levels is inaccurate and implies that the patient is being hyperventilated.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. The value of ETCO2 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>monitoring should be documented. It is not sufficient to only document using a positive (+) sign when an advanced airway is used.</p> <ul style="list-style-type: none"> Observe practice. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p> <p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNjU2NDAXMjU</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by</p> <p>Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-H-12	<p>When an endotracheal tube or laryngeal mask is inserted, its correct positioning must be verified by clinical assessment and by identification of carbon dioxide in the expired gas and documented in the clinical record.</p> <p>Continual end-tidal carbon dioxide analysis, in use from the time of endotracheal tube/laryngeal mask placement until extubation/removal or initiating transfer to a postoperative care location, shall be performed using a quantitative method such as capnography, capnometry, or mass spectroscopy. When capnography or capnometry is utilized, the end tidal carbon dioxide alarm shall be audible to the Anesthesiologist or the anesthesia care team personnel.</p>	<p>Surgical Dental</p> <p>C</p>	<p>Interpretive Guidance: To ensure adequate ventilation of the patient during general anesthesia.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. • Check all alarms to determine if they are in working order. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p> <p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNjU2NDAXMjU</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by</p> <p>Intraoperative Phase, 2023</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://nurseslabs.com/intraoperative-phase/	
8-H-13	If an anesthesia machine is used during general anesthesia, the anesthesia machine must have an alarm for low O2 concentration.	Surgical Dental C	<p>Interpretive Guidance: The intent is to ensure adequate ventilation of the patient during general anesthesia.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. • Check all alarms to determine if they are in working order. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU</p> <p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNiU2NDAXMjU</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			practice-parameters/standards-for-basic-anesthetic-monitoring ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by-Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/	
8-H-14	Patient monitoring during anesthesia will consist of assessing the patient's color. To facilitate this assessment, adequate illumination and exposure of the patient are necessary.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure adequate oxygenation during all anesthetics. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDAXMjU AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNiU2NDAXMjU ASA Standards for Basic Anesthetic Monitoring, 2020	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by-Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/	
8-H-15	An anesthesia record is maintained in which all medications given to a patient are recorded, including date, time, amount, and route of administration.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that the intra-procedure anesthesia record reflects the medications administered. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDxMjU AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr=sOGNhNjU2NDxMjU	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p> <p>ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by</p> <p>Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/</p>	
8-H-16	An anesthesia record is maintained in which all intravenous fluids given intra-operatively are recorded.	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure that the intra-procedure anesthesia record reflects the administration of intravenous fluids.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. <p>AANA Documenting Anesthesia Care https://issuu.com/aanapublishing/docs/4_-_documenting_anesthesia_care?fr=sNDZIYTU2NDxMjU</p> <p>AANA Standards for Nurse Anesthesia Practice https://issuu.com/aanapublishing/docs/standards_for_nurse_anesthesia_practice_2.23?fr</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			=sOGNhNjU2NDAxMjU ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring ASA Practice Guidelines for Sedation and Analgesia by Non-Anesthesiologists https://pubs.asahq.org/anesthesiology/article/96/4/1004/39315/Practice-Guidelines-for-Sedation-and-Analgesia-by Intraoperative Phase, 2023 https://nurseslabs.com/intraoperative-phase/	
8-H-17	An anesthesia record is maintained in which the duration of the procedure is recorded.	Surgical B C	Interpretive Guidance: The intent is to ensure that the intra-procedure anesthesia record reflects the duration of the procedure. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-H-18	An anesthesia record is maintained for each case in which IV or general anesthesia is used.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that an anesthesia record is maintained for each case in which IV or general anesthesia is used. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-H-19	Ventilation is noted by: Clinical signs are evaluated by continual observation during regional/sedation analgesic.	Surgical Dental B C	Interpretive Guidance: The intra-procedure anesthesia record reflects that the patient was appropriately monitored and cared for. Evaluating Compliance:. <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SUB-SECTION I: Transfer to Post-Anesthesia Care Unit (PACU)

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-I-1	The operating room may be used for patient recovery if only one operation is scheduled that same day, or if the recovering patient meets all discharge criteria prior to beginning the next operation, or if there is another operating room available for the next operation.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to permit patient recovery in the operating room if the criteria in the standard are met.</p> <p>However, a post anesthesia care unit is still required. This standard does not negate the need for a PACU when required by standards or regulation. See standards 2A2 and 2A3 which require a PACU.</p> <p>When the operating room is used for patient recovery, all of the PACU standards apply. See standards 2D1, 4D1, 4D2, and 5B2.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Tour facility. • Review facility floor map. • Interview staff. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-I-2	Patients transferred to the PACU will be continually evaluated and monitored as needed during transport.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure that patients are evaluated and monitored as needed during transport to the PACU.</p> <p>If the patient is recovered in the OR, the recovery time and hand off are documented.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			AANA Patient-Centered Perianesthesia Communication, Transfer of Care https://issuu.com/aanapublishing/docs/9_-_patient-centered_perianesthesia_communication?fr=sNTcwZjU2NDAxMjU	
8-I-3	Patients transferred to the PACU are accompanied by an anesthesia professional who is knowledgeable about the patient.	Surgical Dental B C	Interpretive Guidance: The intent is to ensure that an anesthesia professional accompanies the patient to the PACU. The facility policies and procedures identify where and how this is documented in the clinical record. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. AANA Patient-Centered Perianesthesia Communication, Transfer of Care https://issuu.com/aanapublishing/docs/9_-_patient-centered_perianesthesia_communication?fr=sNTcwZjU2NDAxMjU	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-I-4	Patient transfer to the PACU will include the transmission of a verbal report on the patient to the PACU nurse accepting care of the patient from the anesthesia professional who accompanies the	Surgical Dental B C	Interpretive Guidance: The intent is to ensure continuity of care and the transfer of responsibility and accountability for the patient by providing a clear and complete verbal report to the	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	patient to the PACU. The clinical record must include documentation that the verbal report was completed.		<p>PACU nurse who accepts care of the patient.</p> <p>Poor communication may jeopardize patient safety.</p> <p>The anesthesia professional accurately reports the patient's condition, including all essential information, and transfers the responsibility of care to another qualified healthcare provider in a manner that assures continuity of care.</p> <p>Upon arrival in the PACU, the patient should be re-evaluated, and a verbal report should be provided to include the patient's status and information concerning the perioperative condition and surgical/anesthetic course. A member of the anesthesia care team remains in the PACU until the PACU nurse accepts responsibility for the nursing care of the patient.</p> <p>The facility addresses the critical elements of the verbal report. For example, the following table contains a PACU Handoff tool that a facility may choose to use. Use of this tool is not required.</p>	Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments																																									
			<div><div>Figure 1. PACU Handoff Checklist</div><table><tr><td rowspan="10">Patient</td><td>Patient Identification (Nameband check)</td><td></td></tr><tr><td>Time In</td><td></td></tr><tr><td>Allergies</td><td></td></tr><tr><td>Surgical Procedure and Reason for Surgery</td><td></td></tr><tr><td>Type of Anesthesia (GA, TIVA, regional)</td><td></td></tr><tr><td>Surgical or anesthetic complications</td><td></td></tr><tr><td>PMH and ASA Scoring</td><td></td></tr><tr><td>Preoperative Cognitive Function</td><td></td></tr><tr><td>Preoperative Activity Level (METs)</td><td></td></tr><tr><td>Limb Restriction</td><td></td></tr><tr><td>Preop Vitals</td><td></td></tr><tr><td rowspan="4">Procedure</td><td>Positioning of Patient (if other than supine)</td><td></td></tr><tr><td>Intubation conditions (grade of view, airway, quality of bag mask ventilation, bite block?)</td><td></td></tr><tr><td>Lines/catheters (IVs, a-lines, CVSs, foley chest tubes, surgical drains, VP shunt)</td><td></td></tr><tr><td>Fluid Management</td><td></td></tr><tr><td rowspan="4">Medications</td><td>Analgesia Plan - During Case, Postop Orders</td><td></td></tr><tr><td>Antiemetics Administered</td><td></td></tr><tr><td>Medications due during PACU (antibiotics, etc.)</td><td></td></tr><tr><td>Other Intra-Op Medications (steroids, antihypertensives)</td><td></td></tr></table></div> <div>"Do you have any questions or concerns?"</div> <div><div>Evaluating Compliance:</div><ul style="list-style-type: none">• Interview staff.• Review clinical records for related documentation.• Observe practice, if possible.</div> <div><div>AANA Patient Centered Perianesthesia Communication, Transfer of Care</div><div>https://issuu.com/aanapublishing/docs/9_-_patient-centered_perianesthesia_communication?fr=sNTcwZjU2NDxMjU</div></div> <div>AHRQ Tool: Handoff, 2023</div>	Patient	Patient Identification (Nameband check)		Time In		Allergies		Surgical Procedure and Reason for Surgery		Type of Anesthesia (GA, TIVA, regional)		Surgical or anesthetic complications		PMH and ASA Scoring		Preoperative Cognitive Function		Preoperative Activity Level (METs)		Limb Restriction		Preop Vitals		Procedure	Positioning of Patient (if other than supine)		Intubation conditions (grade of view, airway, quality of bag mask ventilation, bite block?)		Lines/catheters (IVs, a-lines, CVSs, foley chest tubes, surgical drains, VP shunt)		Fluid Management		Medications	Analgesia Plan - During Case, Postop Orders		Antiemetics Administered		Medications due during PACU (antibiotics, etc.)		Other Intra-Op Medications (steroids, antihypertensives)		
Patient	Patient Identification (Nameband check)																																												
	Time In																																												
	Allergies																																												
	Surgical Procedure and Reason for Surgery																																												
	Type of Anesthesia (GA, TIVA, regional)																																												
	Surgical or anesthetic complications																																												
	PMH and ASA Scoring																																												
	Preoperative Cognitive Function																																												
	Preoperative Activity Level (METs)																																												
	Limb Restriction																																												
Preop Vitals																																													
Procedure	Positioning of Patient (if other than supine)																																												
	Intubation conditions (grade of view, airway, quality of bag mask ventilation, bite block?)																																												
	Lines/catheters (IVs, a-lines, CVSs, foley chest tubes, surgical drains, VP shunt)																																												
	Fluid Management																																												
Medications	Analgesia Plan - During Case, Postop Orders																																												
	Antiemetics Administered																																												
	Medications due during PACU (antibiotics, etc.)																																												
	Other Intra-Op Medications (steroids, antihypertensives)																																												

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://www.ahrq.gov/teamstepps-program/curriculum/communication/tools/handoff.html APSF Improving Post Anesthesia Care Unit (PACU) Handoff by Implementing a Succinct Checklist https://www.apsf.org/article/improving-post-anesthesia-care-unit-pacu-handoff-by-implementing-a-succinct-checklist/ ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring	
8-I-5	Patient transfer to the PACU will include the transfer of information concerning the preoperative condition of the patient, the invasive procedure, related medication, and the anesthesia course.	Surgical Dental B C	Interpretive Guidance: The intent is to ensure the safe and complete transfer of information when the patient is moved to the PACU. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. AANA Patient-Centered Perianesthesia Communication, Transfer of Care https://issuu.com/aanapublishing/docs/9_-_patient-centered_perianesthesia_communication?fr=sNTcwZjU2NDxMjU	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>AHRQ Tool: Handoff, 2023 https://www.ahrq.gov/teamstepps-program/curriculum/communication/tools/handoff.html</p> <p>APSF Improving Post Anesthesia Care Unit (PACU) Handoff by Implementing a Succinct Checklist https://www.apsf.org/article/improving-post-anesthesia-care-unit-pacu-handoff-by-implementing-a-succinct-checklist/</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	
8-I-6	Patient transfer to the PACU will include an anesthesia professional remains in the post-anesthesia area until the post-anesthesia care nurse accepts responsibility for the patient.	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure continuity of care and the transfer of responsibility and accountability for the patient until the care has been turned over to the PACU nurse who accepts care of the patient.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice, if possible. <p>AANA Patient-Centered Perianesthesia Communication, Transfer of Care https://issuu.com/aanapublishing/docs/9_-</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>patient-centered perianesthesia communication?fr=sNTcwZjU2NDxMjU</p> <p>AHRQ Tool: Handoff, 2023 https://www.ahrq.gov/teamstepps-program/curriculum/communication/tools/handoff.html</p> <p>APSF Improving Post Anesthesia Care Unit (PACU) Handoff by Implementing a Succinct Checklist https://www.apsf.org/article/improving-post-anesthesia-care-unit-pacu-handoff-by-implementing-a-succinct-checklist/</p> <p>ASA Standards for Basic Anesthetic Monitoring, 2020 https://www.asahq.org/standards-and-practice-parameters/standards-for-basic-anesthetic-monitoring</p>	
8-I-8	The PACU is available to recover all patients after anesthesia administration.	<p>Surgical</p> <p>B</p> <p>C</p>	<p>Interpretive Guidance: The intent is to ensure safe patient recovery.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<p><input type="checkbox"/> Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-I-9	If a patient is not sent to PACU, there is a specific order for the variance that is documented on the record.	Surgical B C	Interpretive Guidance: The intent is to ensure safe patient recovery. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records for related documentation. Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION J: Post-Anesthesia Care Unit (PACU) Documentation				
8-J-1	PACU documentation includes patient's time of arrival in the PACU, or when recovery time started if the patient is recovered in the OR.	Surgical Dental B C	Interpretive Guidance: The intent is to ensure the safe arrival of the patient to PACU and to document the start time of the recovery phase. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review clinical records for related documentation. Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-J-2	The patient's post-surgical condition must be assessed and documented in the clinical record by a physician, other qualified practitioner, or a registered nurse with, at a minimum, post-operative care experience in accordance with applicable State health and safety laws, standards of practice, and facility policy.	Surgical Dental B C	Interpretive Guidance: Except for the assessment of the patient's recovery from anesthesia, the post-surgical condition assessment may be performed by a physician, another qualified practitioner, or a registered nurse with post-operative care experience who is permitted, under applicable State laws as well as general standards of practice and the facility's clinical policy, to assess patients postoperatively. Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice 	
8-J-4	PACU documentation includes a record of all medications given to a patient, including date, time, dose, and route of administration.	Surgical Dental B C	Interpretive Guidance: The intent is to ensure the safe administration and documentation of medications administered. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-J-5	PACU documentation includes a record in which all intravenous fluids given post- operatively are recorded.	Surgical Dental B C	Interpretive Guidance: The intent is to ensure the safe administration and documentation of IV fluids administered. Evaluating Compliance: <ul style="list-style-type: none"> • Review policies and procedures. • Interview staff. • Review clinical records for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe practice. 	
8-J-6	<p>PACU documentation includes a record of monitoring and assessment of:</p> <ul style="list-style-type: none"> - post-operative vital signs, including temperature, heart rate, respirations, and blood pressure; - mental status; - airway patency, ventilation, and oxygen saturation; and, - pain, nausea and vomiting, hydration, drainage, and bleeding, as applicable. <p>Patient status is recorded until the patient is discharged from the facility.</p>	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance:</p> <p>Post-anesthesia monitoring and assessment aim to improve outcomes for patients who have just received anesthesia, sedation, or analgesia care.</p> <p>PACU documentation can be done in various ways, as defined by the facility policies and procedures. Examples include the use of a form or tool, progress notes, and nurses' notes.</p> <p>Post-anesthesia monitoring and assessment apply to patients of all ages who have just received general anesthesia, regional anesthesia, or moderate or deep sedation and are expected to be individualized according to patient needs.</p> <p>The facility addresses the level and frequency of monitoring once the patient has met discharge criteria from the PACU and is simply waiting for a ride.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review policies and procedures. Interview staff. Review clinical records for related documentation. Observe practice. <p>Standards for Postanesthesia Care, 2019 https://www.asahq.org/standards-and-</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			practice-parameters/standards-for-postanesthesia-care Practice Guidelines for Postanesthetic Care: An Updated Report by the American Society of Anesthesiologists Task Force on Postanesthetic Care https://pubs.asahq.org/anesthesiology/article/118/2/291/13600/Practice-Guidelines-for-Postanesthetic-CareAn	
8-J-9	Post-operative progress notes are recorded.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure complete documentation of the post-operative phase of care. PACU documentation can be done in various ways, as defined by the facility policies and procedures. Examples include the use of a form or tool, flow sheets, progress notes, and nurses' notes. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-J-10	There is a procedure/ operative report completed by the surgeon/proceduralist , which includes procedure technique and findings.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure a complete procedure report/operative note is documented in the clinical record. The surgeon/proceduralist may document the patient's postoperative status as part of the procedure report/postoperative note. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-J-11	A written, accurate post-anesthetic care report is maintained.	Surgical Dental C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SUB-SECTION K: Discharge

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-K-4	Approved and standardized discharge criteria are used and recorded (e.g. Aldrete score).	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure that the patient is safely discharged.</p> <p>Aldrete's scoring system is a commonly used scale for determining when postsurgical patients can be safely discharged from the post-anesthesia care unit, generally to a second-stage recovery area, hospital, or home.</p> <p>A facility is not required to utilize the Aldrete scoring system. Instead, it may use a comparable tool outlined in its policies and procedures to determine patient readiness for discharge.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review policies and procedures. • Interview staff. • Review clinical records for related documentation. • Observe practice. <p>Aldrete's Scoring System https://en.wikipedia.org/wiki/Aldrete's_scoring_system</p> <p>Practice Guidelines for Postanesthetic Care: An Updated Report by the American Society of Anesthesiologists Task Force on Postanesthetic Care</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			https://pubs.asahq.org/anesthesiology/article/118/2/291/13600/Practice-Guidelines-for-Postanesthetic-CareAn	
8-K-6	A qualified and credentialed individual determines that the patient meets discharge criteria based upon input from the PACU staff. That individual's name must be noted on the record, signed by that individual with the time of discharge.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure safe patient discharge.</p> <p>Before the patient is discharged, an evaluation of the patient's recovery from anesthesia to determine whether the patient is recovering appropriately must be completed and documented.</p> <p>A qualified and credentialed individual includes an anesthesia professional, surgeon/proceduralist, or RN.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Review personnel files for evidence of appropriate qualifications and credentials. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-K-8	<p>Written discharge instructions, including procedures for emergency situations, are given to the responsible adult who is responsible for the patient's care and transportation following a procedure. A signed copy of the instructions by the responsible adult is maintained in the patient's chart.</p> <p>The standard does not apply if only topical and/or local anesthetic is used without the use of an oral premedication.</p>	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure that a responsible adult receives complete discharge instructions to support the patient's safe recovery.</p> <p>The importance of providing adequate discharge instructions to communicate with patients and primary care physicians cannot be overstated. All discharge instructions must be in writing, and a copy should be provided to the patient's primary care provider.</p> <p>Generally, discharge instructions address the following: discharge diagnosis, follow-up appointments, contact numbers in case of emergency, diet, activity level, level of supervision needed, wound care, specific actions the patient should take in the immediate post-discharge period to promote their recovery from the surgery (wound care, application of heat/cold, warning signs of complications), pre-operative medications and prescriptions, and when driving is permitted. Medication instructions should also address when to resume pre-operative medications and new prescriptions.</p> <p>Age is not the only factor in determining whether an individual is a responsible adult. A responsible adult is an individual who is capable of providing post-procedure care at home and reporting any post-procedure or post-anesthesia complications that may be</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>considered for inclusion in the facility's policies and procedures.</p> <p>Patients are increasingly taking Uber, Lyft, cab, or another transportation source to go home. The facility must have clear written policies regarding patient discharge and notify patients of these requirements. Should a patient insist on taking Uber, Lyft, or a cab, the facility must document the patient's willful deviation from the facility's policies in the patient's clinical record and have a staff member assist the patient to the vehicle. In such a case, discharge instructions are given to the patient and signed by the patient.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. • Observe practice. <p>AANA position paper - Discharge After Sedation or Anesthesia on the Day of the Procedure: Patient Transportation With or Without a Responsible Adult https://issuu.com/aanapublishing/docs/8_-_discharge_after_sedation_or_anesthesia_on_the_day_of_the_procedure?fr=sOTE3YjU2NDAxMjU</p> <p>Practice Guidelines for Postanesthetic Care: An Updated Report by the American Society of Anesthesiologists Task Force on Postanesthetic Care https://pubs.asahq.org/anesthesiology/article/</p>	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			118/2/291/13600/Practice-Guidelines-for-Postanesthetic-CareAn Legal Update: The Ride Home: Uber Complicated or Easy Lyft? https://www.aorn.org/outpatient-surgery/article/2019-February-legal-update-the-ride-home-uber-complicated-or-easy-lyft	
8-K-10	Patients receiving anesthetic agents other than topical or local anesthesia must be supervised in the immediate post-discharge period by a responsible adult for at least 12 to 24 hours, depending on the procedure and the anesthesia used.	Surgical Dental B C	Interpretive Guidance: The intent is to support patient safety after discharge. Patients are increasingly taking Uber, Lyft, cab or another transportation source to go home. The facility must have clear written policies regarding patient discharge and notify patients of these requirements. Should a patient insist on taking Uber, Lyft or cab, the facility must document the patient's knowing and willful deviation from the facility's policies in the patient's clinical record and have a staff member assist the patient to the vehicle. In such a case, discharge instructions are given to the patient and signed by the patient. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review clinical records for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe practice. <p>Legal Update: The Ride Home: Uber Complicated or Easy Lyft? https://www.aorn.org/outpatient-surgery/article/2019-February-legal-update-the-ride-home-uber-complicated-or-easy-lyft</p>	
8-K-14	The patient is transported in a suitable vehicle with a responsible adult.	Surgical Dental B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review clinical records for related documentation. Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-K-15	Patients receiving only local anesthesia without sedation may transport themselves.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review clinical records for related documentation. Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-K-16	The facility must have a policy for discharge from the recovery area with approved and standardized discharge criteria.	Surgical Dental B C	Interpretive Guidance: Evaluating Compliance: Interview staff. <ul style="list-style-type: none"> Review clinical records for related documentation. Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION L: Operative Log				
8-L-1	A separate dated operative log of all cases is maintained, either in a sequentially numbered, bound journal from which pages may not be removed, or in a tamper-proof, secured computer record consistent with state and federal law. This log must be kept in the facility.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that surgical case information, including the information specified in this section, is collected and tracked on all cases done in the facility as part of quality management activities. The log may be in electronic or paper format. Measures are taken to ensure its security and tamper-proofness. Electronic logs are password-protected with limited access and are not required to be sequentially numbered. A professionally bound spiral book is acceptable. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review the operative log for required documentation. Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-L-3	An operative log must include the date of procedure.	Surgical	Interpretive Guidance:	<input type="checkbox"/> Compliant

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
		Dental A B C	<p>The intent is to maintain a complete and accurate accounting of all surgical cases performed in the facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review the operative log for required documentation. • Observe practice. 	<input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-L-4	An operative log must include the patient's name and date of birth or other identification number.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to maintain a complete and accurate accounting of surgical cases.</p> <p>Two (2) patient identifiers are needed to ensure proper patient identification.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review the operative log for required documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-L-6	An operative log must include the surgeon/proceduralist's name.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to maintain a complete and accurate accounting of surgical cases.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review the operative log for required documentation. • Observe practice 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
8-L-7	An operative log must include a record of the type of anesthesia used.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-L-8	An operative log must include the name of person(s) administering anesthesia.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
8-L-9	An operative log must include the name of person(s) assisting physician (e.g. additional physician, registered nurse - circulating or scrubbed, scrub tech, physician's assistant, dental assistant, anesthesia assistant, or other qualified personnel).	Surgical Dental A B C	Interpretive Guidance: The intent is to maintain a complete and accurate accounting of surgical cases. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review the operative log for required documentation. • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SECTION 9: GOVERNING BODY

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: Governing Body				

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
9-A-1	The facility has a governing body with full legal responsibility for determining, implementing, and monitoring policies governing facility's total operation. The governing body has oversight and accountability for the quality assessment and performance improvement program, ensures that the facility policies and programs are administered so as to provide quality health care in a safe environment, and develops and maintains a disaster preparedness plan.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-5	The governing body/facility leadership has defined the scope and intended use of the facility, as well as the appropriate ancillary support needed for the intended surgical procedures.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that the scope of services and use of the facility are defined based on its resources. Ancillary resources include the expertise of the staff and staffing levels, as well as the space and equipment resources to support services offered. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
9-A-7	The governing body/facility leadership: Is regulated by a governing document that has the consent of each member of the body.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that all members of the governing body agree on the roles and responsibilities outlined in the bylaws document.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the facility's governing document. Interview staff. Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-8	The governing body/facility leadership: Has a policy for addressing potential conflicts of interest.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure accountability of the governing body for identifying and addressing internal and external potential conflicts of interest.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
9-A-9	The governing body/facility leadership: Assumes full responsibility for reviewing and taking appropriate action on legal affairs of the ASC and its staff.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure accountability of the governing body. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-10	The governing body/facility leadership: Sets policy on how individual staff deal with each other and external parties.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-11	The governing body/facility leadership: Sets policy on staff's role in properly dealing with patients.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that the governing body develops policies and procedures that establish expectations and maintain accountability for the facility staff on customer service. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe staff interactions with patients. 	
9-A-12	The governing body/facility leadership is responsible for the operation and performance of the facility including: Determining the mission and goals of the facility, including the types of services provided and for determining, implementing, and monitoring policies governing the facility's total operation.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure accountability of the governing body for the operation and performance of the facility. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-14	The governing body/facility leadership is responsible for the operation and performance of the facility including: Adopting policies and procedures for the orderly conduct of the facility and for insuring procedures are provided in a safe and effective manner.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure accountability of the governing body that policies and procedures for the orderly conduct of the facility and for ensuring procedures are provided in a safe and effective manner have been developed and implemented. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
9-A-15	The governing body/facility leadership is responsible for the operation and performance of the facility including: Ensuring financial responsibility.	Surgical Dental A B C	Interpretive: The intent is to ensure accountability of the governing body. Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-16	The governing body/facility leadership is responsible for the operation and performance of the facility including: Approving all arrangements for ancillary medical care delivered in the facility, including laboratory, radiological, pathologic and anesthesia services.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure the governing body's accountability for approving all arrangements for ancillary medical care delivered in the facility, including laboratory, radiological, pathologic, and anesthesia services. The governing body/facility leadership is not necessarily one (1) person. Often, more than one (1) person makes up the governing board/facility leadership. Although the governing body is ultimately responsible and accountable for these policies and procedures, medical staff, anesthesia professionals, and nursing staff should be involved in specifying the types of emergency equipment required for use in the organization's operating room. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review contracts for contracted ancillary services. Review governing body meeting minutes. 	
9-A-17	The governing body/facility leadership must assure that all outside services are provided in a safe and effective manner.	Surgical Dental A B C	Interpretive guidance: Evaluating compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-20	The facility's policies and services are developed with the advice of a group of professional personnel that includes one or more physicians / dentists, one or more physician assistants / nurse practitioners / mid-level clinical personnel, and at least one community member who is not a member of the clinic staff.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that a multi-disciplinary professional group and at least one (1) member of the community provide advice on the facility's policies and services. Evaluating Compliance: <ul style="list-style-type: none"> Review policies and procedures. Interview staff. Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-21	The policies, procedures, and processes adopted by the governing body/facility leadership are reviewed and revised at least annually and in accordance with any implementation timelines adopted by the governing body/facility leadership.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure policies, procedures, and processes are reviewed at least annually and updated as needed.	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Evaluating Compliance: <ul style="list-style-type: none"> Review policies and procedures, are they reviewed and updated on an annual basis and as needed. Interview staff. Review governing body meeting minutes. 	notes here.
9-A-22	The governing body/facility leadership must document the content of any policies, procedures, or processes implemented in key functional areas of the facility. The governing body/facility leadership must document its approval of the policies, procedures, or processes.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that facility leadership is accountable for documenting and approving facility policies, procedures, or processes. Evaluating Compliance: <ul style="list-style-type: none"> Review policies and procedures. Interview staff. Review governing body meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-23	The facility's leadership reviews and updates strategic objectives annually.	Surgical Dental A B C		<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
9-A-26	The governing body/ facility leadership is responsible for overseeing the program of risk management.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure facility leadership accountability for the risk management program. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review governing body meeting minutes. • Review the facility organizational chart. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-27	The governing body/ facility leadership will designate a person or committee responsible for implementation and ongoing management of the risk management program.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure facility leadership accountability for the risk management program. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review governing body meeting minutes. • Review the facility organizational chart. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-28	The facility's risk management program must include the assessment of vulnerable patients.	Surgical Dental A B C	Interpretive Guidelines: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
9-A-29	All identified risks and adverse events must be logged and retained in a risk register (log) for tracking and trending over time.	Surgical Dental A B C	Interpretive Guidelines: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
9-A-31	The medical and clinical staff of the facility must be accountable to the facility's leadership.	Surgical Dental A B C	Interpretive Guidelines: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION B: Transfer Agreement				
9-B-3	The facility must have an effective procedure for the immediate transfer, to a hospital, of patients requiring emergency medical care beyond the capabilities of the facility.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION C: Extended Stays				
9-C-3	<p>If the facility discharges patients to a recovery hotel following full recovery from anesthesia the facility has in place a protocol that identifies that the hotel being used for extended recovery of the patient:</p> <ul style="list-style-type: none"> -Is less than thirty (30) minutes from a hospital where the physician has admitting privileges. -Has a trained registered nurse certified in BLS and 	Surgical Dental B C	Interpretive Guidance: The intent is to ensure patient safety when transferred to a recovery hotel. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	<p>ACLS, and a second BLS certified staff member on duty at all times there is a patient present in the hotel.</p> <p>-Has the ability to meet all special diet provisions of the patient.</p> <p>-Has a defibrillator or AED equipment.</p> <p>-Has first aid equipment.</p> <p>-Has an agreement for transportation to the hospital in an emergency as well as how an admission would be handled.</p>		<ul style="list-style-type: none"> Review clinical records for related documentation. Review the contractual agreement between the facility and the recovery hotel to ensure that the criteria specified by this standard are addressed. Observe practice. 	notes here.
9-C-4	If overnight stays are permitted, the facility is in compliance with all applicable local, state/provincial, and national laws and regulations.	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure patient safety during an overnight stay.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review clinical records for related documentation. Observe practice. 	<p><input type="checkbox"/> Compliant</p> <p><input type="checkbox"/> Deficient</p> <p><input type="checkbox"/> Not Applicable</p> <p><input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

SECTION 10: QUALITY ASSESSMENT / QUALITY IMPROVEMENT / RISK MANAGEMENT

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: Quality Assessment / Quality Improvement Program / Risk Management				
10-A-1	A licensed and qualified anesthesia professional supervising or providing care in the facility must participate in quality assessment/quality improvement and risk management in the facility.	Surgical A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-A-2	The governing body/ facility leadership must identify the specific committee or individual(s) responsible for the development, implementation, and oversight of the quality assurance and risk management program.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure the accountability of the facility's leadership for the quality assurance and risk management program. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review quality assurance and risk management program and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION B: Quality Improvement Program				
10-B-1	The facility must develop, implement and maintain an ongoing, data-driven quality assessment and performance improvement (QAPI) program.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-B-2	The facility has a written quality improvement program implemented which includes surveys or projects to: <ul style="list-style-type: none"> - Monitor and evaluate patient care - Evaluate methods to improve patient care - Identify and correct deficiencies within the facility - Alert the facility's Quality Improvement Program to identify, track, trend, evaluate and resolve problems. 	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure a written quality improvement program is implemented that includes surveys or projects. Evaluating Compliance: <ul style="list-style-type: none"> • Review the written quality improvement program. • Interview staff and review the written quality improvement program. • Are staff able to discuss the quality improvement program and the surveys or projects implemented to monitor and evaluate care? • Are deficiencies identified and corrected? Are staff able to identify these deficiencies and corrections? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review quality improvement program and leadership meeting minutes 	
10-B-6	The facility has a written quality improvement program that includes documentation of Peer Review meetings for the prior three (3) years, which must be available for the surveyor. Facilities with a monthly case volume of 50 or fewer cases must conduct peer review meetings no less than twice per year. Facilities with a monthly case volume in excess of 50 cases must conduct peer review meetings no less than quarterly. The minimum sample size is 10% of the monthly case volume.	Surgical Dental A B C	Interpretive Guidance: The intent is for the facility to demonstrate how the quality improvement program identifies and tracks peer review meetings. Evaluating Compliance: <ul style="list-style-type: none"> Review the written quality improvement program. Interview staff. Validate the facility's monthly case volume. Based on the case volume, are peer review meetings conducted at least twice a year or quarterly? Review quality improvement program, leadership, and peer review meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-B-19	The governing body must ensure that the QAPI program is defined, implemented, and maintained by the facility.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
10-B-24	The quality improvement program will demonstrate measurable improvement in patient health outcomes by focusing on high risk, high volume, and problem-prone areas.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to demonstrate measureable improvement in patient health outcomes.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the written quality improvement program. Interview staff. Review quality improvement meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-B-25	The quality improvement program will improve patient safety by using quality indicators or performance measure(s) by focusing on incidence, prevalence and severity of problems identified.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to demonstrate improved patient safety through the use of quality indicators or performance measures.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the written quality improvement program. Interview staff. Review quality improvement meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-B-26	The quality improvement program will implement a process to identify and reduce medical errors.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that a process is in place to identify and reduce medical errors.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the written quality improvement program. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Interview staff. Review quality improvement meeting minutes. 	
10-B-27	The quality improvement program should include patient/service user satisfaction assessment and other performance measures.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to assess patient satisfaction.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the written quality improvement program. Interview staff. Review quality improvement meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-B-28	The number and scope of distinct quality improvement projects conducted annually must reflect the scope and complexity of the facility's services and operations.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the annual quality improvement projects reflect the scope and complexity of services offered and operations.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review the written quality improvement program. Interview staff. Review quality improvement meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
10-B-29	Performance improvement activities must track adverse patient events, examine their causes, implement improvements, and ensure that improvements are sustained over time.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that performance activities track these specific areas. Evaluating Compliance: <ul style="list-style-type: none"> Review the written quality improvement program. Interview staff. Review quality improvement meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION C: Risk Management				
10-C-1	As part of an ongoing risk management program, the facility must conduct a risk assessment of its operational activities at least annually. The assessment should study the risks presented to patients and staff by medication management, fall hazards, infection control, equipment safety, patient risk resulting from long term conditions, and nutrition if any food or beverage services are available to patients. The results of the Risk Assessment should be prioritized for risk mitigation, risk management, and QA/PI (Quality Assessment/Quality Improvement projects.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
10-C-2	The facility must develop and maintain a program of risk management, appropriate to the organization. This may be carried out in conjunction with the Quality Assessment/Quality Improvement program (QA/QP).	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that a risk management program is developed and maintained. Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-C-3	Near-miss events must be reported, analyzed, and tracked. Measures must be implemented to prevent the event from reoccurring.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • What is the process for reporting near-miss events? Can staff articulate this process? • Are near-miss events reported, analyzed, and tracked? • What practice changes have been implemented to prevent the event from happening again? Are changes monitored to ensure ongoing compliance with practice changes • Review Risk Management, QAPI, and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
10-C-4	A definition of an adverse incident must be documented in policy and procedure , including near miss events.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> Review policies and procedures. Interview staff. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-C-5	The facility has processes that report and investigate safety incidents, complaints, adverse events and near misses for patients and staff on a defined basis. The results of these investigations of adverse events are reported in the Quality Improvement/Quality Assessment meetings.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure these areas are investigated and results are reported in the Quality Improvement/Quality Assessment meetings. Evaluating Compliance: <ul style="list-style-type: none"> Review policies and procedures. Interview staff. Can staff articulate the processes for reporting and investigating safety incidents, complaints, adverse events, and near misses for patients and staff? Are the results of adverse events investigations reported in Quality Improvement/Quality Assessment meetings? Review Risk Management, QAPI, and leadership meeting minutes 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
10-C-6	Adverse events must be tracked and trended on a defined basis.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Can staff articulate the results of tracking and trending adverse events? Are results reported to leadership? Review Risk Management, QAPI, and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-C-7	All staff must be educated in risk management activities on commencement of employment and annually thereafter, and when there is an identified need.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Can staff articulate risk management activities conducted? Review personnel files for documentation of education in risk management activities. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-C-8	The facility should have a process to monitor, track and trend patient satisfaction (e.g. surveys or assessments) and implement actions to improve patient satisfaction as necessary.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Can staff articulate the results of patient satisfaction surveys? If necessary, what actions have been implemented to improve patient satisfaction? 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review Risk Management, QAPI, and leadership meeting minutes. 	
10-C-9	The facility must conduct an ongoing review of patient complaints and grievances, including defined response times.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. What are the results of the ongoing review of patient complaints and grievances? Are the defined response times reasonable? What actions have been taken in response to patient complaints and grievances? Are the response times consistent with the defined timeframes? Review Risk Management, QAPI, and leadership meeting minutes 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-C-10	A system is in place for leadership to receive and resolve in a timely manner any ethical dilemmas such as decisions not to treat, to discontinue treatment, or treat against the patient's wishes.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that leadership plays an active role in resolving ethical dilemmas. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Are staff able to articulate this process Review Risk Management, QAPI, and leadership meeting minutes 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
10-C-11	A policy should document the competencies of staff handling specialized equipment.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure competency validation is present for staff handling specialized equipment. Evaluating Compliance: <ul style="list-style-type: none"> Review policies and procedures. Interview staff. Review personnel files. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-C-12	A system is in effect for documenting, reporting, and follow-up on any patient and family complaints and grievances. Complaints and grievances must be formally addressed at Quality Improvement meetings. The complaints must be addressed by appropriate staff with the patient/family even if no immediate resolution is available.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that complaints and grievances are reported and documented. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Are staff able to articulate this process? Is this system implemented? What actions are taken to resolve patient and family complaints? Review Risk Management, QAPI, and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-C-13	The facility must have a written policy to make their complaint process publicly available, via posting within the facility, on the website, by distribution to patients, or through other means that eliminates barriers to patient awareness of such process.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
				notes here.
SUB-SECTION D: Peer Review				
10-D-4	Peer review and the associated peer review meetings should include at a minimum the same random cases and adverse events submitted to the Patient Safety Data Reporting since the preceding peer review meeting.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the minimum elements of peer review are addressed. Peer review and Patient Safety Data Reporting are two (2) separate and independent processes. The facility must define in its policies and procedures which cases, outside the minimum random cases and reported adverse events, Peer Review must be conducted.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review peer review documents to determine if all required elements are included. • Review Patient Safety Data Reporting. • Review quality improvement program, peer review, and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-D-5	Peer review must include at a minimum: Record of the adequacy and legibility of history and physical exam	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that in each clinical record where Peer Review is conducted, there is a review of a history and physical has been adequately performed and that if it is handwritten, and readable.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review peer review documents to determine if all required elements are included. • Review quality improvement program, peer review, and leadership meeting minutes. 	
10-D-6	Peer review must include at a minimum: Record of the adequacy of surgical consent	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that in each clinical record where Peer Review is conducted, there is a review that there is a properly executed informed consent. Evaluating Compliance: <ul style="list-style-type: none"> • Review policies and procedures. • Interview staff. • Review peer review documents to determine if all required elements are included. • Review quality improvement program, peer review, and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-D-7	Peer review must include at a minimum: Record of the adequacy of appropriate laboratory, EKG, and radiographic reports	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that each clinical record where Peer Review is conducted there is a review that the appropriate laboratory, EKG, and radiology reports are in clinical record as required by the patient's	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>condition and they type of procedure performed.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review peer review documents to determine if all required elements are included. • Review quality improvement program, peer review, and leadership meeting minutes. 	notes here.
10-D-8	Peer review must include at a minimum: Record of the adequacy of a written operative report	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that in each clinical record where Peer Review is conducted, there is a record that a written operative report is present.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review policies and procedures. • Interview staff. • Review peer review documents to determine if all required elements are included. • Review quality improvement program, peer review, and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-D-9	Peer review must include at a minimum: Record of the adequacy of anesthesia and recovery records (with IV sedation or general anesthesia).	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure that each clinical record where Peer Review is conducted there is a record that when the patient received IV</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>sedation or general anesthesia, the anesthesia and recovery documentation are accurate and complete.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review peer review documents to determine if all required elements are included. • Review quality improvement program, peer review, and leadership meeting minutes. 	Enter observations of non-compliance, comments or notes here.
10-D-10	Peer review must include at a minimum: Record of the adequacy of instructions for post-operative care	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure that each clinical record where Peer Review is conducted has a copy of the post-operative care instructions present and that these instructions are appropriate for the procedure.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review peer review documents to determine if all required elements are included. • Review quality improvement program, peer review, and leadership meeting minutes. 	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
10-D-11	Peer review must include at a minimum: Documentation of the discussion of any complications	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that for each clinical record where Peer Review is conducted if there were complications, the Peer Review document contains documentation of the discussion of any complication.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review peer review documents to determine if all required elements are included. • Review quality improvement program, peer review, and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
10-D-12	To be compliant, a copy of a Business Agreement must be signed by each physician working outside the facility participating in peer review, and a copy must be retained on file in the facility.	Surgical Dental A B C	<p>Interpretive Guidance: A HIPAA Business Associate Agreement is a contract between the facility and a business or individual that performs certain functions or activities on behalf of or provides a service to, the facility when the function, activity, or service involves the creation, receipt, maintenance, or transmission of Protected Health Information (PHI) by the business or individual.</p> <p>The agreement establishes the permissible uses and disclosures of</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>PHI by the business associate, how the business associate will support patients' Privacy Rule rights, and the responsibilities of both parties to maintain the privacy and security of PHI. The agreement should also:</p> <ul style="list-style-type: none"> • Stipulate that the business associate will not use or further disclose PHI other than as permitted by the contract or as required by law. • Require the business associate to implement appropriate safeguards to prevent unauthorized uses or disclosures of the PHI. • Require the business associate to report any use or disclosure not provided for by the agreement, including breaches of unsecured PHI. • Require the business associate to satisfy requests for copies of PHI, amendments to PHI, and accounting of disclosures. • Require the business associate to make records available relating to uses and disclosures of PHI in the event of an audit or investigation. • Require the business associate to return or destroy PHI received from, or on behalf of, the covered entity at the agreement's termination. 	

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Require the business associate to ensure that any subcontractors with access to PHI agree to the same restrictions and conditions that apply to the business associate. Authorize the termination of the contract by the facility if the business associate violates any term of the agreement (and vice versa). <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review a copy of the HIPAA Business Associate Agreement to determine completeness. Review signed agreements to determine if all physicians working outside the facility participating in peer review have signed agreements on file. 	
10-D-13	If peer review sources external to the facility are used to evaluate the delivery of medical care, an agreement to conduct peer review is so written as to waive the confidentiality of the clinical records.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure the confidentiality of clinical records and PHI.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review peer review documents to determine if all required elements are included. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review quality improvement program, peer review, and leadership meeting minutes. 	
10-D-14	Peer review may be done by a recognized peer review organization or a physician, podiatrist, or oral and maxillofacial surgeon other than the operating surgeon.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review peer review documents to determine if all required elements are included. Validate that the required organization or a physician, podiatrist, or oral and maxillofacial surgeon other than the operating surgeon is performing peer review. Review quality improvement program, peer review, and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SECTION 11: PERSONNEL

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: Personnel				
11-A-2	All personnel are provided with a code of ethics or behavior that governs their conduct when communicating with fellow staff or the public.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to support the implementation of a code of ethics or behavior.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review policies and procedures. Interview staff. Review personnel files for documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION B: Medical Director & Facility Director				
11-B-7	The Facility Director must be actively involved in the direction and management of the facility.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure Facility Director participation in key areas of the facility operations.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-B-8	The Facility Director is responsible for establishing and enforcing policies that protect patients. The Facility Director monitors medical and facility staff members for compliance with this policy.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure Facility Director participation in key areas of the facility operations.</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Interview staff. Review leadership meeting minutes. 	
11-B-9	The Medical Director must be involved in the organization's direction, objectives and policy development and implementation.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure Medical Director involvement in key areas of facility operations. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-B-10	The Medical Director must be involved in planning and budgeting for the facility's range of services.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure Medical Director involvement in key areas of facility operations. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-B-11	The Medical Director signs an Attestation that the direction and management of the facility is under his/her management.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure Medical Director involvement in key areas of facility operations. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review Attestation from Medical Director. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review leadership meeting minutes. 	
11-B-12	The Medical Director must ensure that the facility meets all local, regional and country regulations including those relating to employment health and safety, building, environmental protection, reportable diseases, and waste management.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure Medical Director involvement in key areas of facility operations.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-B-13	The Medical Director shall document the strategic plan for the facility.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure Medical Director involvement in key areas of facility operations.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review the strategic plan and leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-B-14	The Medical Director should document the staffing levels and what qualifications are required for each position based on the services offered at the facility.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure Medical Director involvement in key areas of facility operations.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review personnel files. Review leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
11-B-15	The Medical Director must annually review credentialing and performance for all practitioners, staff and volunteers annually, including contract employees .	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure Medical Director involvement in key areas of facility operations. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review personnel files. • Review leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-B-16	The Medical Director should review and maintain a record of the performance of all practitioners, staff and volunteers at least annually, including contract employees . This should include a record of corrective actions and educational activities.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure Medical Director involvement in key areas of facility operations. Evaluating Compliance: <ul style="list-style-type: none"> • Interview staff. • Review personnel files. • Review leadership meeting minutes. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
11-B-17	Each personnel file has evidence of general facility-specific orientation and training related to the individual's job duties.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION C: Surgeons / Proceduralists / Etc.				
11-C-2	Procedures must be performed in a safe manner by qualified physicians, advanced practice registered nurses, or physician assistants who have been granted clinical privileges by the governing body in accordance within their scope of practice, state law, and approved policies and procedures of the facility.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure patient safety. The facility must have an explicit, written policy indicating how the facility's leadership credentials and privileges the medical staff. Medical staff privileges may be granted to physicians, advanced practice RNs, and physician assistants, consistent with their permitted scope of practice in the Country/State, as well as their training and clinical experience. Evaluating Compliance: <ul style="list-style-type: none"> • Review personnel files. • Interview staff. • Can facility leadership explain its process for granting clinical privileges? • Are privileges granted in accordance with scope of 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>practice, state law and approved policies and procedures of the facility?</p> <ul style="list-style-type: none"> Review the surgical log and clinical records. Verify that qualified practitioners perform all procedures. 	
11-C-6	The facility must have written policies and procedures that address the criteria for clinical staff privileges and the process that the facility's leadership body uses when reviewing physician, APRN, and PA credentials and determining whether to grant privileges and the scope of the privileges for each practitioner.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: Each practitioner who performs surgery or procedures in the facility, including those directly employed and those under contract, has been determined qualified and granted privileges for the specific surgical procedures he/she performs in the facility. The facility's leadership is responsible for reviewing the qualifications of all practitioners recommended by qualified medical personnel and granting surgical privileges as the facility's leadership determines appropriate.</p> <p>The medical staff includes physicians, surgeons, specialists, CRNAs, NPs, PAs, and allied health professionals, as identified in facility policy.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review policies and procedures. Interview staff. 	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review personnel files to verify that medical staff have been granted clinical privileges. Review leadership and peer review meeting minutes. Review personnel files to verify that medical staff have been granted clinical privileges. Review leadership and peer review meeting minutes. 	
11-C-8	Members of the medical staff, including both directly employed and contract medical staff, must be legally and professionally qualified for the positions to which they are appointed and for the performance of privileges granted. The facility grants privileges in accordance with recommendations from qualified medical/dental personnel.	Surgical Dental A B C	Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review personnel files to verify that medical staff have been granted clinical privileges. Minimum documentation includes: <ul style="list-style-type: none"> ➤ Country/State licensure, registration, or state certification, as applicable. ➤ Certification by a specialty organization, as appropriate. ➤ Other training or pertinent experience. ➤ Evidence of a recommendation by qualified medical personnel concerning the practitioner's competence. ➤ The scope of the privileges granted to the practitioner. ➤ If the facility leadership body granted privileges against the recommendation of the qualified 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>medical personnel, its rationale for doing so.</p> <ul style="list-style-type: none"> Does the review of each practitioner's record provide evidence that they are legally and professionally qualified to exercise the privileges granted to them by the facility? Review leadership and credentialing and privileging meeting minutes. 	
11-C-18	Dental procedures are performed only by dental health professionals who have been granted privileges to perform those procedures by the governing body of the organization.	Dental A B C	<p>Interpretive Guidance: The intent is to ensure that dentists are qualified and trained to provide dental services.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review personnel files for related documentation. Verify that qualified practitioners perform all procedures. Review leadership and credentialing and privileging meeting minutes 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
11-C-19	Personnel assisting in the provision of dental services are appropriately qualified and available in sufficient numbers for the dental procedures provided.	Dental A B C	Interpretive Guidance: The intent is to ensure that personnel assisting in the provision of dental services are qualified and trained to provide services and are available in sufficient numbers. Evaluating Compliance: <ul style="list-style-type: none"> Review staffing patterns and the number of procedures performed. Interview staff. Review personnel files for related documentation. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION D: Anesthesia Providers				
11-D-3	An anesthesia professional must be responsible for the administration of dissociative anesthesia with propofol, spinal or epidural blocks, or general anesthesia as well as the monitoring of all life support systems.	Surgical Dental C	Interpretive Guidance: The intent is to ensure the safe administration of dissociative anesthesia with propofol, spinal or epidural blocks, or general anesthesia and monitoring of all life support systems. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review patient and anesthesia records for related documentation. Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-D-6	If responsible for supervising anesthesia or providing anesthesia, the qualified physician must be present in	Surgical Dental	Interpretive Guidance: The intent is to ensure the safe	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	the operating suite throughout the administration of anesthesia.	B C	<p>administration of anesthesia through supervision by a physician qualified, trained, and privileged to administer anesthesia.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review personnel files to validate competency • Observe practice. 	<input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-D-19	Administration of general anesthesia or deep sedation requires at least three individuals, each appropriately trained: the operating dentist, a person responsible for monitoring the patient, and a person to assist the operating dentist.	Dental B C	<p>Interpretive Guidance: The intent is to ensure the safe administration of anesthesia through supervision by a physician qualified, trained, and privileged to administer anesthesia.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review personnel files to validate competency • Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-D-20	Administration of conscious sedation requires at least 2 individuals: a dentist and an auxiliary person trained in basic life support (BLS).	Dental B C	<p>Interpretive Guidance: The intent is to ensure the safe administration of anesthesia through supervision by a physician qualified, trained, and privileged to administer anesthesia.</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review personnel files to validate competency Observe practice. 	
11-D-21	The qualified individual responsible for supervising the administration of anesthesia must have knowledge of anesthetics and resuscitative techniques appropriate for the type of anesthesia being administered.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure the safe administration of anesthesia. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review personnel files for related documentation. Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION E: Facility Staffing				
11-E-1	When a patient is present in the facility to undergo a procedure under a higher level of anesthesia than meets the QUAD A definition of Class A, there is a licensed registered nurse, physician other than the operating surgeon, or physician's assistant designated as the person responsible for patient care in all areas of the facility (i.e. operating room, operating suite, and all patient care areas), in accordance with state/local law.	Surgical Dental B C	Interpretive Guidance: Licensed practical nurses and medical assistants do not meet this requirement. Both require supervision by a physician or RN. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review staffing patterns Observe practice. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
11-E-7	A dentist employing or using general anesthesia or deep sedation shall maintain a properly equipped facility for the administration of general anesthesia, staffed with supervised assistant/dental hygienist personnel capable of reasonably handling procedures, problems, and emergencies.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure patient safety when general anesthesia or deep sedation is used.</p> <p>The facility defines “properly equipped in their policies and procedures.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Observe facility equipment for the administration of general anesthesia or deep sedation. • Review staffing patterns. • Review personnel files to verify that the supervised assistant/dental hygienist personnel have documented training and competencies in how to handle procedures, problems and emergencies 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION G: Post-Anesthesia Care unit (PACU) Staffing				
11-G-1	There is a written policy that whenever parenteral sedation, dissociative drugs, epidural, spinal or general anesthesia is administered, a physician is immediately available until the patient is discharged from the PACU.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure patient safety until discharged from the PACU when these types of anesthesia are used.</p> <p>Immediately available means that a physician is available and accessible within the facility to provide patient care and respond to emergencies</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>without any delay.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review policies and procedures. Interview staff. Observe practice. 	
11-G-2	All recovering patients must be observed and supervised by trained medical personnel in the PACU. A physician, CRNA, PA, or RN currently licensed and certified in advanced cardiac life support (ACLS) or pediatric advanced life support (PALS), as appropriate, is immediately available until the patient has met PACU discharge criteria for discharge from the facility. Local mandates and stricter standards may apply.	<p>Surgical</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure the safe recovery of patients in the PACU.</p> <p>Medical assistants are not qualified to recover patients. Direct supervision by a physician, CRNA, RN, NP, or PA is required. The physician, CRNA, RN, NP, or PA responsible for recovering the patient is responsible for all PACU documentation.</p> <p>If a contract anesthesiologist brings emergency medications or equipment into the facility and removes them when leaving, the contract anesthesiologist must remain in the facility until all patients have been discharged from the PACU.</p> <p>Direct supervision means being physically present or within an immediate distance and available to respond quickly to a patient's needs.</p> <p>Documentation of BLS certification is</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>not required if ACLS certification is documented.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review personnel files. • Review clinical records. • Observe practice. 	
11-G-5	A minimum of one ACLS, and when appropriate PALS as well, certified staff member must be present in the facility until all patients recovering from anesthesia have met the facility's discharge criteria for discharge from the facility.	<p>Surgical Dental</p> <p>B C</p>	<p>Interpretive Guidance: The intent is to ensure that all recovering patients are observed and monitored until discharge criteria have been met as determined by discharge criteria and by qualified personnel.</p> <p>If a contract anesthesiologist brings any emergency medications or equipment into the facility and removes any of these items when leaving the facility, the contract anesthesiologist must remain in the facility until all patients have been discharged from the PACU.</p> <p>Documentation of BLS certification is not required if ACLS or PALS certification is documented.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Review personnel files. • Review staffing patterns. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe practice. 	
11-G-7	All recovering patients must remain under direct observation and supervision by appropriate medical personnel who are trained in the assessment of patient vital signs, post-operative care, and safety matters until discharged from monitored patient care.	Surgical Dental B C	<p>Interpretive Guidance: The intent is to ensure that all recovering patients are observed and supervised by qualified staff until discharge criteria have been met</p> <p>The facility defines “appropriate medical personnel” and related training requirements in its policies.</p> <p>If a contract anesthesiologist brings any emergency medications or equipment into the facility and removes any of these items when leaving the facility, the contract anesthesiologist must remain in the facility until all patients have been discharged from the PACU.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Interview staff. Review personnel files. Review clinical records. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Observe practice. 	
SUB-SECTION H: Personnel Records				
11-H-2	The facility maintains a manual outlining personnel policies that is reviewed annually and updated as needed.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that staff are aware of personnel policies.</p> <p>Having clearly defined policies in place helps ensure that all employees are aware of what is expected from them and how they must behave within the workplace environment. This includes things like dress code, attendance requirements, vacation time allotment, acceptable use of technology, etc. Ensuring these policies are clearly expressed is essential to ensure they can be followed without any misunderstandings.</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review personnel policy manual. Interview staff. 	
11-H-4	The facility maintains a personnel file for all clinical and administrative employees, including direct and contract employees.	Surgical Dental A B C	<p>Interpretive Guidance: The intent is to ensure that the facility maintains a personnel file for all direct and contract clinical and administrative employees.</p> <p>This includes surgeons, anesthesiologists, RNs, LPNs, medical assistants, scrub techs, sterile processing techs, lab and x-ray techs, other clinical employees, and administrative staff. It does not include consultants.</p> <p>IMPORTANT: Employee information such as previous employment, health information (except specific to QUAD A standards and state required immunizations or tests) disabilities, employment, and performance reviews are protected and of no interest to the QUAD A</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>surveyor. However, the surveyor does need to confirm that an adequate file is kept on each employee related to the items listed below. The facility has this data available for each employee, including direct and contract employees, separate from the employee files.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files. 	
11-H-5	Each personnel record contains any health problems of the individual which may be hazardous to the employee, other employees or patients, and a plan of action or special precautions delineated as needed. To be reviewed and updated annually.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance:</p> <p>The facility has a policy and procedure that requires staff to inform their employer of any health conditions that may potentially put other staff or patients at risk. This process is in accordance with ADA requirements in terms of when such information can be solicited. Information cannot be obtained until after an offer of employment has been made. However, a facility may make pre-employment inquiries into an applicant's ability to perform job-related functions.</p> <p>If no hazardous health problems exist, this should be documented in the personnel file.</p> <p>There must be documentation present that this information is</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>reviewed and updated on an annual basis and as needed.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files. 	
11-H-6	Each personnel record contains resume of training and experience.			<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>
11-H-8	Each personnel record contains date of employment.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files. 	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>
11-H-9	Each personnel record contains description of duties.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Physician privileging documents constitute a physician job description. The physician's job description should also include non-patient care duties such as peer review, medical director, facility director, and participation in the development of facility policies and procedures, and the facility's infection control and QAPI programs,</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>etc.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files. 	
11-H-10	Each personnel record contains on-going records of inoculations or refusals in accordance with State law requirements.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: Vaccination requirements vary from state to state. Confirm the requirements for the state where the facility is located and what their acceptable documentation for proof of vaccination is (i.e. declination, documented vaccine administration, vaccine registry documentation, titer level etc.). The stricter requirement prevails.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files for evidence of vaccination administration or refusal. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
11-H-12	Each personnel record contains current certification or license if required by the state, province, region, or country.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: The intent is to ensure that staff are qualified and meet current certification/licensure requirements.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files. 	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
11-H-13	The practitioners shall document an appropriate level of Continuing Medical Education (CME) and follow nationally accepted evidence-based protocols where they exist.	Surgical A B C	Interpretive Guidance: The intent is to ensure that practitioners remain current with their knowledge and skills. Evaluating Compliance: <ul style="list-style-type: none"> Review personnel files. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION I: Personnel Training				
11-I-1	Each personnel record has evidence of annual hazard safety training.	Surgical Dental A B C	Interpretive Guidance: Hazard identification training ensures that every employee understands the hazards they are likely to encounter in the course of their job, and how to identify each one. Control training ensures that they know what to do when they encounter each hazard (biological, chemical, physical, safety, psychosocial). Online training courses approved by the facility are acceptable. Online courses are reviewed for	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>appropriateness and approved by the facility at least annually.</p> <p>If online training is approved by the facility, it is necessary for the facility to provide additional training regarding action to be taken in the event of exposure specific to their facility.</p> <p>General online training is not acceptable. The hazard safety training is facility specific. Online training using a learning management system (LMS) is acceptable.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files. 	
11-I-2	Each personnel record has evidence of annual blood borne pathogen training.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Exposure to blood borne pathogens is a risk to the employee's health. Bloodborne pathogen training ensures that every clinical staff member can identify risks of exposure, prevent exposure by taking proper precautions, and take effective action in the event of exposure.</p> <p>This standard does not apply to administrative staff.</p> <p>Training may be in person or online.</p>	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>Online training courses approved by the facility are acceptable. The facility reviews these courses for appropriateness and approves them at least annually.</p> <p>If online training is approved by the facility, it is necessary for the facility to provide additional training regarding action to be taken in the event of exposure specific to their facility.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files. 	
11-I-3	Each personnel record has evidence of annual universal precaution training.	<p>Surgical Dental</p> <p>A B C</p>	<p>Interpretive Guidance: This standard does not apply to administrative staff.</p> <p>Training may be in person or online.</p> <p>Online training courses approved by the facility are acceptable. The facility reviews these courses for appropriateness and approves them at least annually.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> Review personnel files. 	<p> <input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite </p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
11-I-4	Each personnel record has evidence of other annual safety training including operative fire safety training and structure fire safety, including operation of a fire extinguisher.	Surgical Dental A B C	Interpretive Guidance: This training must be facility specific. Online training is not sufficient. Evaluating Compliance: <ul style="list-style-type: none"> Review personnel files. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-I-5	Each personnel record has evidence of at least Basic Cardiopulmonary Life Support (BLS) certification, but preferably Advanced Cardiac Life Support (ACLS) and/or Pediatric Advanced Life Support (PALS) for each operating room and PACU team member, depending on the patient population served.	Surgical A B C	Interpretive Guidance: The intent of this standard is that each clinical staff member, including physicians/surgeons, be minimally certified in BLS with evidence of this in their personnel file. This standard does not apply to administrative staff. The certification training completed is intended for healthcare professionals. Training courses for lay people are not	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>acceptable.</p> <p>Acceptable training includes didactics (may be completed online) and a hands-on skills session. Not all training courses include a hands-on session.</p> <p>Initial and subsequent ACLS certification is obtained from the American Heart Association or another vendor that includes hands-on training and skills demonstration of airway management and automated external defibrillator (AED) use.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Interview staff. • Clarify which staff are required to have ACLS and/or PALS certification. • Review personnel files. 	
11-I-8	Anesthesia professionals, both directly employed and contract anesthesia professionals, must be trained and knowledgeable with the facility's emergency protocol for cardio-pulmonary emergencies, safe and timely transfer of a patient to an alternative care facility when extended emergency care is needed, and other internal and external disasters.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>The intent is to ensure that all anesthesia personnel are able to respond to emergency situations.</p> <p>Evaluating Compliance:</p> <ul style="list-style-type: none"> • Review personnel files. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-I-10	The operating room personnel are familiar with the equipment and procedures utilized in treating emergencies, as discussed in standards section 5-C: Emergency Protocols.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>The intent is to ensure clinical staff can safely use equipment and implement procedures used in the treatment of emergencies.</p> <p>Evaluating Compliance:</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review drills performed in the facility. Interview staff. Review personnel files. 	notes here.
11-I-13	Where staff cannot demonstrate competency, training, or experience in the safe operation of equipment, the facility provides and documents training or arranges training through an external provider.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that staff safely operate the equipment. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review personnel files. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-I-15	Operating room personnel have adequate knowledge to treat malignant hyperthermia, cardiopulmonary resuscitation, and anaphylactic emergencies.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure operating room staff safely and rapidly respond to these emergency situations. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review personnel files. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
11-I-16	Health care professionals providing dental, surgical, and anesthesia services are prepared to respond to medical emergencies that may occur in conjunction with the services provided.	Surgical Dental A B C	Interpretive Guidance: The intent is to ensure that providers of these services safely and rapidly respond to medical emergencies. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff. Review personnel files. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments

SUPPLEMENTAL DUBAI HEALTH ADMINISTRATION (DHA)

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
SUB-SECTION A: Personnel Qualifications				
16-A-1	All health facilities providing Day Surgical Services (DSS) shall adhere to Federal and Local Laws and Regulations.	Surgical Dental A B C DHA 5.1	Interpretive Guidance: The intent is that all Standalone Day Surgery Centers comply with all Federal and Local Laws and Regulations. Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-2	Health facilities aiming to provide DSS shall comply with the DHA licensure and administrative procedures available on the DHA website https://www.dha.gov.ae	Surgical Dental A B C DHA 5.2	Interpretive Guidance: The intent is that all Standalone Day Surgery Centers comply with the DHA licensure and administrative procedures. Evaluating Compliance: Review documentation to verify compliance. Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
16-A-3	Licensed health facilities opting to add DSS shall inform Health Regulation Sector (HRS) and submit an application to HRS to obtain permission to provide the required service.	Surgical Dental A B C DHA 5.3	<p>Interpretive Guidance: The intent is that all DSS services are approved by the HRS.</p> <p>Evaluating Compliance: Review documentation to verify compliance.</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-4	Summary of Day Surgical Center (DSC) classification and minimum requirements are found in DHA appendix 1 .	Surgical Dental A B C DHA	<p>Interpretive Guidance: The intent is to ensure that the DSC meets the requirements outlined in Appendix 1., page 53/80</p> <p>Evaluating Compliance: Review documentation to verify compliance.</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
16-A-5	Day Surgical Centers shall be granted a license based on the Health Facility Classification and their permitted levels (DHA Appendix 2-4)	Surgical Dental A B C DHA 5.5	Interpretive Guidance: The intent is to ensure that the DSC holds a license based on the requirements outlined in Appendix 2 – 4 Evaluating Compliance: Review documentation to verify compliance. Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-6	All Day Surgical Centers (DSC) are mandated to be accredited within two (2) years of licensure and to upload their accreditation certificate to the facility's Sheryan account.	Surgical Dental A B C DHA 5.6	Interpretive Guidance: The intent is to ensure timely licensure accreditation. Evaluating Compliance: Review documentation to verify compliance. Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-7	The DSC shall adhere to the DHA Sentinel Events Notification and Management Policy.	Surgical Dental A B C DHA 5.7	Interpretive Guidance: The intent is to ensure that the DSC complies with this policy. Evaluating Compliance: <ul style="list-style-type: none"> Interview staff regarding the Sentinel Events Notification and Management policy. Review facility policies and procedures. 	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<ul style="list-style-type: none"> Review documentation to determine if the facility adheres to this policy. <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf</p> <p>DHA Sentinel Events and Management, Version 1; Effective date 8/8/2022; https://www.dha.gov.ae/uploads/092023/Standards for Standalone Day Surgery Centres Final202397280.pdf</p>	
16-A-8	DSC do not require to have a mortuary in-house, but will require to have a policy for mortuary management.	Surgical Dental A B C DHA 5.8	<p>Interpretive Guidance: If the facility does not have an in-house mortuary, score this standard not applicable.</p> <p>Evaluating Compliance: Review facility mortuary management policy.</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-9	The DSC shall maintain a policy and procedures on medication management, medication storage and monitoring of medication inventory and expiration dates consistent with applicable federal and local legislation and regulations.	Surgical Dental A B C	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023</p>	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
		DHA 5.9	https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	compliance, comments or notes here.
16-A-10	Adhere to the requirements in the DHA Policy for Emergency Medication as well as the DHA Guidelines for Pharmacy.	Surgical Dental A B C DHA 5.6.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf DHA Emergency Medications Policy, Effective Date 5/11/2022 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Emergency%20Medicine%20Policy.pdf DHA Guidelines for Pharmacy, Version 1, 2021 https://www.dha.gov.ae/uploads/112021/f6eb62acf666-4cce-9a2f-47788a25f565.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
16-A-11	The DSC shall have in place internal policies and procedures including but not limited to: Patient acceptance/referral criteria.	Surgical Dental A B C DHA 5.12.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-12	The DSC shall have in place internal policies and procedures including but not limited to: Lab and diagnostic services and turn-around timeframes for reporting non-critical and critical results.	Surgical Dental A B C DHA 5.10.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-13	The DSC shall have in place internal policies and procedures including but not limited to: Patient assessment and admission criteria.	Surgical Dental A B C DHA 5.10.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
16-A-14	Patient acceptance/referral criteria.	Surgical Dental A B C DHA 5.10.2	Interpretive Guidance: The intent is to ensure that the DSC complies with this policy. Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-15	Consent should include the need for higher sedation within the same facility or following transfer to a higher-level facility.	Surgical Dental A B C DHA 5.10.a	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-16	The DSC shall have in place internal policies and procedures including but not limited to: Staffing plan, staff management and clinical and privileging.	Surgical Dental A B C DHA 5.10.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
16-A-17	The DSC shall have in place internal policies and procedures including but not limited to: Patient health record, confidentiality and privacy as per DHA policy for Health Information Assets Management.	Surgical Dental A B C DHA 5.10.8	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf Dubai Policy for Health Information Assets Management, Effective Date 3/26/2023 https://www.dha.gov.ae/30fbf7f8-a973-4475-829f-abb8c4cb12be	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-18	The DSC shall have in place internal policies and procedures including but not limited to: Patient health record, confidentiality and privacy as per DHA policy for Health Information Assets Management.	Surgical Dental A B C DHA 5.10.8	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			Dubai Policy for Health Information Assets Management, Effective Date 3/26/2023 https://www.dha.gov.ae/30fbf7f8-a973-4475-829f-abb8c4cb12be	
16-A-19	<p>The DSC shall have in place internal policies and procedures including but not limited to:</p> <p>Medication management and pharmacy services as per DHA Guidelines for Pharmacy.</p>	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 5.10.11</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf</p> <p>DHA Guidelines for Pharmacy, Version 1, 2021 https://www.dha.gov.ae/uploads/112021/f6eb62acf666-4cce-9a2f-47788a25f565.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
16-A-20	<p>The DSC shall have in place internal policies and procedures including but not limited to:</p> <p>Medical and hazardous waste management as per the Dubai Municipality (DM) requirements.</p>	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 5.10.13</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf</p> <p>Dubai Municipality (DM) requirements, Version 29, Effective date 12/3/2023</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			<p>List of approved Professional Uses Business to Business Biocides; www.dm.gov.ae/wp-content/uploads/2023/01/DM-HSD-L2-APB-List-of-approved-professional-Use-Business-to-Business-B2B-Biocides_V29.pdf</p> <p>List of Cleaning and Disinfection Companies, Version 15, 11/9/2023; www.dm.gov.ae/wp-content/uploads/2021/09/DM-HSD-L3-CDC-List-of-Cleaning-and-Disinfection-Companies_V15.pdf</p> <p>List of Approved Hazardous Waste Transporters, Issued 1/18/2023; https://www.dm.gov.ae/documents/list-of-approved-hazardous-waste-transporters/</p>	
16-A-21	There should be an allocated medical waste storage and collection area that is well ventilated and secured from public and patient access.	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 5.10.13.a</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
16-A-22	The medical waste storage and collection area shall be adequately labeled with a hazard sign to prevent unexpected entry from patients or the public.	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 5.10.13.b</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	
16-A-23	The DSC shall have in place internal policies and procedures including but not limited to: Laundry and housekeeping services	Surgical Dental A B C DHA 5.10.15	Interpretive Guidance: Evaluating Compliance: Dubai Municipality (DM) requirements, Version 29, Effective date 12/3/2023 List of Cleaning and Disinfection Companies, Version 15, 11/9/2023; www.dm.gov.ae/wp-content/uploads/2021/09/DM-HSD-L3_CDC_List-of-Cleaning-and-Disinfection-Companies_V15.pdf Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-24	The DSC shall have in place internal policies and procedures including but not limited to: Violence against Staff/Zero Tolerance.	Surgical Dental A B C DHA 5.10.18	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
16-A-25	The health facility should ensure it has in place adequate lighting and utilities, including temperature controls, water taps, medical gases, sinks and drains, lighting, electrical outlets and communications.	Surgical Dental A B C DHA 5.11	Interpretive Guidance: The intent is to ensure adequate lighting and utilities. Evaluating Compliance: <ul style="list-style-type: none"> Observe the facility lighting and utilities. Review any facility policies and procedures that address lighting and utilities. Review preventive maintenance documents as appropriate. Review temperature control records. Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-26 5.12.1	The health facility shall maintain documented evidence of treatment protocols and care pathway for surgical procedures to include, but not be limited to the following: Referral criteria.	Surgical Dental A B C DHA 5.12.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-27	The health facility shall maintain documented evidence of treatment protocols and care pathway for surgical procedures to include, but not be limited to the following:	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
	Pre-op assessment and patient acuity classification.	DHA 5.12.1	https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	compliance, comments or notes here.
16-A-28	The health facility shall maintain documented evidence of treatment protocols and care pathway for surgical procedures to include, but not be limited to the following: Surgical Safety Checklist for Surgical Procedures.	Surgical Dental A B C DHA 15.12.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf WHO - Surgery Checklist and timeout procedures The WHO safer surgery checklist time out procedure revisited: Strategies to optimize compliance and safety - ScienceDirect	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-A-29	All DSC must have a written agreement for patient referral and emergency transfer to a nearby hospital setting. The transfer agreement shall detail the transfer plan/protocol of patients and meet Dubai transfer timeframes for emergency patients as per DHA Policy for Patient Referral and Inter-facility Transfer.	Surgical Dental A B C DHA 5.13	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

ID	Standard	Service/Class	Interpretive Guidance	Score/Findings/Comments
			DHA Policy for Patient Referral and Inter-facility Transfer, Version 2.1, Effective date 2/23/2023; https://www.dha.gov.ae/en/circulars/details/CIR-2022-00000255 click on Patient Referral and Inter-Facility Transfer-Final pdf on the right side.	
16-A-30	The DSC may provide necessary allied health services to meet patient needs and based on the facility's type of services.	Surgical Dental A B C DHA 5.14	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-A-31	Such services may be available on the premises or through a written agreement with an external provider.	Surgical Dental A B C DHA 5.14.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
Sub-section B: Health Facility Requirements				
16-B-1	Summary of Day Surgical Center (DSC) classification and minimum requirements are found in appendix 1.	Surgical Dental A B C DHA 6.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-2	DSC operational requirements include the following: Day surgical centers shall not operate or open between 12:00 am and 6:00 am.	Surgical Dental A B C DHA 6.1.2	Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-3	DSC operational requirements include the following: Surgeries in DSC Class C, requiring general anesthesia shall not start after 5:00pm.	Surgical Dental C DHA 6.2.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-4	DSC operational requirements include the following: Surgeries in DSC Class C under deep sedation shall not exceed two (2) hours.	Surgical Dental B C DHA 6.2.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-5	DSC operational requirements include the following: Surgeries in DSC C under deep sedation and or general anesthesia shall not exceed three (3) hours.	Surgical Dental C DH6.2.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://6276684.fs1.hubspotusercontent-na1.net/hubfs/6276684/Program%20Landing%20Page%20Documents/Dubai%20Standards%20for%20Standalone%20Day%20Surgery%20Centres.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-6	DSC operational requirements include the following: Multiple surgeries in different sites that exceed three (3) hours are not permitted.	Surgical Dental A B C DHA 6.25	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-7	Day Surgical Services shall be Consultant or Specialist Led services with a minimum of ten (10) years' experience in one of the main surgical specialties within the scope of the DSC.	Surgical Dental A B C DHA 6.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-8	The DSC can be specialized in one or more surgical specialty such as but not limited to the following: General Surgery (pediatric and/or adult)	Surgical Dental A B C DHA 6.4.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-9 6.4.2	The DSC can be specialized in one or more surgical specialty such as but not limited to the following: Dentistry	Surgical Dental A B C DHA 6.4.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			Centres%20Final202397280.pdf	
16-B-10	The DSC can be specialized in one or more surgical specialty such as but not limited to the following: Ophthalmology	Surgical Dental A B C DHA 6.4.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-11	The DSC can be specialized in one or more surgical specialty such as but not limited to the following: Vascular	Surgical Dental A B C DHA 6.4.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-12	The DSC can be specialized in one or more surgical specialty such as but not limited to the following: Orthopedic	Surgical Dental A B C DHA 6.4.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-13	The DSC can be specialized in one or more surgical specialty such as but not limited to the following: Obstetrics and Gynecology	Surgical Dental A B C DHA 6.4.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-14	The DSC can be specialized in one or more surgical specialty such as but not limited to the following: Gastroenterology	Surgical Dental A B C DHA 6.4.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-15	The DSC can be specialized in one or more surgical specialty such as but not limited to the following: Plastic Surgery	Surgical Dental A B C DHA 6.4.8	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-16	The health facility should meet the health facility requirement as per the DHA Health Facility Guidelines (HFG).	Surgical Dental A B C DHA 6.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf DHA Health Facilities Guidelines 2023 https://services.dha.gov.ae/tahpi-app/HealthFacilityGuidelines/Guidelines/Index/DHAHFG	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-17	HRS must be informed and approve changes to existing or new services or staffing levels.	Surgical Dental A B C DHA 6.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-18	DSC should have a contract with the following types of healthcare facilities: A nearby hospital for: referral of urgent and emergency cases, ward and ICU Admissions (if required), Assessment and follow up with professionals, specialties and services not available or not within the scope of the DSC.	Surgical Dental A B C DHA 6.8	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			Centres%20Final202397280.pdf	
16-B-19	DSC should have a contract with the following types of healthcare facilities: External Laboratory service (Applicable to DSC class A, B and any DSC that provides solely vascular or ophthalmology services only).	Surgical Dental A B DHA 6.8.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-20	DSC should have a contract with the following types of healthcare facilities: External Diagnostic imaging services (Applicable to DSC class A, B and any DSC that provides solely vascular or ophthalmology services only).	Surgical Dental A B DHA 6.8.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-21	DSC should have a contract with the following types of healthcare facilities: Pharmacy service (if required).	Surgical Dental A B C DHA 6.8.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	
16-B-22	DSC should have a contract with the following types of healthcare facilities: Rehabilitation service (if required).	Surgical Dental A B C DHA 6.8.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-23	DSC should have a contract with the following types of healthcare facilities: Home healthcare services (if required).	Surgical Dental A B C DHA 6.8.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-24	DSC should have a contract with the following types of healthcare facilities: Telehealth services (if required).	Surgical Dental A B C DHA 6.8.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-25	The surgical setup shall be capable of providing the required level of sedation/anesthesia and emergency response.	Surgical Dental A B C DHA 6.11	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-26	The Health Facility shall put in place annual simulation scenarios with all surgical teams to manage patient recovery and transfer.	Surgical Dental A B C DHA 6.12	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-27	Simulation outcome and improvement plans shall be documented.	Surgical Dental A B C DHA 6.12.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-28	Class B Day Surgical Centers will have sufficient medical equipment to manage permitted endoscopic procedures: Procedural sedation shall be performed in designated areas where the patient can be resuscitated if sedation is deeper than intended.	Surgical Dental B DHA 6.14	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-29	Class B Day Surgical Centers will have sufficient medical equipment to manage permitted endoscopic procedures: Practitioners should be ACLS certified and possess the skills necessary to resuscitate or rescue a patient whose level of sedation is deeper than initially intended.	Surgical Dental B DHA 6.14.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-30	Class A and B (without endoscopy) do not require a ventilator and will have the required medical equipment to manage permitted surgeries: Emergency Medical Service (EMS) call system	Surgical Dental A B DHA 6.15	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-31	Class A and B (without endoscopy) do not require a ventilator and will have the required medical equipment to manage permitted surgeries: Pulse oximeter	Surgical Dental A B DHA 6.16	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-32	Class B (with endoscopy) and C Day Surgical Centers will have the required medical equipment to manage permitted surgeries: Emergency Medical Service (EMS) call system;	Surgical Dental B C DHA 7.3.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-33	Class B (with endoscopy) and C Day Surgical Centers will have the required medical equipment to manage permitted surgeries: Pulse oximeter and hemodynamic monitoring equipment shall include but not be limited to the following: - Central venous pressure - ABG	Surgical Dental B C DHA 6.16.2. 6.16.2d 6.16.2f	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-34	Class B (with endoscopy) and C Day Surgical Centers will have the required medical equipment to manage permitted surgeries: One portable ventilator is required for (1) one to (4) four OTs (backup)	Surgical Dental B C DHA 6.16.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes

			https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	here.
16-B-3	Class B (with endoscopy) and C Day Surgical Centers will have the required medical equipment to manage permitted surgeries: One ventilator is required for two beds in the recovery bay.	Surgical Dental B C DHA 6.16.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-36	DSC Class A and B shall ensure that the full-time surgeon is responsible for managing medications and record keeping in the DSC (Appendix 4).	Surgical Dental A B DHA 6.17	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-37	DSC Class B (with endoscopy) and C shall ensure the anesthetist is responsible for managing anesthesia, narcotic and controlled medications, emergency medicine, any other medication and record-keeping in the DSC (Appendix 4).	Surgical Dental B DHA 6.18	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-38	DSC with pharmacy services, shall ensure the pharmacist is responsible for managing anesthesia, narcotic and controlled medications, emergency medicine, any other medication and record-keeping in the DSC (Appendix 4).	Surgical Dental A B C DHA 6.19	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p> <p>Guidelines for Pharmacy, Version 1, 2021 www.dha.gov.ae/uploads/112021/f6eb62ac-f666-4cce-9a2f-47788a25f565.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
16-B-39	DSC that provide ambulatory care pharmacy services must employ a full time pharmacist.	Surgical Dental A B C DHA 6.20	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p> <p>Guidelines for Pharmacy, Version 1, 2021 www.dha.gov.ae/uploads/112021/f6eb62ac-f666-4cce-9a2f-47788a25f565.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

16-B-40	<p>The pharmacy service should include storage of medication, medication preparation, dispensing and safe disposal. Refer to DHA Guidelines for Pharmacy</p>	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 6.19</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023</p> <p>Guidelines for Pharmacy, Version 1, 2021 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
16-B-41	<p>In the absence of a pharmacist (sick leave, emergency leave or annual leave), the anesthetists shall be responsible for managing anesthesia, narcotic and controlled medications, emergency medicine, any other medication and record-keeping. Refer to DHA Guidelines for Pharmacy</p>	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 6.20.2</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p> <p>Guidelines for Pharmacy, Version 1, 2021 www.dha.gov.ae/uploads/112021/f6eb62ac-f666-4cce-9a2f-47788a25f565.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

16-B-42	All DSC shall have access to laboratory and diagnostic services as per patient needs determined by the services provided and the medical team.	Surgical Dental A B C DHA 6.21	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-43	Refer to DHA Standards for Clinical Laboratory Services and DHA Standards for Diagnostic Services.	Surgical Dental A B C DHA 6.21.1	Interpretive Guidance: Evaluating Compliance: DHA Standards for Clinical Laboratory Services, Version 2, Effective Date 2/17/2023; www.dha.gov.ae/uploads/102022/Standards%20for%20Clinical%20Laboratory%20Services20221044376.pdf DHA Standards for Diagnostic Services, Version 1, Effective Date 4/28/2023; www.dha.gov.ae/uploads/032023/Standards%20for%20Diagnostic%20Imaging%20Services2023331877.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-44	Class A DSC categories must provide: - Point of Care Testing for glucose, Dipstick urinalysis and Pregnancy test. - Radiology services as per patient need may be contracted with an external radiology provider.	Surgical Dental A DHA 6.23.1.a 6.23.1.c	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-45 6.23.2	Class B DSC categories must provide: - Point of Care Testing for glucose, Prothrombin time/international normalized ratio (PT/INR), Dipstick urinalysis and Pregnancy test. - Radiology services as per patient need may be contracted with an external radiology provider.	Surgical Dental B DHA	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-46	Class C DSC categories must provide: - Point of Care Testing (glucose, Prothrombin time/international normalized ratio (PT/INR), Dipstick urinalysis and Pregnancy test. - Arterial Blood Gas (ABG)	Surgical Dental C DHA 6.6.23.3 6.23.3.a 6.23.3.b	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-47	Class C DSC categories must provide essential onsite radiology services. - Radiology (or mobile x-ray) should include plain x-rays and chest x-rays. - The remaining radiology services as per patient need may be contracted with an external radiology provider.	Surgical Dental C DHA 6.23.4 6.23.4.a 6.23.4.b	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-48	DSC class C providing solely Ophthalmology services shall have a Point of Care Testing (POCT) for glucose, Dipstick urinalysis and Pregnancy test. Any lab or radiology services may be contracted with an external provider.	Surgical Dental C DHA 6.24	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-49	Inhouse radiology services is optional for DSC class C providing solely Vascular services.	Surgical Dental A B C DHA 6.25	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-50	The DSC shall maintain a copy of operator and safety manuals of all medical equipment and inventory list with equipment location. All Medical Equipment should be registered and documented properly in the inventory which will be updated every time a new equipment arrives prior to use.	Surgical Dental A B C DHA 6.28	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-B-51	The inventory includes all in-use medical equipment only. No medical equipment that is not in use or not maintained should be stored in the facility.	Surgical Dental A B C DHA 6.29	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-52	The medical equipment Inventory include the following: a. Device name b. Description of the device c. The name of the factory d. The supplying company (agent) e. Year of purchase f. Section (location) g. Serial number h. Duration of preventive maintenance work (PM) i. Last day of maintenance & the next one due j. Periodic maintenance reports (qualitative and quantitative tests)	Surgical Dental A B C DHA 6.29.1 6.29.1.a through 6.29.1.j	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-5	Many healthcare facilities use external contractor and/or services to provide specific services essential to the ongoing operation of the DSC, e.g. nutrition, laundry, cleaning, maintenance, transport, and security.	Surgical Dental A B C DHA 6.32	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	
16-B-54	Some clinical services may be provided by an external contractor such as radiology, lab and pathology and allied health.	Surgical Dental A B C DHA 6.31	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-55	External service providers shall be managed effectively to provide safe, high-quality care and services.	Surgical Dental A B C DHA 6.32	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-56	All DSC shall have a Business Continuity Plan to ensure the core functions of the center are met.	Surgical Dental A B C DHA 6.33	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes

			https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	here.
16-B-57	DSC must put in place a written policy that adheres to DHA requirements for patient rights and responsibilities as per the Ministerial Decision No. (14) of 2021 concerning the Patient Rights and Duties Charter	Surgical Dental A B C DHA 6.34	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-58	Information on patients' rights and responsibilities shall be communicated and displayed in at least two languages (Arabic and English) at the entrance, reception, and waiting for the area(s) of the premises and website.	Surgical Dental A B C DHA 6.34.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-B-59	Key Performance Indicators (KPIs) shall be captured by DSC management by the 2nd week of each quarter and reported to HRS as per the DHA Guidelines for Reporting Standalone Day Surgery Center Key Performance Indicators.	Surgical Dental A B C DHA 6.35	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	
16-B-60	Submission reflects the outcomes achieved in the previous quarter. Data submission includes but is not limited to the following: a. Access b. Quality	Surgical Dental A B C DHA 6.35.1 6.35.1.a 6.35.1.b	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
SUB-SECTION C: Healthcare Professionals Requirement				
16-C-1	All healthcare professionals in the health facility shall hold an active DHA professional license and work within their scope of practice and granted privileges.	Surgical Dental A B C DHA 7.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-2	The privileging committee and/or medical director of the health facility shall privilege the physician aligned with his/her education, training, experience and competencies. The privilege shall be reviewed and revised on regular intervals as per the DHA Policy for Clinical Privileging.	Surgical Dental A B C DHA 7.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-C-3	Additional multidisciplinary staff must be in place as per specialization, continuity of care, service descriptions, scope and patient volume.	Surgical Dental A B C DHA 7.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-4	The standalone DSC shall comply with the minimum requirements: There must be one full time licensed physician with the role of Medical Director.	Surgical Dental A B C DHA 7.3.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-5	The standalone DSC shall comply with the minimum requirements: At least one full time licensed specialist or consultant surgeon present in the DSC.	Surgical Dental A B C DHA 7.3.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-6	The standalone DSC shall comply with the minimum requirements: The specialist or consultant surgeon and anesthesiologist must always be present until the patient is discharged or	Surgical Dental A B C DHA 7.3.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes

	transferred to a higher-level healthcare setting.		https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	here.
16-C-7	The standalone DSC shall comply with the minimum requirements: At least one part time anesthetist is required in Class B (with endoscopy) where permitted narcotics, and dissociative anesthetics are being administered for endoscopic procedures (Appendix 4).	Surgical Dental A B C DHA 7.34	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-8	At least one full-time anesthetist must be present in DSC Class C.	Surgical Dental C DHA 7.3.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-9	For Endoscopic Standards, refer to the DHA Standards for Endoscopy Services	Surgical Dental A B C DHA 7.3.8	Interpretive Guidance: Evaluating Compliance: DHA Standards for Endoscopy Services, Version 1, Effective Date 8/15/2019; www.dha.gov.ae/uploads/112021/777e6e08-ecf4-4c17-9b95-f89cf4479151.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	
16-C-10	Pediatric cases should be managed and treated only by professionals within the pediatric specialty (e.g.: pediatric surgery) or by a health care professional who is privileged to conduct the procedure and must have evidence of training in managing pediatric cases and PALS certified.	Surgical Dental A B C DHA 7.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-11	The treating surgeon shall be available at the DSC facility until the patient is discharged safely.	Surgical Dental A B C DHA 7.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-12	Healthcare professionals engaged in surgery shall maintain up to date hands-on in: Advanced Cardiac Life Support (ACLS) applicable to all healthcare professionals working within the scope of medicine.	Surgical Dental A B C DHA 7.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-C-13	Healthcare professionals engaged in surgery shall maintain up to date pediatrics Advanced Life Support (PALS) applicable to all healthcare professionals working within the scope of pediatrics. Ands-on in:	Surgical Dental A B C DHA 7.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-14	Healthcare professionals engaged in surgery shall maintain up to date hands-on in: Advanced Trauma Life Support (ATLS) applicable to all healthcare professionals working within the scope of surgery.	Surgical Dental A B C DHA 7.6.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-15	If the DSC manages pediatric cases, DSC must ensure all professionals managing pediatric cases (e.g.: Pediatricians, anesthetists and nurses) are trained in managing pediatric cases and PALS certified.	Surgical Dental A B C DHA 7.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-16	Visiting surgeons shall be available twenty-four (24) hours after the procedure.	Surgical Dental A B	Interpretive Guidance: Evaluating Compliance:	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

		C DHA 7.8	Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	Enter observations of non-compliance, comments or notes here.
16-C-17	Visiting surgeons must always ensure their patients are handed over to a competent physician(s) to oversee patient follow up and patient care during their absence.	Surgical Dental A B C DHA 7.8.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-18	The handover process should include a signed document on the patient care plan.	Surgical Dental A B C DHA 7.8.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-19	For DSC that provide full radiology/diagnostic services, one full time consultant/specialist radiologist shall be available to supervise and manage radiology services in the DSC.	Surgical Dental A B C DHA 7.9	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-C-20	At least one radiography technician shall be available in each shift and shall only be responsible for essential radiography services.	Surgical Dental A B C DHA 7.9.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-21	For DSC that provide full laboratory services, one full time DHA licensed pathologist shall be available to supervise and manage the clinical laboratory services in the DSC.	Surgical Dental A B C DHA 7.10	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-C-22	At least one laboratory technician shall be available in each shift and shall only be responsible for essential laboratory services.	Surgical Dental A B C DHA 7.10.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SUB-SECTION D: Pre-Operative Evaluation and Informed Consent

16-D-1	All Day Surgical Centers must have in place a written Surgical Care Pathway (Appendix 5).	Surgical Dental A B C DHA 8.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-2	Day Surgical Center shall only provide surgical and diagnostic procedures for ASA-PS Classification I, II and III patients in both adults and pediatrics (appendix 3-4).	Surgical Dental A B C DHA 8.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-3	ASA-PS classification III patients must have a medical consultation, assessment and clearance as per their medical morbidities prior to any day surgical procedures under deep sedation and/or general anesthesia.	Surgical Dental A B C DHA 8.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-4	For patient selection criteria in dentistry under general anesthesia refer to Appendix 12.	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers,	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

		DHA 8.4	Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	Enter observations of non-compliance, comments or notes here.
16-D-5	Only permitted procedures are performed in the Day Surgical Center. For a list of permitted procedures by DSC Classification, refer to the following link: https://www.dha.gov.ae/uploads/092023/List%20of%20Permitted%20Procedures%20by%20Day%20Surgical%20Center%20Classification2023951570.pdf	Surgical Dental A B C DHA 8.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-6	The following exclusions must be considered during patient consultations and pre-op assessments: Emergency/unprepared patients.	Surgical Dental A B C DHA 8.6.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-7	The following exclusions must be considered during patient consultations and pre-op assessments: Inpatients.	Surgical Dental A B C DHA 8.6.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-8	The following exclusions must be considered during patient consultations and pre-op assessments: Uncooperative patients.	Surgical Dental A B	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers,	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

		C DHA 8.6.3	Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	Enter observations of non-compliance, comments or notes here.
16-D-9	The following exclusions must be considered during patient consultations and pre-op assessments: Patients with a history of sleep apnea.	Surgical Dental A B C DHA 8.6.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-10	The following exclusions must be considered during patient consultations and pre-op assessments: Patients with a history of drug or alcohol abuse.	Surgical Dental A B C DHA 8.6.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-11	The following exclusions must be considered during patient consultations and pre-op assessments: Patients with airway difficulties.	Surgical Dental A B C DHA 8.6.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-D-12	The following exclusions must be considered during patient consultations and pre-op assessments: Patients with severe allergies.	Surgical Dental A B C DHA 8.6.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-13	The following exclusions must be considered during patient consultations and pre-op assessments: Patients with at risk of blood loss, excessive bleeding and may require a blood transfusion.	Surgical Dental A B C DHA 8.6.8	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-14	The following exclusions must be considered during patient consultations and pre-op assessments: Patients that require cardiac catheterization or Interventional Cardiology	Surgical Dental A B C DHA 8.6.9	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-15	The following exclusions must be considered during patient consultations and pre-op assessments: Patients with metabolic disorders (ASA IV and above).	Surgical Dental A B	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers,	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

		C DHA 8.6.10	Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	Enter observations of non-compliance, comments or notes here.
16-D-16	The following exclusions must be considered during patient consultations and pre-op assessments: High-risk patients (ASA IV-VI) in accordance with the American Society of Anesthesiologists (ASA) Classifications.	Surgical Dental A B C DHA 8.6.11	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-17	The following exclusions must be considered during patient consultations and pre-op assessments: Patients who require surgical procedure, intra or immediate post-operative care from a specialized healthcare professional or a specific service not within the scope and available services and professionals of the DSC.	Surgical Dental A B C DHA 8.6.12	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-18	Prior to patient referral for surgery, patients with ASA Classification III should: Have a thorough consultation with appropriate laboratory tests with the treating physician within the DSC or other healthcare facility, prior to the surgery.	Surgical Dental A B C DHA 8.7.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-D-19	Prior to patient referral for surgery, patients with ASA Classification III should: Have evidence of the assessment and feedback e.g.: referral letter, medical report or other communication evidence between the healthcare team and a follow-up appointment with the physician to discuss surgical and non-surgical options.	Surgical Dental A B C DHA 8.7.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
6-D-20	If the surgical procedure requires higher-level sedation, which does not align with the existing day surgical category, then the provider is required to refer the patient to a higher facility category.	Surgical Dental A B C DHA 8.8	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-21	Surgical procedures are limited to those where there is only a small risk of surgical and anesthetic complications and hospitalization.	Surgical Dental A B C DHA 8.8.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-D-22	A comprehensive pre-op patient assessment process and testing shall be achieved with the support of a multi-disciplinary team (as applicable) and based on each patient's clinical and priority needs.	Surgical Dental A B C DHA 8.9	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-23	For DSC Class A and B: blood pressure, blood glucose, BMI and exclusions noted in Standard 2 should form part of the pre-op assessment.	Surgical Dental A B C DHA 8.9.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-24	For Class C: pre-op assessment should include but not limited to: - CBC - Blood glucose - Coagulation profile - BMI - And exclusions noted in Standard 3 (8.6 through 8.6.12)	Surgical Dental A B C DHA 8.9.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-D-25	<p>Patients undergoing elective surgery shall provide their consent at pre-op assessment.</p> <p>a. The timeframe from pre-op assessment to surgery shall be conducted within 4-weeks. Patients exceeding the 4-week window should be re-assessed.</p> <p>b. Patients or their next of kin/legal guardian shall be given written information/instructions on the surgery and surgical preparation.</p> <p>c. Patients shall be given sufficient time to make an informed decision before surgery.</p> <p>e. The physician shall be available to answer any further questions in a non-technical way.</p> <p>f. Consent should be available in both English and Arabic languages. The minimum requirements for informed consent are set out in Appendix 6.</p>	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 8.9.4</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
16-D-26	<p>A Physician, Anesthetists (if applicable) and RN must document, complete and verify the Surgical Safety Checklist (Appendix 7).</p>	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 8.10.1</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

16-D-27	All surgeries under Day Surgical Center category B must always be overseen by: a. A DHA licensed surgeon and nurse b. b. An anesthetist (part-time) must be present if narcotic drugs are being used for permitted endoscopic procedures (Appendix 4).	Surgical Dental A B C DHA 8.10.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-28	All surgeries under Day Surgical Center category C must always be overseen by a DHA licensed surgeon, anesthetist and nurse. The surgical team shall be competent to stabilize critically ill patients and transfer them to a higher level of care if the health facility cannot manage the patient onsite.	Surgical Dental A B C DHA 8.10.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-29	Minimally invasive procedures shall follow Procedural Sedation and Analgesia (PSA), as per the permitted levels of sedation per DSC facility type.	Surgical Dental A B C DHA 8.11	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-D-30	The DHA Licensed anesthetist shall hold valid certification in conscious sedation and be trained and competent in: Understanding the continuum of sedation and apply methods and levels of sedation, conscious sedation and associated risks of moderate/deeper sedation training and required competencies (Appendix 8-9).	Surgical Dental A B C DHA 8.12.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-31	The DHA Licensed anesthetist shall hold valid certification in conscious sedation and be trained and competent in: Being able to conduct a physical assessment to assess the fitness and appropriateness of the patient for PSA.	Surgical Dental A B C DHA 8.12.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-D-32	The DHA Licensed anesthetist shall hold valid certification in conscious sedation and be trained and competent in: Discharging the patient, including but is not limited to the following checks: a. The patient returned to their baseline level of consciousness. b. Vital signs are stable and within acceptable limits c. Sufficient time has elapsed following administration of reversal agents (if applicable) to ensure that patient is not re-sedated. d. All recovery assessments, discharge	Surgical Dental A B C DHA 8.12.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

	and home release, have been met and completed (Appendix 10-11).			
16-D-33	The DHA Licensed anesthetist shall hold valid certification in conscious sedation and be trained and competent in: Being able to discuss where and when deeper levels of sedation or anesthesia may be indicated.	Surgical Dental A B C DHA 8.12.5	Interpretive Guidance: Evaluating Compliance: S Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

SUB-SECTION E: Patient Safety, Monitoring and Discharge

16-E-1	The following should be considered and documented in the patient record: Patient identity (including history and family history).	Surgical Dental A B C DHA 9.1.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-2	The following should be considered and documented in the patient record: Evidence of consultation, physical examinations and confirmatory lab or diagnostics (patient selection).	Surgical Dental A B C DHA 9.1.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			0for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	here.
16-E-3	The following should be considered and documented in the patient record: Procedure to be undertaken and location with clear markings.	Surgical Dental A B C DHA 9.1.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-4	The following should be considered and documented in the patient record: No emerging issues since the last pre-op assessment.	Surgical Dental A B C DHA 9.1.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-5	The following should be considered and documented in the patient record: Verification of Nothing by Mouth Status.	Surgical Dental A B C DHA 9.1.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			%20Final202397280.pdf	
16-E-6	The following should be considered and documented in the patient record: Mitigating circumstances/exclusions not to perform the surgery (6.2.3. and Appendix 3).	Surgical Dental A B C DHA 9.1.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-7	The following should be considered and documented in the patient record: Adequate staff levels for the procedure.	Surgical Dental A B C DHA 9.1.8	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-8	The following should be considered and documented in the patient record: Sedation/anesthesia and recovery plan.	Surgical Dental A B C DHA 9.1.10	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-E-9	The following should be considered and documented in the patient record: Document adherence to the Surgical Safety Checklist (Appendix 7) for all surgeries.	Surgical Dental A B C DHA 9.9.11	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-10	The following should be considered and documented in the patient record: Control of concentrated electrolyte solutions.	Surgical Dental A B C DHA 9.1.12	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-11	The following should be considered and documented in the patient record: Assuring medication accuracy and safe dosing.	Surgical Dental A B C DHA 9.1.13	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-E-12	The following should be considered and documented in the patient record: Avoiding catheter and tubing misconnections.	Surgical Dental A B C DHA 9.1.14	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-13	The following should be considered and documented in the patient record: Single-use of injection devices and insert of the IV line.	Surgical Dental A B C DHA 9.1.17	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-14	There are several patient safety measures that should be considered and documented in facility logbook such as and not limited to: Confirmation of functioning equipment and a back-up plan.	Surgical Dental A B C DHA 9.2.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

			%20Final202397280.pdf	
16-E-15	There are several patient safety measures that should be considered and documented in facility logbook such as and not limited to: A list of look-alike, sound-alike medication.	Surgical Dental A B C DHA 9.2.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-16	All patient diagnostic or surgical procedures shall be continuously monitored in accordance with the surgical procedure, patient safety and risk factors.	Surgical Dental A B C DHA 9.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-17	Minor procedures performed under topical or local anesthesia, not involving drug-induced alteration of consciousness other than minimal preoperative anti-anxiety medications (e.g. mole removals or incision and drainage of superficial abscesses) maybe performed by a DHA	Surgical Dental A B C DHA 9.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

	licensed physician or dentist within their scope of practice and privileges.		%20Final202397280.pdf	
16-E-18	When moderate sedation is targeted, the healthcare professional is assigned responsibility for patient monitoring and may perform brief interruptible tasks.	Surgical Dental A B C DHA 9.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-19	Monitoring includes an electronic assessment of blood pressure, respiratory rate, heart rate and pulse oximetry combined with visual monitoring of the patient's level of consciousness and discomfort.	Surgical Dental A B C DHA 9.5.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-20	Procedures that require the use of deep sedation/analgesia, general anesthesia, or major conduction blockade (e.g. liposuction) may be serious or life-threatening (Appendix 3-4).	Surgical Dental A B C DHA 9.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-E-21	Major regional blocks include but are not limited to the spinal, epidural or caudal injection of any drug, which has analgesic, anesthetic or sedative effects.	Surgical Dental A B C DHA 9.6.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-22	When deep sedation or general anesthesia is targeted, the anesthetist is responsible for patient monitoring must be dedicated solely to that task and be readily available to take the necessary action to ensure patient safety during the procedure.	Surgical Dental A B C DHA 9.6.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-23	The DSC shall put in place procedures to rescue patients who are sedated deeper than intended.	Surgical Dental A B C DHA 9.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-E-24	Documentation of the clinical assessments and monitoring data during sedation and recovery and discharge is required to include: Food consumption appropriate for the patient and consistent with the patient's condition, and clinical care shall be provided.	Surgical Dental A B C DHA 9.8.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-25	Documentation of the clinical assessments and monitoring data during sedation and recovery and discharge is required to include: Ability to pass urine following surgery.	Surgical Dental A B C DHA 9.8.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-26	Documentation of the clinical assessments and monitoring data during sedation and recovery and discharge is required to include: Patient-level of consciousness and ability to put on clothing without assistance.	Surgical Dental A B C DHA 9.8.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-E-27	A discharge plan shall start from patient admission and include various personnel, information and resources.	Surgical Dental A B C DHA 9.9	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-28	Considerations for discharge preparation shall include but not be limited to: Medication needed from the pharmacy.	Surgical Dental A B C DHA 9.10.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-29	Considerations for discharge preparation shall include but not be limited to: Physician written authorization for discharge.	Surgical Dental A B C DHA 9.10.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-E-30	Considerations for discharge preparation shall include but not be limited to: Documentation of the procedure for the patient and treating physician.	Surgical Dental A B C DHA 9.10.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-31	Considerations for discharge preparation shall include but not be limited to: No driving policy and travel distance to home.	Surgical Dental A B C DHA 9.10.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-32	Considerations for discharge preparation shall include but not be limited to: Environmental conditions, such as stairs, access to toilet or bedroom.	Surgical Dental A B C DHA 9.10.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-E-33	The carer's/authorized persons contact details and their awareness of possible issues and requirements following discharge.	Surgical Dental A B C DHA 9.11	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-34	Contact numbers after discharge, such as the doctor or emergency contact. a. Follow up phone call and follow up appointments	Surgical Dental A B C DHA 9.11.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-E-35	The treating physician shall respect patients' choices if they decide to Discharge Against Medical Advice (AMA).	Surgical Dental A B C DHA 9.11.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-E-36	AMA patients must sign a form before leaving the facility and be witnessed by the treating physician and a nurse.	Surgical Dental A B C DHA9.11.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
----------------	---	---	---	---

SUB-SECTION F: Critical Care and Emergency Management

16-F-1	DSC shall have written policies and procedures must be established and implemented. They should define and describe the scope of critical care services that ensure safe and competent delivery of the patients' services.	Surgical Dental A B C DHA 10.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-2	The DSC shall ensure there is one competent Registered Nurse (RN) during surgery with suitable training and experience in critical care on duty to provide the critical care services if required.	Surgical Dental A B C DHA 10.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-3	<p>Evidence of the competency and training shall include the following:</p> <ul style="list-style-type: none"> - Recognizing arrhythmias. - Assisting the physician in placing central lines or arterial lines. - Obtaining blood gases ABG's. - Central Venous Pressure (CVP). - Glasgow Coma Scale (GSC) - Point of Care Testing - Training in using defibrillator and care of patients on ventilators. 	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 10.2.1</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
16-F-4	<p>The DSC shall ensure periodic training and education for staff in the use of equipment for emergency management.</p>	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 10.3</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>
16-F-5	<p>Training and assessment of competency shall be documented as per the requirements of the training provider.</p>	<p>Surgical Dental</p> <p>A B C</p> <p>DHA 10.3.1</p>	<p>Interpretive Guidance:</p> <p>Evaluating Compliance:</p> <p>Sta Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf</p>	<p><input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite</p> <p>Enter observations of non-compliance, comments or notes here.</p>

16-F-6	The ratio of recovery rooms should consider the number of surgical theatres, hours of operation, procedures being performed and patient scheduling.	Surgical Dental A B C DHA 10.5.1	Interpretive Guidance: Evaluating Compliance: S Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-7	Critical care services equipment and supplies must be immediately available in the DSC for the immediate and safe provision of care and treatment required.	Surgical Dental A B C DHA 10.5.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-8	At a minimum, DSC shall have a clear protocol and provision for essential emergency management for illness and/or injection injuries that occurred for the patient, healthcare professionals, employees or visitors, which needs immediate emergency care and assistance before transport to another health facility.	Surgical Dental A B C DHA 10.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-9	Emergency services must be provided by qualified and licensed physician(s) who are authorized by their scope of practice to provide emergency services and	Surgical Dental A B C	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers,	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite

	received privileges from the facility to perform specific emergency procedures.	DHA 10.7	Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	Enter observations of non-compliance, comments or notes here.
16-F-10	RN providing emergency services in the DSC shall be trained and competent to provide the emergency care, as needed: Patient Triage.	Surgical Dental A B C DHA 10.8.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-11	RN providing emergency services in the DSC shall be trained and competent to provide the emergency care, as needed: Operating a Cardiac Monitor.	Surgical Dental A B C DHA 10.8.2	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-12	RN providing emergency services in the DSC shall be trained and competent to provide the emergency care, as needed: ECG Recording and Interpretation.	Surgical Dental A B C DHA 10.8.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-13	RN providing emergency services in the DSC shall be trained and competent to provide the emergency care, as needed: Pulse Oximetry.	Surgical Dental A B C DHA10.8.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-14	RN providing emergency services in the DSC shall be trained and competent to provide the emergency care, as needed: Oxygen Administration.	Surgical Dental A B C DHA 10.8.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-15	RN providing emergency services in the DSC shall be trained and competent to provide the emergency care, as needed: Suctioning.	Surgical Dental A B C DHA 10.8.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-16	RN providing emergency services in the DSC shall be trained and competent to provide the emergency care, as needed: Intravenous cannulation.	Surgical Dental A B C DHA 10.8.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-17	RN providing emergency services in the DSC shall be trained and competent to provide the emergency care, as needed: Emergency services will be available during the operational hours of the DSC.	Surgical Dental A B C DHA 10.8.9	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-18	Emergency Medications must be available in all DSCs as per DHA Emergency Medications Policy.	Surgical Dental A B C DHA 10.9	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-19	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Resuscitation kit, cardiac board and oral airways.	Surgical Dental A B C DHA 10.10.3	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-20	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Laryngoscope with blades.	Surgical Dental A B C DHA 10.10.4	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-21	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Diagnostic set.	Surgical Dental A B C DHA 10.10.5	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-22	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Patient trolley with an IV stand.	Surgical Dental A B C DHA 10.10.6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-23	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Nebulizer	Surgical Dental A B C DHA 10.10.7	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-24	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Refrigerator for medication.	Surgical Dental A B C DHA 10.10.8	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-25	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Floor Lamp (Operating light mobile).	Surgical Dental A B C DHA 10.10.9	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-26	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Sets of instruments shall include suturing set, dressing set, foreign body removal set or minor set and cut down set.	Surgical Dental A B C DHA 10.10.10	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-27	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Disposable supplies shall include the following: - Suction tubes (all sizes) - Tracheostomy tube (all sizes) - Intravenous cannula (different sizes) - Syringes (various sizes) - Dressings (gauze, sofratulle) - Crepe bandages (sizes) - Splints (Thomas splints, cervical collars, finger splints).	Surgical Dental A B C DHA 10.10.11	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-28	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Glucometer	Surgical Dental A B C DHA 10.10.12	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-29	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Sufficient electrical outlets to satisfy monitoring equipment requirements, including clearly labelled outlets connected to an emergency power supply.	Surgical Dental A B C DHA 10.10.13	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-30	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Portable vital signs monitor (ECG, Pulse-Oximetry, Temperature, NIBP, EtCO2).	Surgical Dental A B C DHA 10.10.15	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-31	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: One portable ventilator is required for (1) one to (4) four OTs (backup) Note: EtCo2, ventilators and defibrillator are not required in DSC level A and level B (without endoscopy).	Surgical Dental A B C DHA 10.10.17	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-32	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: Policy for maintaining personal items and food in the emergency area shall be established and maintained by the health facility.	Surgical Dental A B C DHA 10.10.19	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-33	Emergency devices, equipment and supplies must be available for immediate use for treating life-threatening conditions shall include but not limited to the following: A record must be kept for each patient receiving emergency services and integrated into the patient's health records. The record shall include patient name, date, time and method of arrival, physical findings, care, and treatment. Name of treating physician and discharging/transferring time.	Surgical Dental A B C DHA 10.10.20	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

16-F-34	Well-equipped ambulance services shall be ready and nearby with licensed, trained and qualified Emergency Medical Technicians (EMT) for patient transportation if required.	Surgical Dental A B C DHA 10.11	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-35	The service can be outsourced with a written contract with an emergency services provider licensed in Dubai.	Surgical Dental A B C DHA 10.11.1	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.
16-F-36	Ambulance services shall meet Dubai emergency transfer timeframes.	Surgical Dental A B C DHA 10.11.12-6	Interpretive Guidance: Evaluating Compliance: Standards for Standalone Day Surgery Centers, Version 4, Effective date 1/11/2023 https://www.dha.gov.ae/uploads/092023/Standards%20for%20Standalone%20Day%20Surgery%20Centres%20Final202397280.pdf	<input type="checkbox"/> Compliant <input type="checkbox"/> Deficient <input type="checkbox"/> Not Applicable <input type="checkbox"/> Corrected Onsite Enter observations of non-compliance, comments or notes here.

GLOSSARY

Adequate is meant to encompass size, space, maintenance, cleanliness, free of clutter, lighting, appropriately equipped, etc.

Appropriate/appropriately means especially suitable or compatible; or fitting.

Examples:

- Administrative and patient care areas must have lighting to see all tasks fully. (2-B-9 and 2-B-12)
- Laryngoscopes are cleaned according to manufacturer's recommendations, though sterilization is preferred. (4-C-6)
- Oxygen delivery should be tailored to the appropriate delivery method based on patient need and type/location of procedure. (4-C-10)

Clinical Personnel refers to the entire surgical/procedural clinical team, including, but not limited to, all surgeons/proceduralists, anesthesia providers, nurses, scrub techs, etc. Employment status (owner, employee, contractor, etc.) is not a factor in defining who is included as Clinical Personnel.

Continual is defined as “repeated regularly and frequently in steady, rapid succession,” whereas **continuous** means “prolonged without interruption at any time.”

A **log** is a written record of performance, events, or day-to-day activities. A log is similar to a **register** which is a written record containing regular entries of items or details.

Examples:

- On any day that controlled substances are administered, the controlled substance inventory and control record (log/register) must be updated as appropriate to reflect controlled substances administered, received, wasted, and currently stored by two licensed healthcare professionals. (6-D-2)
- A written record (log/register) of all operative cases is maintained by the facility. (8-L-1)

Medical Director is the clinician responsible for overall oversight of the facility.

GENERAL GLOSSARY

Adequate: Satisfactory or acceptable in quality or quantity, encompassing size, space, maintenance, cleanliness, freedom from clutter, lighting, equipment, and supplies, etc.; it is meant to satisfy a requirement.

Advanced Cardiac Life Support (ACLS): A course that trains and certifies participants in a set of clinical guidelines for the urgent and emergent treatment of life-threatening cardiovascular conditions in adults that will cause or have caused cardiac arrest using advanced medical procedures, medications, and techniques through didactic and hands-on skills return demonstration sessions. It builds on the foundation of lifesaving basic life support (BLS) skills. It reflects science and education from the *American Heart Association Guidelines Update for CPR and Emergency Cardiovascular Care (ECC)*. The course is approved by the American Heart Association (AHA) or an identical content course that conforms to the current AHA Guidelines.

*** **Advanced practice registered nurses (APRNs):** Licensed registered nurses educated at a master's or doctoral level and in a specific role and patient population. APRNs are prepared with specialized education and certification to assess, diagnose, and manage medical issues. They can also order tests and prescribe medications. APRNs include:

- 1) Certified registered nurse anesthetist (CRNA).
- 2) Certified nurse practitioner (CNP).
- 3) Clinical nurse specialist (CNS).
- 4) Certified nurse midwife (CNM).

Adverse event: An incident in health care that causes unintended harm to patients or providers and is often preventable. Common adverse events include but are not limited to, medication errors, surgical mistakes, infections acquired in healthcare settings, falls, pressure ulcers, and communication failures. All adverse events that occur within 30 (thirty) days of the procedure must be reported to QUAD A contemporaneously when the facility learns of the event.

Air Exchanges Per Hour (ACH): The number of times that the total air volume in a room or space is completely removed and replaced in an hour.

Ambulatory Health Care vs Business Occupancy https://cdn.ymaws.com/nehes.site-ym.com/resource/resmgr/presentations/2018/doc_presentation_cable081718.pdf

*** **Ambulatory surgical center (ASC):** Ambulatory surgical center or ASC means any distinct entity that operates exclusively for the purpose of providing surgical services to patients not requiring hospitalization and in which the expected duration of services would not exceed 24 hours following an admission. The entity must have an agreement with CMS to participate in Medicare as an ASC and must meet the conditions set forth in subparts B and C of 416.2. [42 CFR 416.2]

Ambulatory Services: for the period before January 1, 2008, facility services that are furnished in an ASC, and beginning January 1, 2008, means the combined facility services and covered ancillary services that are furnished in an ASC in connection with covered surgical procedures. [42 CFR 416.2]

Anesthesia professional: A physician anesthesiologist, Certified Registered Nurse anesthetist (CRNA), Certified Anesthesiologist Assistant (CAA), and an appropriately credentialed Oral and Maxillofacial Surgeon.

**** Antisepsis:** The application of an antimicrobial chemical to the skin or mucous membrane to reduce the microbial population.

**** Antiseptic:** An agent used for antisepsis (to kill microorganisms or substantially inhibit their growth).

**** Autoclave:** A common term applied to the performance of steam sterilization under pressure, where bacteria are killed (including spores).

***** Appropriate/appropriately** means especially suitable or compatible; or fitting.

Examples:

- Administrative and patient care areas must have lighting to see all tasks fully.
- Laryngoscopes are cleaned according to the manufacturer's recommendations, though sterilization is preferred.
- Oxygen delivery should be tailored to the appropriate delivery method based on patient need and type/location of the procedure.

Auxiliary Staff: Unlicensed staff who are not state-certified/licensed to independently evaluate patient physical status and cannot legally provide emergency duties beyond Basic Life Support for Healthcare Providers. Auxiliary staff includes dental assistants, registered/certified dental assistants, dental anesthesia/sedation assistants, medical assistants, surgical technicians, and other non-independently Licensed Providers.

Basic Life Support (BLS): A course that trains and certifies participants to promptly recognize several life-threatening emergencies, give high-quality chest compressions, deliver appropriate ventilations, and provide early use of an automatic external defibrillator (AED) through both didactic and hands-on skills return demonstration sessions. It reflects science and education from the *American Heart Association Guidelines Update for CPR and Emergency Cardiovascular Care (ECC)* and is approved by the American Heart Association (AHA) or an identical content course that conforms to the current AHA Guidelines.

**** Biological Indicator (BI):** A sterilization process monitoring device commercially prepared with a known population of highly resistant spores that tests the effectiveness of the sterilization method being used. The indicator is used to demonstrate that the conditions necessary to achieve sterilization were met during the sterilizer cycle being monitored.

Business Associate Agreement (BAA): A contract between the facility and an external business or individual that performs certain functions or activities on behalf of, or provides a service to, the facility when the function, activity, or service involves the creation, receipt, maintenance, or transmission of Protected Health Information (PHI) by the business or individual. The agreement establishes the permissible uses and disclosures of PHI by the business associate, how the business associate will support patients' Privacy Rule rights, and the responsibilities of both parties to maintain the privacy and security of PHI. The Health Insurance Portability and Accountability Act (HIPAA) Rules generally require that covered

entities and business associates enter into contracts with their business associates to ensure that the business associates will appropriately safeguard protected health information.

*** **Certified Anesthesiologist Assistant (CAA):** A master's degree level non-physician anesthesia care provider that:

- 1) Is certified by the National Commission for Certification of Anesthesiologist Assistants (NCAA) Note: not a CMS requirement
- 2) Works under the direction of an anesthesiologist.
- 3) Is in compliance with all applicable requirements of State law, including any licensure requirements the State imposes on nonphysician anesthetists; and
- 4) Is a graduate of a medical school-based anesthesiologist's assistant educational program that—
 - a) Is accredited by the Committee on Allied Health Education and Accreditation; and
 - b) Includes approximately two (2) years of specialized basic science and clinical education in anesthesia at a level that builds on a premedical undergraduate science background.

*** **Certified Registered Nurse Anesthetist (CRNA):** An advanced practice registered nurse (APRN) who administers anesthesia and other medications. Physician Supervision (either the operating practitioner or of an anesthesiologist who is immediately available if needed) is required if required by state or federal law.

- 1) Is licensed as a registered professional nurse by the State in which the nurse practices.
- 2) Meets any licensure requirements the State imposes with respect to nonphysician anesthetists.
- 3) Has graduated from a nurse anesthesia educational program that meets the standards of the Council on Accreditation of Nurse Anesthesia Programs, or such other accreditation organization as may be designated by the Secretary; and
- 4) Meets the following criteria:
 - (i) Has passed a certification examination of the Council on Certification of Nurse Anesthetists, the Council on Recertification of Nurse Anesthetists, or any other certification organization that may be designated by the Secretary; or
 - (ii) Is a graduate of a program described in paragraph (3) of this definition and within 24 months after that graduation meets the requirements of paragraph (4)(i) of this definition.
- 5) For certified registered nurse anesthetist services, the certified registered nurse anesthetist may review and verify (sign and date), rather than re-document, notes in a patient's medical record made by physicians; residents; nurses; medical, physician assistant, and advanced practice registered nurse students; or other members of the medical team, including, as applicable, notes documenting the certified registered nurse anesthetist's presence and participation in the service.
- 6)

** **Chemical Indicator (CI):** A sterilization monitoring device used to monitor the attainment of one (1) or more critical parameters required for sterilization. A characteristic color or other visual change indicates a defined level of exposure based on the classification of the chemical indicator used.

*****Clinic:** A facility (Rural Health Clinic (RHC)) that is established primarily to furnish outpatient physician services and that meets the following tests of physician involvement:

- The medical services are furnished by a group of three or more physicians practicing medicine together.

- A physician is present during all hours of the operation of the clinic to furnish medical services, as distinguished from purely administrative services. *[485.703 Condition]*

*****Clinic Administrator:** The individual responsible for the internal operation of the RHC in accordance with written policies. A qualified Clinic Administrator is designated by the facility's governing body. *[CMS §485.705(c)(1) and §485.709(b)]*

***** Clinical Personnel:** The entire clinical team providing services in the facility, including, but not limited to, all physicians/surgeons/proceduralists, anesthesia providers, nurses, scrub techs, physician assistants, physical/occupational/speech therapists and assistants, social workers, clinical psychologists, marriage and family therapists, mental health counselors, medical assistants, etc. Employment status (owner, employee, contractor, contracted, indirect employee, prn staff, etc.) is not a factor in defining who is included as Clinical Personnel.

***** Covered ancillary services:** items and services that are integral to a covered surgical procedure performed in an ASC as provided in §416.164(b), for which payment may be made under §416.171 in addition to the payment for the facility services. *[42 CFR 416.2]*

***** Covered surgical procedures:** surgical procedures furnished before January 1, 2008, that meet the criteria specified in §416.65 and those surgical procedures furnished on or after January 1, 2008, that meet the criteria specified in §416.166. *[42 CFR 416.2]*

**** Contact Time:** "Wet time," also known as "contact time" or "dwell time," is the amount of time a disinfectant or antiseptic solution must remain wet and in direct contact with a target microorganism or on a surface to be effective. This time can range from 15 seconds to 10 minutes, which is the maximum time allowed by the US Environmental Protection Agency (EPA). The contact time is established by the product manufacturer.

**** Contamination:** The presence of potentially infectious pathogenic microorganisms on animate or inanimate objects or surfaces.

Contemporaneously: Originating, existing, or happening during the same period of time.

Continual: Repeated regularly and frequently in steady, rapid succession.
Continuous: Prolonged without interruption at any time.

Contract & Indirect Employees: These employees are not on the company's payroll and are not restricted by employment laws that apply to direct employees. Work details are defined in a contract agreed upon by the company and a contractor or third-party agency.

*** Deep Sedation/Analgesia:** A drug-induced depression of consciousness during which patients cannot be easily aroused but respond purposefully following repeated or painful stimulation. The ability to independently maintain ventilatory function may be impaired. Patients may require assistance in maintaining a patent airway, and spontaneous ventilation may be inadequate. Cardiovascular function is usually maintained.

Decontamination: Any physical or chemical process that reduces the number of microorganisms on any inanimate object to render that object safe for subsequent handling.

Dental Anesthesiologist: A licensed DDS or DMD with specialized, hospital-based training in

areas including pharmacology, internal medicine, emergency medicine, and pediatric and adult anesthesiology.

Dental Assistant: A dental team member who supports a dental operator in providing more efficient dental treatment. A dental assistant must graduate from an accredited dental assisting training program and earn certification or licensure as State law requires.

Direct Employee: A full- or part-time employee hired by a facility and paid directly through the facility's payroll. They are considered permanent employees because the intention is to work with them long-term rather than temporarily or as needed.

*****Direct Services** means services provided by the clinic's staff. **[42 CFR 491.2]**

**** Disinfectant:** A chemical agent used to kill viruses and bacteria on surfaces. It must be an EPA-registered disinfectant with bactericidal, tuberculocidal, and virucidal properties with specific claims and instructions for HIV and HBV.

**** EPA-Registered:** An EPA registration number signifies that a disinfectant and its claims have been reviewed and approved by the United States Environmental Protection Agency.

*****Extension Location:** A location or site from which a rehabilitation agency provides services within a portion of the total geographic area served by the primary site. The extension location is part of the rehabilitation agency. The extension location should be located sufficiently close to share administration, supervision, and services in a manner that renders it unnecessary for the extension location to independently meet the conditions of participation as a rehabilitation agency. **[485.703 Condition]**

Facility Director: An individual that manages all aspects of a facility's operations. Their duties include budget management, facility planning, and building system maintenance.

Facility Leadership and Governing Body: These terms are interchangeable and refer to the person or group of people with full authority and responsibility for directing, overseeing, and controlling the facility's operations. Medicare uses the term "governing body," while non-Medicare facilities use the term "facility leadership." For both, the facility must define in policy the person or group of people that constitute the governing body or facility leadership.

Facility Safety Manual: A compilation of safety procedures and guidelines to follow in emergencies or unsafe situations.

***** Facility services:** for the period before January 1, 2008, services that are furnished in connection with covered surgical procedures performed in an ASC, and beginning January 1, 2008, means services that are furnished in connection with covered surgical procedures performed in an ASC as provided in §416.164(a) for which payment is included in the ASC payment established under §416.171 for the covered surgical procedure. **[42 CFR 416.2]**

General Anesthesia: A drug-induced loss of consciousness during which patients are not arousable, even by painful stimulation. The ability to independently maintain ventilatory function is often impaired. Patients often require assistance in maintaining a patent airway, and positive pressure ventilation may be required because of depressed spontaneous ventilation or drug-induced depression of neuromuscular function. Cardiovascular function may be impaired.

Governing Body and Facility Leadership: These terms are interchangeable and refer to the person or group of people with full authority and responsibility for directing, overseeing, and controlling the facility's operations. Medicare uses the term “governing body,” while non-Medicare facilities use the term “facility leadership.” For both, the facility must define in policy the person or group of people that constitute the governing body or facility leadership.

**** Healthcare-Associated Infection (HAI):** An infection acquired by patients while they are receiving medical care, with confirmation of diagnosis by clinical or laboratory evidence. Infective agents may originate from endogenous or exogenous sources. HAIs, which are also known as nosocomial infections, may not become apparent until the patient has been discharged from the healthcare setting.

**** Immediate Use Steam Sterilization (IUSS):** An abbreviated process of steam sterilization of patient care instruments (or devices) for immediate use.

Immediately Available: Accessible (clinician and equipment) without any delay or waiting period. Examples include the physical presence of the health care professional in the facility to assess, evaluate, and provide care to a patient; a supervising physician is physically accessible and able to attend to the patient, without any delay, to address any situation requiring a supervising physician's services; and, 1) dedicated to the facility when on duty, 2) unencumbered by conflicting duties or responsibilities, 3) responding without delay when notified.

****Infection:** The invasion and multiplication of microorganisms in body tissues that cause cellular injury and clinical symptoms.

Intraoperatively: The intraoperative phase extends from the time the patient is admitted to the operating room to the time of anesthesia administration, the performance of the surgical procedure, and until the client is transported to the recovery room or post-anesthesia care unit (PACU).

**** Instructions for Use (IFUs):** Specific, detailed instructions provided by the manufacturer. IFUs for medical devices detail the steps required for cleaning, disinfection, and sterilization that are compatible with that device. Products approved for use in cleaning, disinfection, and sterilization will have specific IFUs to follow (e.g., dilution ratio and contact time) to ensure the product's efficacy.

Legally Qualified: Being in compliance or accordance with specific requirements or conditions. Is qualified under the applicable local, State or Federal law to hold the position for which he or she holds and has met the qualifications of the position.

Log: A written record of performance, events, or day-to-day activities. It is similar to a register, which is a written record containing regular entries of items or details.

Examples:

- On any day that controlled substances are administered, the controlled substance inventory and control record (log/register) must be updated as appropriate to reflect controlled substances administered, received, wasted, and currently stored by two licensed healthcare professionals. (6-D-2)
- A written record (log/register) of all operative cases is maintained by the facility. (8-L-1)

**** Mechanical (Physical) Indicator:** Monitors (embedded into the sterilization equipment) that register, record, and report parameters for each cycle (time in use, the temperature achieved, and the pressure attained in the chamber). The information attained through the gauges and/or printouts provides evidence the sterilization system has met the set parameters (or has not, and there is a need for corrective action).

Medical Director: The clinician responsible for overall oversight of the facility.

***** Medical Staff:** The organized body of licensed physicians and other healthcare providers who are permitted by law and through credentialing and privileges granted by the facility leadership to provide medical care within the facility. The medical staff includes physicians, surgeons, specialists, CRNAs, NPs, PAs, and allied health professionals, as identified in facility policy.

*** Minimal Sedation:** A drug-induced state during which patients respond normally to verbal commands. Although cognitive function and physical coordination may be impaired, airway reflexes, and ventilatory and cardiovascular functions are unaffected.

*** Moderate Sedation/Analgesia (“Conscious Sedation” or “Procedural Sedation”):** A drug-induced depression of consciousness during which patients respond purposefully to verbal commands, either alone or accompanied by light tactile stimulation. No interventions are required to maintain a patent airway, and spontaneous ventilation is adequate. Cardiovascular function is usually maintained.

*** Monitored Anesthesia Care (“MAC”)** does not describe the continuum of depth of sedation; rather, it describes “a specific anesthesia service performed by a qualified anesthesia provider, for a diagnostic or therapeutic procedure.” Indications for monitored anesthesia care include “the need for deeper levels of analgesia and sedation than can be provided by moderate sedation (including potential conversion to a general or regional anesthetic).

National Fire Protection Association (NFPA) Business Occupancies, 2021
<https://www.nfpa.org/news-blogs-and-articles/blogs/2021/05/07/occupancy-classifications-and-model-codes>

- 1) **Business Occupancy** is an occupancy used for the transaction of business other than mercantile (engaged in commerce). This includes clinics.
- 2) **Ambulatory Health Care Occupancies** are occupancies used to provide services or treatment simultaneously to four or more patients that provide, on an outpatient basis, one or more of the following:
 - a. Treatment for patients that renders the patients incapable of taking action for self-preservation under emergency conditions without the assistance of others
 - b. Anesthesia that renders patients incapable of taking action for self-preservation under emergency conditions without the assistance of others
 - c. Emergency or urgent care for patients who, due to the nature of their injury or illness, are incapable of taking action for self-preservation under emergency conditions without the assistance of others

Examples include Day Surgery, Dentists' Offices, oral surgery with sedation, and Endoscopy Centers.

***** Nurse Practitioner (NP):** A person who is currently licensed to practice in the State and meets the applicable State requirements governing the qualifications of nurse practitioners. And meets at least one (1) of the following conditions:

- 1) Is certified as a practitioner by a recognized national certifying body that has established standards for nurse practitioners and possesses a master's or doctoral degree in nursing practice or
- 2) Has satisfactorily completed a formal one (1) academic year educational program that:
 - i. Prepares registered nurses to perform an expanded role.
 - ii. That includes at least four (4) months (in the aggregate) of classroom instruction and a component of supervised clinical practice.
 - iii. Awards a degree, diploma, or certificate to persons who successfully complete the program.
- 3) Has successfully completed a formal educational program (for preparing registered nurses to perform an expanded role) that does not meet the requirements identified above in paragraph 2, and the Nurse Practitioner has been performing an expanded role in the delivery of care for a total of 12 months during the 18-month period immediately preceding the effective date of the subpart.

Nurses Note: Documentation that provides a record of nursing care provided to a patient, family, or community.

Oral Maxillofacial Surgeon (OFM): A medical doctor who is specifically trained in maxillofacial surgery. Because of the focus on the oral area, typically, maxillofacial surgeons attend dental school for four years after receiving their bachelor's degree.

Patient Safety Data Reporting (PSDR): A form of quality control performed by QUAD A accredited facilities within the outpatient setting. Those participating in the data reporting process create a system-wide culture of clinical quality and demonstrate the positive results of accreditation. PSDR reporting is required for QUAD A facilities participating in Office-Based Surgical, Office-Based Procedural, Oral Maxillofacial Surgery, Pediatric Dentistry, International Surgical, or Medicare ASC programs. Reporting PSDR data is required quarterly, including physician case review. Results of the physician case reviews are discussed during Peer Review meetings.

Pediatric Advanced Life Support (PALS): A course that trains and certifies participants in a set of clinical guidelines for the urgent and emergent treatment of life-threatening cardiovascular conditions in children that will cause or have caused cardiac arrest using advanced medical procedures, medications, and techniques through didactic and hands-on skills return demonstration sessions. It builds on the foundation of lifesaving basic life support (BLS) skills. It reflects science and education from the *American Heart Association Guidelines Update for CPR and Emergency Cardiovascular Care (ECC)*. The course is approved by the American Heart Association (AHA) or an identical content course that conforms to the current AHA Guidelines.

Pediatric Dentist: A licensed dentist in the state where the dentist practices and who has satisfactorily completed:

- 1) Four (4) years of dental school.
- 2) Two (2) additional years of residency training in dentistry for infants, children, teens, and children with special needs.
- 3) A minimum of 24 months in an advanced education program accredited by the Commission on Dental Accreditation of the American Dental Association. Such programs “must be designed to provide special knowledge and skills beyond the Doctor of Dental Surgery (DDS) or Doctor of Medicine in Dentistry (DMD) training.
- 4) A curriculum of an advanced program provides the dentist with the necessary didactic background and clinical experiences to provide comprehensive primary oral health care and the services of a specialist.

**** Peel Pouch:** A sterilization pouch (or peel pack) is a disposable package validated for use in a sterilizer to allow penetration of the sterilant to the items placed inside. After sterilization, peel pouches maintain the sterility of the processed item(s) during storage and until needed for use. Pouches are designated as Class II medical devices and may be self-sealing or heat-sealing. “Double pouching” should only be performed if validated for the specific type of pouch and when the manufacturer’s instructions for use provide the method of packaging and the sterilization parameters.

Peer: An individual(s) of the same professional discipline and specialty who possesses sufficient training and experience to render judgment on the clinical circumstances under review.

Peer Review: The task of physicians holding one another to the ethical standards of their profession and maintaining the administration of patient safety and quality of care consistent with optimal standards of practice. The American Medical Association (AMA) publishes information regarding the peer review process and describes the composition of the Peer Review Committee as follows:

*Peer review is conducted in good faith **by physicians who are within the same geographic area or jurisdiction and medical specialty of the physician subject to review** to ensure that all physicians consistently maintain optimal standards of competency to practice medicine. Physicians outside of the organization that are convening peer review may participate in that organization's peer review of a physician if the reviewing physician is within the same geographic area or jurisdiction and medical specialty as the physician who is the subject of peer review.*

What is Peer Review? <https://www.amwa-doc.org/what-is-peer-review/>

Personnel: Everyone employed (including volunteers) at a facility, including both direct and indirect (contract) employees who provide care, treatment, or services to patients. The terms “personnel” and “staff” are synonymous.

**** Personal Protective Equipment (PPE):** Protective equipment (e.g., masks, gloves, goggles, face shields, and gowns) for eyes, face, head, and extremities; protective clothing; respiratory devices; and protective shields and barriers designed to protect the wearer from injury and minimize exposure to hazards.

***** Physician:** Providers who medically diagnose patients, prescribe and manage medication, and supervise other medical staff A licensed Doctor of Medicine (MD) or Doctor of Osteopathy (DO) legally authorized to practice medicine or surgery in the State in which the function is

performed; and a Doctor of Dental Surgery (DDS) or Doctor of Dental Medicine (DMD) who is legally authorized to practice dentistry by the State in which he/she performs such function and who is acting within the scope of his/her license and a Doctor of Podiatric Medicine

Physician Anesthesiologist: A medical doctor who has attained either a Doctor of Medicine (MD) or Doctor of Osteopathic Medicine (DO) degree and has chosen to specialize in the field of anesthesiology and specializes in anesthesia care, pain management, and critical care medicine, and have the necessary knowledge to understand and treat the entire human body.

***** Physician Assistant (PA):** An individual who meets the applicable State requirements governing the qualifications for assistants to primary care physicians. And meets one of the following conditions:

- 1) The physician assistant is currently certified by the National Commission on Certification of Physician Assistants to assist physicians.
- 2) The physician assistant has satisfactorily completed a program for preparing physician's assistants that:
 - i. Was at least one (1) academic year in length.
 - ii. Consisted of supervised clinical practice and at least four (4) months (in the aggregate) of classroom instruction directed toward preparing students to deliver health care; and
 - iii. Was accredited by the American Medical Association's Committee on Allied Health Education and Accreditation.
- 3) The physician assistant has satisfactorily completed a formal educational program (for preparing physician assistants) that does not meet the requirements of paragraph (2) of this definition and assisted physicians for a total of 12 months during the 18-month period that ended on December 31, 1986.
- 4) Is licensed as a PA by the State in which the PA practices.

Proceduralist: A licensed physician, usually a specialist or subspecialist, trained and qualified to perform diagnostic or therapeutic procedures. A licensed and trained CRNA and PA may also conduct selected procedures based on state law and scope of practice.

Procedural accreditation: This is intended for office-based facilities performing procedures in medical specialties including gastroenterology, urology/nephrology, gynecology, interventional radiology/vascular access, pain management, and dermatology. Procedures are performed by specialists including Gastroenterologists, Urologists/Nephrologists, Gynecologists, Pain Management Specialists, Dermatologists, or Interventional Radiologists/Vein Specialists, and may include minimally invasive procedures and approved minor surgical procedures (e.g. minor urological surgical procedures including circumcisions, vasectomies; minor dermatological procedures including mole/growth removal, minimally invasive gynecological surgeries as entered through the vagina, etc.).

Progress note: An essential tool used in healthcare to document patient information, medical history, treatment plans, and progress throughout a patient's care. Progress notes are also a crucial communication tool among healthcare professionals, ensuring continuity of care and facilitating collaboration.

Public health agency: an official agency established by a State or local government, the primary function of which is to maintain the health of the population served by performing environmental health services, preventive medical services, and in certain cases, therapeutic services. **[485.703 Condition]**

Qualified: An individual who is qualified by education, training, licensure/regulation (when applicable, also includes registration and certification), and facility privileging (when applicable) who performs a professional service within his/her scope of practice and independently reports that professional service.

Rehabilitation agency -

An agency that:


- Provides an integrated interdisciplinary rehabilitation program designed to upgrade the physical functioning of handicapped disabled individuals by bringing specialized rehabilitation staff together to perform as a team; and
- Provides at least physical therapy or speech-language pathology services.

[485.703 Condition]


**** Room Classifications:

Room Type	Use	Environmental Controls		
		Location	Ventilation (excerpted from ASHRAE 170)	Surfaces
Exam Room or Treatment Room	Patient care that may require high-level disinfection or sterile instruments but does not require the environmental controls of a procedure room	Accessed from an unrestricted area	<p>4 total ACH for general exam room</p> <p>6 total ACH for exam rooms programmed for use by patients with undiagnosed gastrointestinal symptoms, respiratory symptoms, or skin symptoms</p> <p>No pressure requirement</p> <p>Standard diffuser and return array</p>	<p>Ceilings: Cleanable with routine housekeeping equipment</p> <p>Floor: No special requirement</p> <p>Walls: No special requirement</p>
Procedure Room	Patient care that requires high-level disinfection or sterile instruments and some environmental controls but does not require the environmental controls of an operating room	Accessed from an unrestricted or a semi-restricted area	<p>15 ACH / Positive pressure</p> <p>Standard diffuser and return array</p>	<p>Ceilings: Smooth and without crevices, scrubbable, non-absorptive, non-perforated; capable of withstanding cleaning chemicals; without crevices; lay-in ceiling permitted if gasketed or each ceiling tile weighs at least one pound per square foot and no perforated, tegular, serrated, or highly textured tiles. Lay-in ceiling permitted if gasketed or each ceiling tile weighs at least 1lb/SF</p> <p>Floor and wall base assemblies for cystoscopy, urology, and endoscopy procedure rooms: Monolithic with an integral coved wall base that is carried up the wall a minimum of 6'</p> <p>Wall finishes for endoscopy: Free of fissures, open joints, or crevices that may retain or permit passage of dirt particles</p>
Operating Room	Invasive procedures* Any procedure during which the patient will require physiological monitoring and is anticipated to require active life support	Accessed from a semi-restricted area	<p>20 total ACH / Positive pressure</p> <p>Primary supply diffuser array extend a minimum of 12' beyond the footprint of the surgical table on each side</p> <p>At least two low sidewall return or exhaust grilles spaced at opposite corners or as far apart as possible</p>	<p>Ceilings: Monolithic, scrubbable, capable of withstanding cleaning and/or disinfecting chemicals, gasketed access openings</p> <p>Floor and wall base assemblies: Monolithic with an integral coved wall base that is carried up the wall a minimum of 6'</p> <p>Wall finishes: Free of fissures, open joints, or crevices that may retain or permit passage of dirt particles</p>

2018 FGI Guidelines for Minimum Room Sizes: Exam, Treatment & Procedure Rooms



2018 FGI Guidelines for Minimum Room Sizes: Operating Rooms



*** **Rural area** mean an area that is not delineated as an urbanized area by the Bureau of the Census. [42 CFR 491.2]

*** **Rural health clinic:** a clinic located in a rural area designated as a shortage area, is not a rehabilitation agency or a facility primarily for the care and treatment of mental diseases and meets all other requirements of this subpart. [42 CFR 491.2]

*** **Secretary:** The Secretary of Health and Human Services, or any official to whom he/she has delegated pertinent authority.

*** **Shortage area:** a defined geographic area designated by the Department as having either a shortage of personal health services (under section 1302(7) of the Public Health Service Act) or a shortage of primary medical care manpower (under section 332 of that Act). [42 CFR 491.2]

Staff: Anyone employed (part-time, full-time) at a facility, including both direct and indirect (contract) employees that provide care, treatment, or services to patients. The terms “personnel” and “staff” are synonymous.

*** **Direct Services:** services provided by the clinic’s staff. [42 CFR 491.2]

** **Sterile:** The state of being free from all living microorganisms. In practice, it is usually described as a probability function (e.g., as the probability of a microorganism surviving sterilization being 1 in 1,000,000).

** **Sterilization:** A validated process that removes or destroys all viable microorganisms, including bacterial spores, to an acceptable sterility assurance level, usually 1 in 1,000,000. In a sterilization process, the presence of microorganisms on any individual item can be expressed in terms of probability (which, even though is a very low number, may never be zero).

Surgeon: A physician trained and qualified to perform surgical procedures.

*** **Surgery** is performed for the purpose of structurally altering the human body by the incision or destruction of tissues and is part of the practice of medicine. Surgery is also the diagnostic or therapeutic treatment of conditions or disease processes by any instruments causing localized alteration or transposition of live human tissue, which include lasers, ultrasound, ionizing radiation, scalpels, probes, and needles. The tissue can be cut, burned, vaporized, frozen, sutured, probed, or manipulated by closed reductions for major dislocations or fractures, or otherwise altered by mechanical, thermal, light-based, electromagnetic, or chemical means. Injection of diagnostic or therapeutic substances into body cavities, internal organs, joints, sensory organs, and the central nervous system is also considered to be surgery. (This does not include the administration by nursing personnel of some injections, subcutaneous, intramuscular, and intravenous when ordered by a physician.) Surgical procedures are invasive, including those that are performed with lasers, and the risks of any surgical procedure are not eliminated by using a light knife or laser in place of a metal knife, or scalpel.

- 1) **Major surgery** is an invasive operative procedure where one (1) or more of the following occurs:
 - a. A body cavity is entered.
 - b. A mesenchymal barrier is crossed.
 - c. A fascial plane is opened
 - d. An organ is removed
 - e. Normal anatomy is operatively altered
- 6) **Minor Surgery** is an invasive operative procedure in which only skin, mucous membranes, or superficial connective tissue is manipulated.

*** **Supervision**

1. **Direct Supervision:** The supervising physician must be immediately available if needed, meaning physically present in the facility, and prepared to immediately conduct hands-on intervention if needed. However, the physician does not need to be in the room throughout the performance of the service.

2. General supervision: The service is furnished under the physician's overall direction and control, but the physician's presence is not required during the performance of the procedure. Under general supervision, the training of the non-physician personnel who actually perform the diagnostic procedure and maintain the necessary equipment and supplies is the physician's continuing responsibility.

3. Personal supervision: A physician must be present in the room during the procedure.

*** Surgical Site Infection (SSI):** An infection at the site of a surgical incision. The SSI may be superficial, deep, or extend to organs. Patients should be monitored for SSIs for thirty (30) days after surgery or procedures or three-hundred and sixty-five (365) days after implant placement.

Ventilation of Health Care Facilities. ASHRAE/ASHE standard 170-2008

TABLE 7-1 Design Parameters

Function of Space	Pressure Relationship to Adjacent Areas (n)	Minimum Outdoor ach	Minimum Total ach	All Room Air Exhausted Directly to Outdoors (j)	Air Recirculated by Means of Room Units (a)	RH (k), %	Design Temperature (l), °F/°C
SURGERY AND CRITICAL CARE							
Class B and C operating rooms, (m), (n), (o)	Positive	4	20	N/R	No	20/30–60	68–75/20–24
Operating/surgical cystoscopic rooms, (m), (n), (o)	Positive	4	20	N/R	No	20/30–60	68–75/20–24
Delivery room (Caesarean) (m), (n), (o)	Positive	4	20	N/R	No	20/30–60	68–75/20–24
Treatment room (p)	N/R	2	6	N/R	N/R	20/30–60	70–75/21–24
Trauma room (crisis or shock) (c)	Positive	3	15	N/R	No	20/30–60	70–75/21–24
Laser eye room	Positive	3	15	N/R	No	20/30–60	70–75/21–24
Class A Operating/Procedure room (o), (d)	Positive	3	15	N/R	No	20/30–60	70–75/21–24
DIAGNOSTIC AND TREATMENT							
Gastrointestinal endoscopy procedure room	Positive	2	6	N/R	No	20/30–60	68–73/20–23

SPECIAL THANKS & RECOGNITION

QUAD A and its Board of Directors would like to express their gratitude to the team of outstanding professionals who volunteered and contributed their vast knowledge, experience, expertise, and time to ensure that QUAD A is able to attain its mission of improving patient safety worldwide. Their months of extensive work, sacrifice, and collaboration are greatly appreciated.

William Rosenblatt, MD <i>Plastic Surgery</i> <i>President, QUAD A Board of Directors, QUAD A Surveyor</i>	Janice Izlar, CRNA, DNAP, CRNA <i>Anesthesia</i> <i>Standards Committee Chair, QUAD A Board of Directors</i>
Monte Goldstein, MD <i>Anesthesia</i> <i>Standards Committee Member, QUAD A Board of Directors. QUAD A Surveyor</i>	Elethia Dean, DNP, RN <i>Surgical Nursing & Rural Healthcare</i> <i>Standards Committee Member, QUAD A Surveyor</i>
Bonnie Denholm, DNP, CNOR <i>Surgical Nursing</i> <i>Standards Committee Member, QUAD A Board of Directors</i>	Erik Painter MHA, COTA <i>Outpatient Therapy</i> <i>Subject Matter Expert, QUAD A Surveyor</i>
Gil Weitzman, MD <i>Gastroenterology</i> <i>Subject Matter Expert, QUAD A Board of Directors</i>	Elsie Crawford, RN <i>Rural Healthcare</i> <i>Standards Committee Member, QUAD A Surveyor & Board of Directors</i>
Debbi Conn, RN, HCRM <i>Surgical Nursing</i> <i>Subject Matter Expert</i>	Lillian Carson, RN <i>Surgical Nursing</i> <i>Standards Committee Member</i>
Jonathan Wong, DMD <i>Pediatric Dentistry & Anesthesia</i> <i>Subject Matter Expert</i>	Courtney Brashier, DDS, MSD <i>Pediatric Dentistry & Anesthesia</i> <i>Subject Matter Expert</i>
Carson McCaffery, RN <i>Ophthalmology</i> <i>Subject Matter Expert, QUAD A Surveyor</i>	Dianne Bourque, RN <i>Surgical Nursing & Infection Control</i> <i>Subject Matter Expert, QUAD A Surveyor</i>
Leon Kurtz, MD <i>Gastroenterology & Infection Control</i> <i>Subject Matter Expert</i>	Abdussami Hadi, MD <i>Pain Management</i> <i>Subject Matter Expert</i>
Beverly Robbins, MBA, BSN, RN <u><i>Director of Survey Operations, QUAD A</i></u>	Monda Shaver, MSHM, BSN, RN <i>Standards Development & Program Consultant, QUAD A</i>
Patricia Chmielewski, MS, BSN, RN <i>Standards Development & Research Analyst, QUAD A</i>	

QUAD A OFFICE MAILING ADDRESS:

7500 Grand Avenue, Suite 200

GURNEE, IL 60031, USA

TOLL-FREE: +1-888-545-5222

PHONE: +1-847-775-1970

FAX: +1-847-775-1985

EMAIL: info@QUAD A.org

QUAD A



